

SPACE-EFFICIENT ROUTING TABLES FOR ALMOST ALL NETWORKS AND THE INCOMPRESSIBILITY METHOD*

HARRY BUHRMAN[†], JAAP-HENK HOEPMAN[‡], AND PAUL VITÁNYI[†]

Abstract. We use the incompressibility method based on Kolmogorov complexity to determine the total number of bits of routing information for almost all network topologies. In most models for routing, for almost all labeled graphs, $\Theta(n^2)$ bits are necessary and sufficient for shortest path routing. By “almost all graphs” we mean the Kolmogorov random graphs which constitute a fraction of $1 - 1/n^c$ of all graphs on n nodes, where $c > 0$ is an arbitrary fixed constant. There is a model for which the average case lower bound rises to $\Omega(n^2 \log n)$ and another model where the average case upper bound drops to $O(n \log^2 n)$. This clearly exposes the sensitivity of such bounds to the model under consideration. If paths have to be short, but need not be shortest (if the stretch factor may be larger than 1), then much less space is needed on average, even in the more demanding models. Full-information routing requires $\Theta(n^3)$ bits on average. For worst-case static networks we prove an $\Omega(n^2 \log n)$ lower bound for shortest path routing and all stretch factors < 2 in some networks where free relabeling is not allowed.

Key words. computer networks, routing algorithms, compact routing tables, Kolmogorov complexity, incompressibility method, random graphs, average-case complexity, space complexity

AMS subject classifications. 68M10, 68Q25, 68Q30, 68R10, 90B12

PII. S0097539796308485

1. Introduction. In very large communication networks, like the global telephone network or the Internet connecting the world's computers, the message volume being routed creates bottlenecks, degrading performance. We analyze a tiny part of this issue by determining the optimal space to represent routing schemes in communication networks for almost all static network topologies. The results also give the average space cost over all network topologies.

A universal *routing strategy* for static communication networks will, for every network, generate a *routing scheme* for that particular network. Such a routing scheme comprises a *local routing function* for every node in the network. The routing function of node u returns for every destination $v \neq u$, an edge incident to u on a path from u to v . This way, a routing scheme describes a path, called a *route*, between every pair of nodes u, v in the network. The *stretch factor* of a routing scheme equals the maximum ratio between the length of a route it produces and the shortest path between the endpoints of that route.

It is easy to see that we can do shortest path routing by entering a routing table in each node u , which for each destination node v indicates to what adjacent node w a message to v should be routed first. If u has degree d , it requires a table of at most $n \log d$ bits,¹ and the overall number of bits in all local routing tables never exceeds $n^2 \log n$.

*Received by the editors August 20, 1996; accepted for publication (in revised form) June 26, 1997; published electronically April 20, 1999. A preliminary version of this work was presented at the 15th ACM Conference on Principles Distribut. Comput., Philadelphia, PA, 1996. This research was partially supported by the European Union through NeuroCOLT ESPRIT Working Group 8556 and by NWO through NFI project ALADDIN NF 62-376.

<http://www.siam.org/journals/sicomp/28-4/30848.html>

[†]CWI, Kruislaan 413, 1098 SJ Amsterdam, The Netherlands (buhrman@cwi.nl, paulv@cwi.nl).

[‡]Department of Computer Science, University of Twente, P.O. Box 217, 7500 AE Enschede, The Netherlands (hoepman@cs.utwente.nl).

¹Throughout, “log” denotes the binary logarithm.

The stretch factor of a routing strategy equals the maximal stretch factor attained by any of the routing schemes it generates. If the stretch factor of a routing strategy equals 1, it is called a *shortest path routing strategy* because then it generates for every graph a routing scheme that will route a message between arbitrary u and v over a shortest path between u and v .

In a *full-information* shortest path routing scheme, the routing function in u must, for each destination v , return all edges incident to u on shortest paths from u to v . These schemes allow alternative, shortest paths to be taken whenever an outgoing link is down.

We consider point to point communication networks on n nodes described by an undirected graph G . The nodes of the graph initially have unique labels taken from a set $\{1, \dots, m\}$ for some $m > n$. Edges incident to a node v with degree $d(v)$ are connected to *ports*, with fixed labels $1, \dots, d(v)$, by a so-called port assignment. This labeling corresponds to the minimal local knowledge a node needs to route: (a) a unique identity to determine whether it is the destination of an incoming message, (b) the guarantee that each of its neighbors can be reached over a link connected to exactly one of its ports, and (c) the guarantee that it can distinguish these ports.

1.1. Cost measures for routing tables. The space requirements of a routing scheme are measured as the sum over all nodes of the number of bits needed on each node to encode its routing function. If the nodes are not labeled with $\{1, \dots, n\}$ —the minimal set of labels—we have to add to the space requirement, for each node, the number of bits needed to encode its label. Otherwise, the bits needed to represent the routing function could be appended to the original identity yielding a large label that is not charged for but does contain all necessary information to route.

The cost of representing a routing function at a particular node depends on the amount of (uncharged) information initially there. Moreover, if we are allowed to relabel the graph and change its port assignment before generating a routing scheme for it, the resulting routing functions may be simpler and easier to encode. On a chain, for example, the routing function is much less complicated if we can relabel the graph and number the nodes in increasing order along the chain. We list these assumptions below and argue that each of them is reasonable for certain systems. We start with the options IA, IB, and II for the amount of information initially available at a node:

- I. Nodes do not initially know the labels of their neighbors and use ports to distinguish the incident edges. This models the basic system without prior knowledge.
 - IA. The assignment of ports to edges is fixed and cannot be altered. This assumption is reasonable for systems running several jobs where the optimal port assignment for routing may actually be bad for those other jobs.
 - IB. The assignment of ports to edges is free and can be altered before computing the routing scheme (as long as neighboring nodes remain neighbors after reassignment). Port reassignment is justifiable as a local action that usually can be performed without informing other nodes.
- II. Nodes know the labels of their neighbors and over which edge to reach them. This information is free. Or, to put it another way, an incident edge carries the same label as the node to which it connects. This model is concerned only with the additional cost of routing messages beyond the immediate neighbors and applies to systems where the neighbors are already known for various

other reasons.²

Orthogonal to that, the following three options regarding the labels of the nodes are distinguished:

- α Nodes cannot be relabeled. For large scale distributed systems, relabeling requires global coordination that may be undesirable or simply impossible.
- β Nodes may be relabeled before computing the routing scheme, but the range of the labels must remain $1, \dots, n$. This model allows a bad distribution of labels to be avoided.
- γ Nodes may be given arbitrary labels before computing the routing scheme, but the number of bits used to store the node's label is added to the space requirements of a node. Destinations are given using the new, complex labels.³ This model allows us to store additional routing information, e.g., topological information, in the label of a node. This sort of network may be appropriate for centrally designed interconnected networks for multiprocessors and communication networks. A common example of architecture of this type is the binary n -cube network, where the 2^n nodes are labeled with elements of $\{0, 1\}^n$ such that there is an edge between each pair of nodes iff their labels differ in exactly one bit position. In this case one can shortest path route using only the labels by successively traversing edges corresponding to flipping successive bits in the positions where source node and destination node differ.

These two orthogonal sets of assumptions, IA, IB, or II and α , β , or γ , define the nine different models we will consider in this paper. We remark that the lower bounds for models without relabeling are less surprising and easier to prove than the bounds for the other models.

1.2. Outline. We determine the optimum space used to represent shortest path routing schemes on almost all labeled graphs, namely, the Kolmogorov random graphs with randomness deficiency at most $c \log n$, which constitute a fraction of at least $1 - 1/n^c$ of all graphs for every fixed constant $c > 0$. These bounds straightforwardly imply the same bounds for the average case over all graphs, provided we choose $c \geq 3$. For an overview of the results, refer to Table 1.1.⁴

We prove that for almost all graphs, $\Omega(n^2)$ bits are necessary to represent the routing scheme, if relabeling is not allowed and nodes know their neighbors (II \wedge α) or nodes do not know their neighbors (IA \vee IB).⁵ Partially matching this lower bound, we show that $O(n^2)$ bits are sufficient to represent the routing scheme if the

²We do not consider models that give neighbors for free and, at the same time, allow free port assignment. Given a labeling of the edges by the nodes to which they connect, the actual port assignment doesn't matter at all and can in fact be used to represent $d(v) \log d(v)$ bits of the routing function. Namely, each assignment of ports corresponds to a permutation of the ranks of the neighbors—the neighbors at port i move to position i . There are $d(v)!$ such permutations.

³In this model it is assumed that a routing function cannot tell valid from invalid labels and that a routing function always receives a valid destination label as input. Requiring otherwise makes the problem harder.

⁴In this table, arrows indicate that the bound for that particular model follows from the bound found by tracing the arrow. In particular, the average-case lower bound for model IA \wedge β is the same as the IA \wedge γ bound found by tracing \rightarrow . The reader may have guessed that a ? marks an open question.

⁵We write A \vee B to indicate that the results hold under model A or model B. Similarly, we write A \wedge B to indicate the result holds only if the conditions of both model A and model B hold simultaneously. If only one of the two “dimensions” is mentioned, the other may be taken arbitrarily (i.e., IA is shorthand for (IA \wedge α) \vee (IA \wedge β) \vee (IA \wedge γ)).

TABLE 1.1

Size of shortest path routing schemes, overview of results. The results presented in this paper are quoted with exact constants and asymptotically (with the lower order of magnitude terms suppressed). This table contains only results on shortest path routing, not the other results in this paper.

	No relabeling (α)	Permutation (β)	Free relabeling (γ)
Worst case—lower bounds			
Port assignment free (IB)	\rightarrow	$\Omega(n^2 \log n)$ [5]	$n^2/32$ [Thm 4.2]
Neighbors known (II)	$(n^2/9) \log n$ [Thm 4.4]	$\Omega(n^2)$ [4]	$\Omega(n^{7/6})$ [10]
Average case—upper bounds			
Port assignment fixed (IA)	$(n^2/2) \log n$ [Thm 3.6]	\leftarrow	\leftarrow
Port assignment free (IB)	$3n^2$ [Thm 3.1]	\leftarrow	\leftarrow
Neighbors known (II)	$3n^2$ [Thm 3.1]	\leftarrow	$6n \log^2 n$ [Thm 3.2]
Average case—lower bounds			
Port assignment fixed (IA)	$(n^2/2) \log n$ [Thm 4.3]	\rightarrow	$n^2/32$ [Thm 4.2]
Port assignment free (IB)	$n^2/2$ [Thm 4.1]	\rightarrow	$n^2/32$ [Thm 4.2]
Neighbors known (II)	$n^2/2$ [Thm 4.1]	?	?

port assignment may be changed or if nodes do know their neighbors (IB \vee II). In contrast, for almost all graphs, the lower bound rises to asymptotically $(n^2/2) \log n$ bits if both relabeling and changing the port assignment are not allowed (IA \wedge α), and this number of bits is also sufficient for almost all graphs. And, again for almost all graphs, the upper bound drops to $O(n \log^2 n)$ bits if nodes know the labels of their neighbors and nodes may be arbitrarily relabeled (II \wedge γ).

Full-information shortest path routing schemes are shown to require, on almost all graphs, asymptotically $n^3/4$ bits to be stored if relabeling is not allowed (α), and this number of bits is also shown to be sufficient for almost all graphs. (The obvious upper bound for all graphs is n^3 bits.)

For stretch factors larger than 1 we obtain the following results. When nodes know their neighbors (II), for almost all graphs, routing schemes achieving stretch factors s with $1 < s < 2$ can be stored using a total of $O(n \log n)$ bits.⁶ Similarly, for almost all graphs in the same models (II), $O(n \log \log n)$ bits are sufficient for routing with stretch factor ≥ 2 . Finally, for stretch factors $\geq 6 \log n$ on almost all graphs again in the same model (II), the routing scheme occupies only $O(n)$ bits.

For worst-case static networks we prove, by construction of explicit graphs, an $\Omega(n^2 \log n)$ lower bound on the total size of any routing scheme with stretch factor < 2 if nodes may not be relabeled (α).

The novel incompressibility technique based on Kolmogorov complexity [9] has already been applied in many areas but not so much in a distributed setting. A methodological contribution of this paper is to show how to apply the incompressibility method to obtain results in distributed computing for *almost all* objects concerned, rather than for the *worst-case* object. This hinges on our use of Kolmogorov random graphs in a fixed family of graphs. Our results also hold *averaged over all* objects concerned.

Independent recent work [8, 7] applies Kolmogorov complexity to obtain related *worst-case* results mentioned in the next section. They show, for example, that for each n there exist graphs on n nodes which may not be relabeled (α) that require in the worst case $\Omega(n^3)$ bits to store a *full-information* shortest path routing scheme.

⁶For Kolmogorov random graphs which have diameter 2 by Lemma 2.6, routing schemes with $s = 1.5$ are the only ones possible in this range.

We prove for the same model that for *almost all* graphs, full-information routing $n^3/4$ bits in total is necessary and sufficient (asymptotically).

1.3. Related work. Previous upper and lower bounds on the total number of bits necessary and sufficient to store the routing scheme in worst-case static communication networks are due to Peleg and Upfal [10] and Fraigniaud and Gavoille [4].

In [10] it was shown that for any stretch factor $s \geq 1$, the total number of bits required to store the routing scheme for some n -node graph is at least $\Omega(n^{1+1/(2s+4)})$ and that there exist routing schemes for all n -node graphs, with stretch factor $s = 12k + 3$, using $O(k^3 n^{1+1/k} \log n)$ bits in total. For example, with stretch factor $s = 15$ we have $k = 1$ and their method guarantees $O(n^2 \log n)$ bits to store the routing scheme. The lower bound is shown in the model where nodes may be arbitrarily relabeled and where nodes know their neighbors ($\text{II} \wedge \gamma$). Free port assignment in conjunction with a model where the neighbors are known (II), however, cannot be allowed. Otherwise, each node would gain $n \log n$ bits to store the routing function (see footnote 2).

Fraigniaud and Gavoille [4] showed that for stretch factors $s < 2$ there are routing schemes that require a total of $\Omega(n^2)$ bits to be stored in the worst case if nodes may be relabeled by permutation (β). This was improved for shortest path routing by Gavoille and Pérennès [5], who showed that for each $d \leq n$ there are shortest path routing schemes that require a total of $\Omega(n^2 \log d)$ bits to be stored in the worst case for some graphs with maximal degree d if nodes may be relabeled by permutation and the port assignment may be changed ($\text{IB} \wedge \beta$). This last result is clearly optimal for the worst case both for general networks ($d = \Theta(n)$) and bounded degree networks ($d < n$). In [7] it was shown that for each $d \geq 3$ there are networks for which any routing scheme with stretch factor < 2 requires a total of $\Omega(n^2 / \log^2 n)$ bits.

Interval routing on a graph $G = (V, E)$, $V = \{1, \dots, n\}$, is a routing strategy where for each node i , for each incident edge e of i , a (possibly empty) set of pairs of node labels represents disjoint intervals with wraparound. Each pair indicates the initial edge on a shortest path from i to any node in the interval, and for each node $j \neq i$ there is such a pair. We are allowed to permute the labels of graph G to optimize the interval setting.

Gavoille and Pérennès [5] show that there exist graphs for each bounded degree $d \geq 3$ such that for each interval routing scheme, each of $\Omega(n)$ edges are labeled by $\Omega(n)$ intervals. This shows that interval routing can be worse than straightforward coding of routing tables, which can be trivially done in $O(n^2 \log d)$ bits total. (This improves [7], showing that there exist graphs such that for each interval routing scheme some incident edge on each of $\Omega(n)$ nodes is labeled by $\Omega(n)$ intervals and that for each $d \geq 3$ there are graphs of maximal node degree d such that for each interval routing scheme some incident edge on each of $\Omega(n)$ nodes is labeled by $\Omega(n/\log n)$ intervals.)

Flammini, van Leeuwen, and Marchetti-Spaccamela [3] provide history and background on the compactness (or lack thereof) of interval routing using probabilistic proof methods. To the best of our knowledge, one of the authors of that paper, Jan van Leeuwen, was the first to formulate explicitly the question of what exactly is the minimal size of the routing functions, and he also recently drew our attention to this group of problems.

2. Kolmogorov complexity. The Kolmogorov complexity [6] of x is the length of the *shortest* effective description of x . That is, the *Kolmogorov complexity* $C(x)$ of a finite string x is simply the length of the shortest program, say, in Fortran

(or in Turing machine codes) encoded in binary, which prints x without any input. A similar definition holds conditionally in the sense that $C(x|y)$ is the length of the shortest binary program which computes x given y as input. It can be shown that the Kolmogorov complexity is absolute in the sense of being independent of the programming language up to a fixed additional constant term which depends on the programming language but not on x . We now fix one canonical programming language once and for all as a reference and thereby $C(\cdot)$.

For the theory and applications, see [9]. Let $x, y, z \in \mathcal{N}$, where \mathcal{N} denotes the natural numbers. Identify \mathcal{N} and $\{0, 1\}^*$ according to the correspondence $(0, \epsilon), (1, 0), (2, 1), (3, 00), (4, 01), \dots$. Hence, the length $|x|$ of x is the number of bits in the binary string x . Let T_1, T_2, \dots be a standard enumeration of all Turing machines. Let $\langle \cdot, \cdot \rangle$ be a standard invertible effective bijection from $\mathcal{N} \times \mathcal{N}$ to \mathcal{N} . This can be iterated to $\langle \langle \cdot, \cdot \rangle, \cdot \rangle$.

DEFINITION 2.1. *Let U be an appropriate universal Turing machine such that $U(\langle \langle i, p \rangle, y \rangle) = T_i(\langle p, y \rangle)$ for all i and $\langle p, y \rangle$. The Kolmogorov complexity of x given y (for free) is*

$$C(x|y) = \min\{|p| : U(\langle p, y \rangle) = x, p \in \{0, 1\}^*\}.$$

2.1. Kolmogorov random graphs. One way to express irregularity or *randomness* of an individual network topology is by a modern notion of randomness like Kolmogorov complexity. A simple counting argument shows that for each y in the condition and each length n , there exists at least one x of length n which is *incompressible* in the sense of $C(x|y) \geq n$; 50% of all x 's of length n are incompressible but for one bit ($C(x|y) \geq n - 1$), 75% of all x 's are incompressible but for two bits ($C(x|y) \geq n - 2$), and in general a fraction of $1 - 1/2^c$ of all strings cannot be compressed by more than c bits [9].

DEFINITION 2.2. *Each labeled graph $G = (V, E)$ on n nodes $V = \{1, 2, \dots, n\}$ can be coded by a binary string $E(G)$ of length $n(n - 1)/2$. We enumerate the $n(n - 1)/2$ possible edges (u, v) in a graph on n nodes in standard lexicographical order without repetitions and set the i th bit in the string to 1 if the i th edge is present and to 0 otherwise. Conversely, each binary string of length $n(n - 1)/2$ encodes a graph on n nodes. Hence we can identify each such graph with its corresponding binary string.*

We define the high complexity graphs in a particular family \mathcal{G} of graphs.

DEFINITION 2.3. *A labeled graph G on n nodes of a family \mathcal{G} of graphs has randomness deficiency at most $\delta(n)$ and is called $\delta(n)$ -random in \mathcal{G} if it satisfies*

$$(2.1) \quad C(E(G)|n, \delta, \mathcal{G}) \geq \log |\mathcal{G}| - \delta(n).$$

In this paper \mathcal{G} is the set of all labeled graphs on n nodes. Then, $\log |\mathcal{G}| = n(n - 1)/2$, that is, precisely the length of the encoding of Definition 2.2. In what follows we just say " $\delta(n)$ -random" with \mathcal{G} understood.

Elementary counting shows that a fraction of at least

$$1 - 1/2^{\delta(n)}$$

of all labeled graphs on n nodes in \mathcal{G} has that high complexity [9].

2.2. Self-delimiting binary strings. We need the notion of self-delimiting binary strings.

DEFINITION 2.4. *We call x a proper prefix of y if there is a z such that $y = xz$ with $|z| > 0$. A set $A \subseteq \{0, 1\}^*$ is prefix-free if no element in A is the proper*

prefix of another element in A . A 1:1 function $E : \{0, 1\}^* \rightarrow \{0, 1\}^*$ (equivalently, $E : \mathcal{N} \rightarrow \{0, 1\}^*$) defines a prefix-code if its range is prefix-free. A simple prefix-code we use throughout is obtained by reserving one symbol, say 0, as a stop sign and encoding

$$\begin{aligned}\bar{x} &= 1^{|x|}0x, \\ |\bar{x}| &= 2|x| + 1.\end{aligned}$$

Sometimes we need the shorter prefix-code x' :

$$\begin{aligned}x' &= \overline{|x|}x, \\ |x'| &= |x| + 2\lceil \log(|x| + 1) \rceil + 1.\end{aligned}$$

We call \bar{x} or x' a self-delimiting version of the binary string x . We can effectively recover both x and y unambiguously from the binary strings $\bar{x}y$ or $x'y$. For example, if $\bar{x}y = 111011011$, then $x = 110$ and $y = 11$. If $\bar{x}y = 1110110101$, then $x = 110$ and $y = 1$. The self-delimiting form $x' \dots y'z$ allows the concatenated binary sub-descriptions to be parsed and unpacked into the individual items x, \dots, y, z ; the code x' encodes a separation delimiter for x using $2\lceil \log(|x| + 1) \rceil$ extra bits, and so on [9].

2.3. Topological properties of Kolmogorov random graphs. High complexity labeled graphs have many specific topological properties, which seems to contradict their randomness. However, randomness is not “lawlessness” but rather enforces strict statistical regularities, for example, to have diameter exactly 2. Note that randomly generated graphs have diameter 2 with high probability. In another paper [2] two of us explored the relationship between high probability properties of random graphs and properties of individual Kolmogorov random graphs. For this discussion it is relevant to mention that, in a precisely quantified way, every Kolmogorov random graph individually possesses all simple properties which hold with high probability for randomly generated graphs.

LEMMA 2.5. *The degree d of every node of a $\delta(n)$ -random labeled graph on n nodes satisfies*

$$|d - (n - 1)/2| = O\left(\sqrt{(\delta(n) + \log n)n}\right).$$

Proof. Assume that there is a node such that the deviation of its degree d from $(n - 1)/2$ is greater than k , that is, $|d - (n - 1)/2| > k$. From the lower bound on $C(E(G)|n, \delta, \mathcal{G})$ corresponding to the assumption that G is random in \mathcal{G} , we can estimate an upper bound on k , as follows.

In a description of $G = (V, E)$ given n, δ , we can indicate which edges are incident on node i by giving the index of the interconnection pattern (the characteristic sequence of the set $V_i = \{j \in V - \{i\} : (i, j) \in E\}$ in $n - 1$ bits, where the j th bit is 1 if $j \in V_i$ and 0 otherwise) in the ensemble of

$$(2.2) \quad m = \sum_{|d - (n-1)/2| > k} \binom{n-1}{d} \leq 2^n e^{-2k^2/3(n-1)}$$

possibilities. The last inequality follows from a general estimate of the tail probability of the binomial distribution with s_n the number of successful outcomes in n experiments with probability of success $p = \frac{1}{2}$. Namely, by Chernoff's bounds, in the form used in [1, 9],

$$(2.3) \quad \Pr(|s_n - pn| > k) \leq 2e^{-k^2/3pn}.$$

To describe G , it then suffices to modify the old code of G by prefixing it with

- (i) a description of this discussion in $O(1)$ bits;
- (ii) the identity of node i in $\lceil \log(n+1) \rceil$ bits;
- (iii) the value of k in $\lceil \log(n+1) \rceil$ bits, possibly adding nonsignificant 0's to pad up to this amount;
- (iv) the index of the interconnection pattern in $\log m$ bits (we know n , k , and hence $\log m$); followed by
- (v) the old code for G with the bits in the code denoting the presence or absence of the possible edges that are incident on node i deleted.

Clearly, given n we can reconstruct the graph G from the new description. The total description we have achieved is an effective program of

$$\log m + 2 \log n + n(n-1)/2 - n + O(1)$$

bits. This must be at least the length of the shortest effective binary program, which is $C(E(G)|n, \delta, \mathcal{G})$, satisfying (2.1). Therefore,

$$\log m \geq n - 2 \log n - O(1) - \delta(n).$$

Since we have estimated in (2.2) that

$$\log m \leq n - (2k^2/3(n-1)) \log e,$$

it follows that $k \leq \sqrt{\frac{3}{2}(\delta(n) + 2 \log n + O(1))(n-1)/\log e}$. \square

LEMMA 2.6. *Every $o(n)$ -random labeled graph on n nodes has diameter 2.*

Proof. The only graphs with diameter 1 are the complete graphs which can be described in $O(1)$ bits, given n , and hence are not random. It remains to consider $G = (V, E)$ is an $o(n)$ -random graph with diameter greater than 2, which contradicts (2.1) from some n onwards.

Let i, j be a pair of nodes with distance greater than 2. Then we can describe G by modifying the old code for G as follows:

- (i) a description of this discussion in $O(1)$ bits;
- (ii) the identities of $i < j$ in $2 \log n$ bits;
- (iii) the old code $E(G)$ of G with all bits representing presence or absence of an edge (j, k) between j and each k with $(i, k) \in E$ deleted. We know that all the bits representing such edges must be 0 since the existence of any such edge shows that $(i, k), (k, j)$ is a path of length 2 between i and j , contradicting the assumption that i and j have distance > 2 . This way we save at least $n/4$ bits since we save bits for as many edges (j, k) as there are edges (i, k) , that is, the degree of i , which is $n/2 \pm o(n)$ by Lemma 2.5.

Since we know the identities of i and j and the nodes adjacent to i (they are in the prefix of code $E(G)$ where no bits have been deleted), we can reconstruct G from this discussion and the new description, given n . Since by Lemma 2.5 the degree of i is at least $n/4$, the new description of G , given n , requires at most

$$n(n-1)/2 - n/4 + O(\log n)$$

bits, which contradicts (2.1) for large n . \square

LEMMA 2.7. *Let $c \geq 0$ be a fixed constant, and let G be a $c \log n$ -random labeled graph. Then from each node i all other nodes are either directly connected to i or are directly connected to one of the least $(c+3) \log n$ nodes directly adjacent to i .*

Proof. Given i , let A be the set of the least $(c + 3) \log n$ nodes directly adjacent to i . Assume by way of contradiction that there is a node k of G that is not directly connected to a node in $A \cup \{i\}$. We can describe G as follows:

- (i) a description of this discussion in $O(1)$ bits;
- (ii) a literal description of i in $\log n$ bits;
- (iii) a literal description of the presence or absence of edges between i and the other nodes in $n - 1$ bits;
- (iv) a literal description of k and its incident edges in $\log n + n - 2 - (c + 3) \log n$ bits;
- (v) the encoding $E(G)$ with the edges incident with nodes i and k deleted, saving at least $2n - 2$ bits.

Altogether the resultant description has

$$n(n - 1)/2 + 2 \log n + 2n - 3 - (c + 3) \log n - 2n + 2$$

bits, which contradicts the $c \log n$ -randomness of G by (2.1). \square

In the description we have explicitly added the adjacency pattern of node i , which we deleted again later. This zero-sum swap is necessary to be able to unambiguously identify the adjacency pattern of i in order to reconstruct G . Since we know the identities of i and the nodes adjacent to i (they are the prefix where no bits have been deleted), we can reconstruct G from this discussion and the new description, given n .

3. Upper bounds. We give methods to route messages over Kolmogorov random graphs with compact routing schemes. Specifically, we show that in general (on almost all graphs) one can use shortest path routing schemes occupying at most $O(n^2)$ bits. If one can relabel the graph in advance, and if nodes know their neighbors, shortest path routing schemes are shown to occupy only $O(n \log^2 n)$ bits. Allowing stretch factors larger than 1 reduces the space requirements—to $O(n)$ bits for stretch factors of $O(\log n)$.

Let G be an $O(\log n)$ -random labeled graph on n nodes. By Lemma 2.7 we know that from each node u we can shortest path route to each other node through the least $O(\log n)$ directly adjacent nodes of u . So we route through node v . Once the message reaches node v , its destination is either node v or a direct neighbor of node v (which is known in node v by assumption). Therefore, routing functions of size $O(n \log \log n)$ bits per node can be used to do shortest path routing. However, we can do better.

THEOREM 3.1. *Let G be an $O(\log n)$ -random labeled graph on n nodes. Assume that the port assignment may be changed or nodes know their neighbors (IB \vee II). Then for shortest path routing it suffices to have local routing functions stored in $3n$ bits per node. Hence the complete routing scheme is represented by $3n^2$ bits.*

Proof. Let G be as in the statement of the theorem. By Lemma 2.7 we know that from each node u we can route via shortest paths to each node v through the $O(\log n)$ directly adjacent nodes of u that have the least indexes. Assume we route through node v . Once the message has reached node v , its destination is either node v or a direct neighbor of node v (which is known in node v by assumption).

Let $A_0 \subseteq V$ be the set of nodes in G which are not directly connected to u . Let v_1, \dots, v_m be the $O(\log n)$ least indexed nodes directly adjacent to node u (Lemma 2.7) through which we can shortest path route to all nodes in A_0 . For $t = 1, 2, \dots, l$ define $A_t = \{w \in A_0 - \bigcup_{s=1}^{t-1} A_s : (v_t, w) \in E\}$. Let $m_0 = |A_0|$, and define $m_{t+1} = m_t - |A_{t+1}|$. Let l be the first t such that $m_t < n / \log \log n$. Then we claim that v_t is connected by an edge in E to at least $1/3$ of the nodes not connected by edges in E to nodes u, v_1, \dots, v_{t-1} .

CLAIM 1. $|A_t| > m_{t-1}/3$ for $1 \leq t \leq l$.

Proof. Suppose, by way of contradiction, that there exists a least $t \leq l$ such that $||A_t| - m_{t-1}/2| \geq m_{t-1}/6$. Then we can describe G , given n , as follows:

- (i) A description of this discussion in $O(1)$ bits;
- (ii) a description of nodes u, v_t in $2 \log n$ bits, padded with 0's if necessary;
- (iii) a description of the presence or absence of edges incident with nodes u, v_1, \dots, v_{t-1} in $r = n - 1 + \dots + n - (t - 1)$ bits. This gives us the characteristic sequences of A_0, \dots, A_{t-1} in V , where a *characteristic sequence* of A in V is a string of $|V|$ bits with, for each $v \in V$, the v th bit equal to 1 if $v \in A$ and the v th bit equal to 0 otherwise;
- (iv) a self-delimiting description of the characteristic sequence of A_t in $A_0 - \bigcup_{s=1}^{t-1} A_s$, using Chernoff's bound (2.3), in at most $m_{t-1} - \frac{2}{3} (\frac{1}{6})^2 m_{t-1} \log e + O(\log m_{t-1})$ bits;
- (v) the description $E(G)$ with all bits corresponding to the presence or absence of edges between v_t and the nodes in $A_0 - \bigcup_{s=1}^{t-1} A_s$ deleted, saving m_{t-1} bits. Furthermore, we also delete all bits corresponding to the presence or absence of edges incident with u, v_1, \dots, v_{t-1} , saving a further r bits.

This description of G uses at most

$$n(n - 1)/2 + O(\log n) + m_{t-1} - \frac{2}{3} \left(\frac{1}{6}\right)^2 m_{t-1} \log e - m_{t-1}$$

bits, which contradicts the $O(\log n)$ -randomness of G by (2.1), because $m_{t-1} > n/\log \log n$. \square

Recall that l is the least integer such that $m_l < n/\log \log n$. We construct the local routing function $F(u)$ as follows:

- (i) A table of intermediate routing node entries for all the nodes in A_0 in increasing order. For each node w in $\bigcup_{s=1}^l A_s$ we enter in the w th position in the table the unary representation of the least intermediate node v with $(u, v), (v, w) \in E$ followed by a 0. For the nodes that are not in $\bigcup_{s=1}^l A_s$ we enter a 0 in their position in the table, indicating that an entry for this node can be found in the second table. By Claim 1, the size of this table is bounded by

$$n + \sum_{s=1}^l \frac{1}{3} \left(\frac{2}{3}\right)^{s-1} sn \leq n + \sum_{s=1}^{\infty} \frac{1}{3} \left(\frac{2}{3}\right)^{s-1} sn \leq 4n.$$

- (ii) A table with explicitly binary coded intermediate nodes on a shortest path for the ordered set of the remaining destination nodes. Those nodes had a 0 entry in the first table and there are at most $m_l < n/\log \log n$ of them, namely, the nodes in $A_0 - \bigcup_{s=1}^l A_s$. Each entry consists of the code of length $\log \log n + O(1)$ for the position in increasing order of a node out of v_1, \dots, v_m with $m = O(\log n)$ by Lemma 2.7. Hence this second table requires at most $2n$ bits.

The routing algorithm is as follows: The direct neighbors of u are known in node u and are routed without a routing table. If we route from start node u to target node w , which is not directly adjacent to u , then we do the following: If node w has an entry in the first table, then route over the edge coded in unary; otherwise find an entry for node w in the second table.

Altogether, we have $|F(u)| \leq 6n$. Adding another $n-1$ in case the port assignment may be chosen arbitrarily, this proves the theorem with $7n$ instead of $6n$. Slightly

more precise counting and choosing l such that m_l is the first such quantity $< n/\log n$ shows $|F(u)| \leq 3n$. \square

If we allow arbitrary labels for the nodes, then shortest path routing schemes of $O(n \log^2 n)$ bits suffice on Kolmogorov random graphs, as witnessed by the following theorem.

THEOREM 3.2. *Let $c \geq 0$ be a constant, and let G be a $c \log n$ -random labeled graph on n nodes. Assume that nodes know their neighbors and that nodes may be arbitrarily relabeled ($\Pi \wedge \gamma$), and we allow the use of labels of $(1 + (c + 3) \log n) \log n$ bits. Then we can shortest path route with local routing functions stored in $O(1)$ bits per node (hence the complete routing scheme is represented by $(c + 3)n \log^2 n + n \log n + O(n)$ bits).*

Proof. Let c and G be as in the statement of the theorem. By Lemma 2.7 we know that from each node u we can shortest path route to each node w through the first $(c + 3) \log n$ directly adjacent nodes $f(u) = v_1, \dots, v_m$ of u . By Lemma 2.6, G has diameter 2. Relabel G such that the label of node u equals u followed by the original labels of the first $(c + 3) \log n$ directly adjacent nodes $f(u)$. This new label occupies $(1 + (c + 3) \log n) \log n$ bits. To route from source u to destination v do the following.

If v is directly adjacent to u , we route to v in one step in our model (nodes know their neighbors). If v is not directly adjacent to u , we consider the immediate neighbors $f(v)$ contained in the name of v . By Lemma 2.7, at least one of the neighbors of u must have a label whose original label (stored in the first $\log n$ bits of its new label) corresponds to one of the labels in $f(v)$. Node u routes the message to any such neighbor. This routing function can be stored in $O(1)$ bits. \square

Without relabeling, routing using less than $O(n^2)$ bits is possible if we allow stretch factors larger than 1. The next three theorems clearly show a trade-off between the stretch factor and the size of the routing scheme.

THEOREM 3.3. *Let $c \geq 0$ be a constant, and let G be a $c \log n$ -random labeled graph on n nodes. Assume that nodes know their neighbors (II). For routing with any stretch factor > 1 it suffices to have $n - 1 - (c + 3) \log n$ nodes with local routing functions stored in at most $\lceil \log(n + 1) \rceil$ bits per node and $1 + (c + 3) \log n$ nodes with local routing functions stored in $3n$ bits per node (hence the complete routing scheme is represented by less than $(3c + 20)n \log n$ bits). Moreover, the stretch is at most 1.5.*

Proof. Let c and G be as in the statement of the theorem. By Lemma 2.7 we know that from each node u we can shortest path route to each node w through the first $(c + 3) \log n$ directly adjacent nodes v_1, \dots, v_m of u . By Lemma 2.6, G has diameter 2. Consequently, each node in V is directly adjacent to some node in $B = \{u, v_1, \dots, v_m\}$. Hence it suffices to select the nodes of B as routing centers and store, in each node $w \in B$, a shortest path routing function $F(w)$ to all other nodes occupying $3n$ bits (the same routing function as constructed in the proof of Theorem 3.1 if the neighbors are known). Nodes $v \in V - B$ route any destination unequal to their own label to some fixed directly adjacent node $w \in B$. Then $|F(v)| \leq \lceil \log(n + 1) \rceil + O(1)$, and this gives the bit count in the theorem.

To route from an originating node v to a target node w , the following steps are taken. If w is directly adjacent to v , we route to w in one step in our model. If w is not directly adjacent to v , then we first route in one step from v to its directly connected node in B and then via a shortest path to w . Altogether, this takes either two or three steps, whereas the shortest path has length 2. Hence the stretch factor is at most 1.5, which for graphs of diameter 2 (i.e., all $c \log n$ -random graphs by Lemma 2.6) is the

only possibility between stretch factors 1 and 2. This proves the theorem. \square

THEOREM 3.4. *Let $c \geq 0$ be a constant, and let G be a $c \log n$ -random labeled graph on n nodes. Assume that the nodes know their neighbors (II). For routing with stretch factor 2 it suffices to have $n - 1$ nodes with local routing functions stored in at most $\log \log n$ bits per node and one node with its local routing function stored in $3n$ bits (hence the complete routing scheme is represented by $n \log \log n + 3n$ bits).*

Proof. Let c and G be as in the statement of the theorem. By Lemma 2.6, G has diameter 2. Therefore the following routing scheme has stretch factor 2: Let node 1 store a shortest path routing function. All other nodes store only a shortest path to node 1. To route from an originating node v to a target node w , the following steps are taken: If w is an immediate neighbor of v , we route to w in one step in our model. If not, we first route the message to node 1 in at most two steps and then from node 1 through a node v to node w in, again, two steps. Because node 1 stores a shortest path routing function, either $v = w$ or w is a direct neighbor of v .

Node 1 can store a shortest path routing function in at most $3n$ bits using the same construction as used in the proof of Theorem 3.1 (if the neighbors are known). The immediate neighbors of 1 route either to 1 or directly to the destination of the message. For these nodes, the routing function occupies $O(1)$ bits. For nodes v at distance 2 of node 1 we use Lemma 2.7, which tells us that we can shortest path route to node 1 through the first $(c + 3) \log n$ directly adjacent nodes of v . Hence, to represent this edge takes $\log \log n + \log(c + 3)$ bits, and hence the local routing function $F(v)$ occupies at most $\log \log n + O(1)$ bits. \square

THEOREM 3.5. *Let $c \geq 0$ be a constant, and let G be a $c \log n$ -random labeled graph on n nodes. Assume that nodes know their neighbors (II). For routing with stretch factor $(c + 3) \log n$ it suffices to have local routing functions stored in $O(1)$ bits per node (hence the complete routing scheme is represented by $O(n)$ bits).*

Proof. Let c and G be as in the statement of the theorem. From Lemma 2.7 we know that from each node u we can shortest path route to each node v through the first $(c + 3) \log n$ directly adjacent nodes of u . By Lemma 2.6, G has diameter 2. So the local routing function—representable in $O(1)$ bits—is to route directly to the target node if it is a directly adjacent node, otherwise simply traverse the first $(c + 3) \log n$ incident edges of the starting node and look in each of the visited nodes to see whether the target node is a directly adjacent node. If so, the message is forwarded to that node, otherwise it is returned to the starting node in order to try the next node. Hence each message for a destination at distance 2 traverses at most $2(c + 3) \log n$ edges.

Strictly speaking we do not use routing tables at all. We use the fact that a message can go back and forth several times to a node. The header of the message can code some extra information as a tag “failed.” In this case it is possible to describe an $O(1)$ bit size routing function which allows one to extract the destination from the header without knowing about $\log n$, for example, by the use of self-delimiting encoding. \square

THEOREM 3.6. *Let G be an $O(\log n)$ -random labeled graph on n nodes. Assume that nodes do not know their neighbors and relabeling and changing the port assignment are not allowed (IA \wedge α). Then for shortest path routing it suffices that each local routing function uses $(n/2) \log n(1 + o(1))$ bits (hence the complete routing scheme uses at most $(n^2/2) \log n(1 + o(1))$ bits to be stored).*

Proof. At each node we can give the neighbors by the positions of the 1’s in a binary string of length $n - 1$. Since each node has at most $n/2 + o(n)$ neighbors by

Lemma 2.5, a permutation of port assignments to neighbors can have Kolmogorov complexity at most $(n/2) \log n(1 + o(1))$ [9]. This permutation π describes part of the local routing function by determining, for each direct neighbor, the port through which to route messages for that neighbor. If G is $O(\log n)$ -random, then by Theorem 3.1 we require only $O(n)$ bits of additional routing information in each node. Namely, because the assignment of ports (outgoing edges) to direct neighbors is known by permutation π , we can use an additional routing table in $3n$ bits per node to route to the remaining nonneighbor nodes as described in the proof of Theorem 3.1. In total this gives $(n^2/2) \log n(1 + o(1))$ bits. \square

Our last theorem of this section determines the upper bounds for full-information shortest path routing schemes on Kolmogorov random graphs.

THEOREM 3.7. *For full-information shortest path routing on $o(n)$ -random labeled graphs on n nodes where relabeling is not allowed (α), the local routing function occupies at most $n^2/4 + o(n^2)$ bits for every node (hence the complete routing scheme takes at most $n^3/4 + o(n^3)$ bits to be stored).*

Proof. Since for $o(n)$ -random labeled graphs on n the node degree of every node is $n/2 + o(n)$ by Lemma 2.5, we can describe in each source node the appropriate outgoing edges (ports) for each destination node by the 1's in a binary string of length $n/2 + o(n)$. For each source node it suffices to store at most $n/2 + o(n)$ such binary strings corresponding to the nonneighboring destination nodes. In each node we can give the neighbors by the positions of the 1's in a binary string of length $n - 1$. Moreover, in each node we can give the permutation of port assignments to neighbors in $(n/2) \log n(1 + o(1))$ bits. This leads to a total of at most $(n^2/4)(1 + o(1))$ bits per node and hence to $(n^3/4)(1 + o(1))$ bits to store the overall routing scheme. \square

4. Lower bounds. The first two theorems of this section together show that $\Omega(n^2)$ bits are indeed necessary to route on Kolmogorov random graphs in all models we consider, except for the models where nodes know their neighbors *and* label permutation or relabeling is allowed ($\text{II} \wedge \beta$ or $\text{II} \wedge \gamma$). Hence the upper bound in Theorem 3.1 is tight up to order of magnitude.

THEOREM 4.1. *For shortest path routing in $o(n)$ -random labeled graphs where relabeling is not allowed and nodes know their neighbors ($\text{II} \wedge \alpha$), each local routing function must be stored in at least $n/2 - o(n)$ bits per node (hence the complete routing scheme requires at least $n^2/2 - o(n^2)$ bits to be stored).*

Proof. Let G be an $o(n)$ -random graph. Let $F(u)$ be the local routing function of node u of G , and let $|F(u)|$ be the number of bits used to store $F(u)$. Let $E(G)$ be the standard encoding of G in $n(n - 1)/2$ bits as in Definition 2.2. We now give another way to describe G using some local routing function $F(u)$:

- (i) a description of this discussion in $O(1)$ bits;
- (ii) a description of u in exactly $\log n$ bits, padded with 0's if necessary;
- (iii) a description of the presence or absence of edges between u and the other nodes in V in $n - 1$ bits;
- (iv) a self-delimiting description of $F(u)$ in $|F(u)| + 2 \log |F(u)|$ bits;
- (v) the code $E(G)$ with all bits deleted corresponding to edges $(v, w) \in E$ for each v and w such that $F(u)$ routes messages to w through the least intermediary node v . This saves at least $n/2 - o(n)$ bits since there are at least $n/2 - o(n)$ nodes w such that $(u, w) \notin E$ by Lemma 2.5, and since the diameter of G is 2 by Lemma 2.6, there is a shortest path $(u, v), (v, w)$ for some v . Furthermore, we delete all bits corresponding to the presence or absence of edges between u and the other nodes in V , saving another $n - 1$ bits. This corresponds to the $n - 1$ bits for edges connected to u , which we

added in one connected block (item (iii)) above.

In the description, we have explicitly added the adjacency pattern of node u , which we deleted elsewhere. This zero-sum swap is necessary to be able to unambiguously identify the adjacency pattern of u in order to reconstruct G given n , as follows. Reconstruct the bits corresponding to the deleted edges using u and $F(u)$ and subsequently insert them in the appropriate positions of the remnants of $E(G)$. We can do so because these positions can be simply reconstructed in increasing order. In total this new description has

$$n(n-1)/2 + O(1) + O(\log n) + |F(u)| - n/2 + o(n)$$

bits, which must be at least $n(n-1)/2 - o(n)$ by (2.1). Hence, $|F(u)| \geq n/2 - o(n)$, which proves the theorem. \square

THEOREM 4.2. *Let G be an $o(n)$ -random labeled graph on n nodes. Assume that the neighbors are not known (IA \vee IB) but relabeling is allowed (γ). Then for shortest path routing the complete routing scheme requires at least $n^2/32 - o(n^2)$ bits to be stored.*

Proof. In the proof of this theorem we need the following combinatorial result.

CLAIM 2. *Let k and n be arbitrary natural numbers such that $1 \leq k \leq n$. Let x_i for $1 \leq i \leq k$ be natural numbers such that $x_i \geq 1$. If $\sum_{i=1}^k x_i = n$, then*

$$\sum_{i=1}^k \lceil \log x_i \rceil \leq n - k.$$

Proof. The proof is by induction on k . If $k = 1$, then $x_1 = n$, and clearly $\lceil \log n \rceil \leq n - 1$ if $n \geq 1$. Supposing the claim holds for k and arbitrary n and x_i , we now prove it for $k' = k + 1$, n , and arbitrary x_i . Let $\sum_{i=1}^{k'} x_i = n$. Then $\sum_{i=1}^k x_i = n - x_{k'}$. Now

$$\sum_{i=1}^{k'} \lceil \log x_i \rceil = \sum_{i=1}^k \lceil \log x_i \rceil + \lceil \log x_{k'} \rceil.$$

By the induction hypothesis the first term on the right-hand side is less than or equal to $n - x_{k'} - k$, so

$$\sum_{i=1}^{k'} \lceil \log x_i \rceil \leq n - x_{k'} - k + \lceil \log x_{k'} \rceil = n - k' + \lceil \log x_{k'} \rceil + 1 - x_{k'}.$$

Clearly $\lceil \log x_{k'} \rceil + 1 \leq x_{k'}$ if $x_{k'} \geq 1$, which proves the claim. \square

Recall that in model γ each router must be able to output its own label. Using the routing scheme we can enumerate the labels of all nodes. If we cannot enumerate the labels of all nodes using less than $n^2/32$ bits of information, then the routing scheme requires at least that many bits of information and we are done. So assume we can (this includes models α and β , where the labels are not charged for, but can be described using $\log n$ bits). Let G be an $o(n)$ -random graph.

CLAIM 3. *Given the labels of all nodes, we can describe the interconnection pattern of a node u using the local routing function of node u plus an additional $n/2 + o(n)$ bits.*

Proof. Apply the local routing function to each of the labels of the nodes in turn (these are given by assumption). This will return for each edge a list of destinations reached over that edge. To describe the interconnection pattern, it remains to encode for each edge which of the destinations reached is actually its immediate neighbor. If edge i routes x_i destinations, this will cost $\lceil \log x_i \rceil$ bits. By Lemma 2.5 the degree of a node in G is at least $n/2 - o(n)$. Then in total, $\sum_{i=1}^{n/2-o(n)} \lceil \log x_i \rceil$ bits will be sufficient; separations need not be encoded because they can be determined using the knowledge of all x_i 's. Using Claim 2 finishes the proof. \square

Now we show that there are $n/2$ nodes in G whose local routing function requires at least $n/8 - 3 \log n$ bits to describe (which implies the theorem).

Assume, by way of contradiction, that there are $n/2$ nodes in G whose local routing function requires at most $n/8 - 3 \log n$ bits to describe. Then we can describe G as follows:

- (i) a description of this discussion in $O(1)$ bits;
- (ii) the enumeration of all labels in at most $n^2/32$ (by assumption);
- (iii) a description of the $n/2$ nodes in this enumeration in at most n bits;
- (iv) the interconnection patterns of these $n/2$ nodes in $n/8 - 3 \log n$ plus $n/2 + o(n)$ bits each (by assumption and using Claim 3); this amounts to $n/2(5n/8 - 3 \log n) + o(n^2)$ bits in total with separations encoded in another $n \log n$ bits;
- (v) the interconnection patterns of the remaining $n/2$ nodes *only among themselves* using the standard encoding, in $1/2(n/2)^2$ bits.

This description altogether uses


$$\begin{aligned} &O(1) + n^2/32 + n + n/2(5n/8 - 3 \log n) \\ &\quad + o(n^2) + n \log n + 1/2(n/2)^2 \\ &= n^2/2 - n^2/32 + n + o(n^2) - n/2 \log n \end{aligned}$$

bits, contradicting the $o(n)$ -randomness of G by (2.1). We conclude that on at least $n/2$ nodes, a total of $n^2/16 - o(n^2)$ bits are used to store the routing scheme. \square

If neither relabeling nor changing the port assignment is allowed, the next theorem implies that for shortest path routing on almost all such “static” graphs one cannot do better than storing part of the routing tables literally, in $(n^2/2) \log n$ bits. Note that it is known [5] that there are *worst-case* graphs (even in models where relabeling is allowed) such that $n^2 \log n - O(n^2)$ bits are required to store the routing scheme, and this matches the trivial upper bound for all graphs exactly. But in our Theorem 4.3 we show that in a certain restricted model for *almost all* graphs asymptotically $(n^2/2) \log n$ bits are required and by Theorem 3.6 that many bits are also sufficient.

THEOREM 4.3. *Let G be an $o(n)$ -random labeled graph on n nodes. Assume that nodes do not know their neighbors and relabeling and changing the port assignment are not allowed ($\text{IA} \wedge \alpha$). Then for shortest path routing each local routing function must be stored in at least $(n/2) \log n - O(n)$ bits per node (hence the complete routing scheme requires at least $(n^2/2) \log n - O(n^2)$ bits to be stored).*

Proof. If the graph cannot be relabeled and the port assignment cannot be changed, the adversary can set the port assignment of each node to correspond to a permutation of the destination nodes. Since each node has at least $n/2 - o(n)$ neighbors by Lemma 2.5, such a permutation can have Kolmogorov complexity as high as $(n/2) \log n - O(n)$ [9]. Because the neighbors are not known, the local routing function must determine, for each neighbor node, the port through which to route messages for that neighbor node. Hence the local routing function completely describes the

FIG. 4.1. Graph G_k .

permutation, given the neighbors, and thus it must occupy at least $(n/2) \log n - O(n)$ bits per node. \square

Note that in this model ($\text{IA} \wedge \alpha$) we can trivially find by the same method a lower bound of $n^2 \log n - O(n^2)$ bits for specific graphs like the complete graph and this matches exactly the trivial upper bound in the worst case. However, Theorem 4.3 shows that for this model for *almost all* labeled graphs asymptotically 50% of this number of bits of total routing information is both necessary and sufficient.

Even if stretch factors between 1 and 2 are allowed, the next theorem shows that $\Omega(n^2 \log n)$ bits are necessary to represent the routing scheme in the worst case.

THEOREM 4.4. *For routing with stretch factor < 2 in labeled graphs where relabeling is not allowed (α), there exist graphs on n nodes (almost $(n/3)!$ such graphs) where the local routing function must be stored in at least $(n/3) \log n - O(n)$ bits per node at $n/3$ nodes (hence the complete routing scheme requires at least $(n^2/9) \log n - O(n^2)$ bits to be stored).*

Proof. Consider the graph G_k with $n = 3k$ nodes depicted in Figure 4.1. Each node v_i in v_{k+1}, \dots, v_{2k} is connected to v_{i+k} and to each of the nodes v_1, \dots, v_k . Fix a labeling of the nodes v_1, \dots, v_{2k} with labels from $\{1, \dots, 2k\}$. Then any labeling of the nodes v_{2k+1}, \dots, v_{3k} with labels from $\{2k+1, \dots, 3k\}$ corresponds to a permutation of $\{2k+1, \dots, 3k\}$ and vice versa.

Clearly, for any two nodes v_i and v_j with $1 \leq i \leq k$ and $2k+1 \leq j \leq 3k$, the shortest path from v_i to v_j passes through node v_{j-k} and has length 2, whereas any other path from v_i to v_j has length at least 4. Hence any routing function on G_k with stretch factor < 2 routes such v_j from v_i over the edge (v_i, v_{j-k}) . Then at each of the k nodes v_1, \dots, v_k the local routing functions corresponding to any two labelings of the nodes v_{2k+1}, \dots, v_{3k} are different. Hence each representation of a local routing function at the k nodes v_i , $1 \leq i \leq k$, corresponds one-to-one to a permutation of $\{2k+1, \dots, 3k\}$. So given such a local routing function, we can reconstruct the permutation (by collecting the response of the local routing function for each of the nodes $k+1, \dots, 3k$ and grouping all pairs reached over the same edge). The number of such permutations is $k!$. A fraction of at least $1 - 1/2^k$ of such permutations π has Kolmogorov complexity $C(\pi) = k \log k - O(k)$ [9]. Because π can be reconstructed given any of the k local routing functions, these k local routing functions must each have Kolmogorov complexity $k \log k - O(k)$, too. This proves the theorem for n a multiple of 3. For $n = 3k - 1$ or $n = 3k - 2$ we can use G_k , dropping v_k and v_{k-1} .

Note that the proof requires only that there be no relabeling; apart from that the direct neighbors of a node may be known and ports may be reassigned.

By the above calculation there are at least $(1 - 1/2^{n/3})(n/3)!$ labeled graphs on n nodes for which the theorem holds. \square

Our last theorem shows that for full-information shortest path routing schemes on Kolmogorov random graphs one cannot do better than the trivial upper bound.

THEOREM 4.5. *For full-information shortest path routing on $o(n)$ -random labeled graphs on n nodes where relabeling is not allowed (α), the local routing function occupies at least $n^2/4 - o(n^2)$ bits for every node (hence the complete routing scheme requires at least $n^3/4 - o(n^3)$ bits to be stored).*

Proof. Let G be a graph on nodes $\{1, 2, \dots, n\}$ satisfying (2.1) with $\delta(n) = o(n)$. Then we know that G satisfies Lemmas 2.5 and 2.6. Let $F(u)$ be the local routing function of node u of G , and let $|F(u)|$ be the number of bits used to encode $F(u)$. Let $E(G)$ be the standard encoding of G in $n(n-1)/2$ bits as in Definition 2.2. We now give another way to describe G using some local routing function $F(u)$:

- (i) a description of this discussion in $O(1)$ bits;
- (ii) a description of u in $\log n$ bits (if it is less, pad the description with 0's);
- (iii) a description of the presence or absence of edges between u and the other nodes in V in $n-1$ bits;
- (iv) a description of $F(u)$ in $|F(u)| + O(\log |F(u)|)$ bits (the logarithmic term to make the description self-delimiting);
- (v) the code $E(G)$ with all bits deleted corresponding to the presence or absence of edges between each w and v such that v is a neighbor of u and w is not a neighbor of u . Since there are at least $n/2 - o(n)$ nodes w such that $(u, w) \notin E$ and at least $n/2 - o(n)$ nodes v such that $(u, v) \in E$, by Lemma 2.5, this saves at least $(n/2 - o(n))^2$ bits.

From this description we can reconstruct G , given n , by reconstructing the bits corresponding to the deleted edges from u and $F(u)$ and subsequently inserting them in the appropriate positions to reconstruct $E(G)$. We can do so because $F(u)$ represents a full-information routing scheme implying that $(v, w) \in E$ iff (u, v) is among the edges used to route from u to w . In total this new description has

$$n(n-1)/2 + O(\log n) + |F(u)| - n^2/4 + o(n^2)$$

bits, which must be at least $n(n-1)/2 - o(n)$ by (2.1). We conclude that $|F(u)| = n^2/4 - o(n^2)$, which proves the theorem.

Note that the proof requires only that there be no relabeling; apart from that the direct neighbors of a node may be known and ports may be reassigned. \square

5. Average case. What about the average cost, taken over all labeled graphs of n nodes, of representing a routing scheme for graphs over n nodes? The results above concerned precise overwhelmingly large fractions of the set of all labeled graphs. The numerical values of randomness deficiencies and bit costs involved show that these results are actually considerably stronger than the corresponding average case results which are straightforward.

DEFINITION 5.1. *For each labeled graph G , let $T_S(G)$ be the minimal total number of bits used to store a routing scheme of type S (where S indicates shortest path routing, full-information routing, and the like). The average minimal total number of bits to store a routing scheme for S -routing over labeled graphs on n nodes is $\sum T_S(G)/2^{n(n-1)/2}$ with the sum taken over all graphs G on nodes $\{1, 2, \dots, n\}$. (That is, the uniform average over all the labeled graphs on n nodes.)*

The results on Kolmogorov random graphs above have the following corollaries. The set of $(3 \log n)$ -random graphs constitutes a fraction of at least $(1 - 1/n^3)$ of the set of all graphs on n nodes. The trivial upper bound on the minimal total number of bits for all routing functions together is $O(n^2 \log n)$ for shortest path routing on all graphs on n nodes (or $O(n^3)$ for full-information shortest path routing). Simple computation shows that the average total number of bits to store the routing scheme for graphs of n nodes is (asymptotically and ignoring lower order of magnitude terms as in Table 1.1) as follows:

1. $\leq 3n^2$ for shortest path routing in model IB \vee II (Theorem 3.1);
2. $\leq 6n \log^2 n$ for shortest path routing in model II $\wedge \gamma$, where the average is taken over the initially labeled graphs on n nodes with labels in $\{1, 2, \dots, n\}$ before they were relabeled with new and longer labels giving routing information (Theorem 3.2);
3. $\leq 38n \log n$ for routing with any stretch factor s for $1 < s < 2$ in model II (Theorem 3.3);
4. $\leq n \log \log n$ for routing with stretch factor 2 in model II (Theorem 3.4);
5. $O(n)$ for routing with stretch factor $6 \log n$ in model II (Theorem 3.5 with $c = 3$);
6. $\geq n^2/2$ for shortest path routing in model α (Theorem 4.1);
7. $\geq n^2/32$ for shortest path routing in model IA and IB (under all relabeling conventions, Theorem 4.2);
8. $= (n^2/2) \log n$ for shortest path routing in model IA $\wedge \alpha$ (Theorems 3.6 and 4.3);
9. $= n^3/4$ for full-information shortest path routing in model α (Theorems 3.7 and 4.5).

6. Conclusion. The space requirements for compact routing for almost all labeled graphs on n nodes, and hence for the average case of all graphs on n nodes, are conclusively determined in this paper. We introduce a novel application of the incompressibility method. The next question arising in compact routing is the following: For practical purposes the class of all graphs is too broad in that most graphs have high node degree (around $n/2$). Such high node degrees are unrealistic in real communication networks for large n . So the question that arises is: How do we extend the current treatment to almost all graphs on n nodes of maximal node degree d , where d ranges from $O(1)$ to n ? Clearly, for shortest path routing $O(n^2 \log d)$ bits suffice, and [5] showed that for each $d < n$ there are shortest path routing schemes that require a total of $\Omega(n^2 \log d)$ bits to be stored in the worst case for some graphs with maximal degree d , where we allow that nodes are relabeled by permutation and the port assignment may be changed (IB $\wedge \beta$). This does not hold for average routing, since by our Theorem 3.1 $O(n^2)$ bits suffice for $d = \Theta(n)$. (Trivially, $O(n^2)$ bits suffice for routing in every graph with $d = O(1)$.) We believe it may be possible to show by an extension of our method that $\Theta(n^2)$ bits (independent of d) are necessary and sufficient for shortest path routing in almost all graphs of maximum node degree d , provided d grows unboundedly with n .

Another research direction is to resolve the questions addressed in this paper for Kolmogorov random unlabeled graphs, in particular with respect to the free relabeling model (insofar as they do not follow a fortiori from the results presented here).

Acknowledgments. We thank Jan van Leeuwen, Evangelos Kranakis, and Danny Krizanc for helpful discussions and the anonymous referees for comments and corrections.

REFERENCES

- [1] L.G. VALIANT AND D. ANGLUIN, *Fast probabilistic algorithms for Hamiltonian circuits and matchings*, J. Comput. System Sci., 18 (1979), pp. 155–193.
- [2] H.M. BUHRMAN, M. LI, J. TROMP, AND P.M.B. VITÁNYI, *Kolmogorov random graphs and the incompressibility method*, SIAM J. Comput., to appear.
- [3] M. FLAMMINI, J. VAN LEEUWEN, AND A. MARCHETTI-SPACCAMELA, *The complexity of interval routing on random graphs*, in Proceedings 20th International Symposium on Mathematical Foundations of Computer Science, Lecture Notes in Comput. Sci. 969, Springer-Verlag, Heidelberg, 1995, pp. 37–49.
- [4] P. FRAIGNIAUD AND C. GAVOILLE, *Memory requirement for universal routing schemes*, in Proceedings 14th Annual ACM Symposium on Principles of Distributed Computing, ACM Press, New York, 1995, pp. 223–230.
- [5] C. GAVOILLE AND S. PÉRENNÈS, *Memory requirements for routing in distributed networks*, in Proceedings 15th Annual ACM Symposium on Principles of Distributed Computing, ACM Press, New York, 1996, pp. 125–133.
- [6] A.N. KOLMOGOROV, *Three approaches to the quantitative definition of information*, Problems Inform. Transmission, 1 (1965), pp. 1–7.
- [7] E. KRANAKIS AND D. KRIZANC, *Lower bounds for compact routing schemes*, in Proceedings Thirteenth Symposium on Theoretical Aspects in Computer Science, Lecture Notes in Comput. Sci. 1046, Springer-Verlag, Heidelberg, 1996, pp. 529–540.
- [8] E. KRANAKIS, D. KRIZANC, AND J. URRUTIA, *Compact routing and shortest path information*, in Proceedings Second International Colloquium on Structural Information and Communication Complexity, vol. 2, Carleton University Press, Ottawa, 1996, pp. 101–112.
- [9] M. LI AND P.M.B. VITÁNYI, *An Introduction to Kolmogorov Complexity and Its Applications*, 2nd ed., Springer-Verlag, New York, 1997.
- [10] D. PELEG AND E. UPFAL, *A trade-off between space and efficiency for routing tables*, J. ACM, 36 (1989), pp. 510–530.