

## Maintaining Multiple Representations of Dynamic Data Structures

MICHEL H. M. SMID\*

*Bureau SION, Centre for Mathematics and Computer Science,  
Kruislaan 413, 1098 SJ Amsterdam, The Netherlands*

MARK H. OVERMARS

*Department of Computer Science, University of Utrecht,  
P.O. Box 80.089, 3508 TB Utrecht, The Netherlands*

LEEN TORENVLIET AND PETER VAN EMDE BOAS

*Departments of Mathematics and Computer Science,  
Logic and Computation Theory Group, University of Amsterdam,  
Nieuwe Achtergracht 166, 1018 WV Amsterdam, The Netherlands*

The problem of maintaining multiple representations of dynamic data structures is investigated: Suppose there are a number of processors, each having the same data structure (the so-called client structure). Then the problem arises of how to maintain these structures efficiently under insertions and deletions. We propose a strategy in which we store a central data structure in one processor, to which all other processors are connected. Updates are first “preprocessed” in the central structure. Then information obtained in this central update is sent to the client structures, where it is used to update these structures. By sending appropriate information, each client structure can be updated more efficiently than by just directly performing the update. We present several solutions to this multiple representation problem. For example, we show that a client structure can be updated in time proportional to the size of the changes in this structure. © 1989 Academic Press, Inc.

### 1. INTRODUCTION

The design of efficient data structures for solving different types of searching problems is an important part of algorithm design. Many types of data structures exist, storing different types of objects and allowing for different types of queries. Data structures and searching problems have been studied in great detail and many properties and general techniques have been found. For example, general techniques exist for converting

\* Supported by the Netherlands Organization for Scientific Research (NWO).

static data structures that do not allow insertions and deletions of objects into dynamic structures that allow such operations (see, e.g., Overmars, 1983).

In most studies it is assumed that the data structure is stored only once in the main memory of a computer and that all operations are performed on this one structure. In many situations, however, we need to store the structure more than once and have a *multiple representation* of the data structure. For example, normally a data structure that is stored in main memory will be stored in secondary memory as well, because system errors or program errors might otherwise destroy the information. Such a *shadow administration* does not have to support the same operations as the main structure. Only insertions and deletions have to be performed. Hence, it might be advantageous to structure it in a different way. (See Smid *et al.*, 1989, for examples of such shadow administrations.)

When we have a network of processors, each having its own memory, there are situations in which each processor holds its own copy of a particular data structure. Changes to the data structure have to be made in all copies. When the update time is high this is an unfavorable situation. In such situations, we are better off dedicating one processor to the task of maintaining the data structure and broadcasting the actual changes to the other processors. Again we have a situation in which there is a multiple representation of the data structure. One data structure that should allow for updates, and a set of other structures that answer queries. Of course, the query data structures must be structured in such a way that they can perform updates, but they get the update in a kind of "preprocessed" form that might be easier to handle.

In this paper we study such multiple representations of data structures. The one structure that performs the updates will be called the *central structure*. The other structures that allow for queries are the *client structures*. We study how to organize the central structure for different types of query problems, how to structure the client structures that can sometimes store less information, and what type of information has to be sent from the central structure to the clients. It will be shown that, after "preprocessing" an update by the central structure, the clients can often perform the update more efficiently. Also, in some situations the client structures can be smaller than the central structure.

An example of a practical instance in which this framework can be applied is a "Star Network." Here the central processor is the main computer; it holds the central data structure, and is connected to all other processors. Often, these other processors, that contain the client structures, are somewhat limited in capacity. Clearly, it is desirable in such situations to utilize the power of the central processor as much as possible.

Besides possible practical applications, the results of this paper give the

insight that sometimes parts of data structures are only necessary for performing updates and can, hence, be removed in the client structures. The results also show what portions of data structures are actually changed when performing updates. This might have applications in storing dynamic data structures in write-once memories, such as optical disks.

The paper is organized as follows. In Section 2 we describe the general framework we use to describe solutions for the multiple representation problem, and we introduce complexity measures to express the efficiency of solutions. In Section 3, we study binary trees as our first example where the client structures store less information than the central structure. It is also shown that we can gain a constant factor in the update time of the client structures. In Section 4, we consider "order decomposable set" problems. (See Section 4 for the definition of such problems.) We show that in several cases the client structures can be of size asymptotically less than the central structure. In Section 5 we present some simple techniques for decomposable searching problems. These techniques lead to solutions in which the client structures can be updated very fast.

In general, since an update will change only a small part of a data structure, it might be possible to send only those parts of the structure that have been changed. In Overmars and Smid (1988), and Overmars *et al.* (1987), the problem of how to partition a range tree into parts of small size, such that an update changes only a few parts, is studied. The techniques developed there can of course be applied here. In those papers, however, it is assumed that the partition is stored in secondary memory, which is supposed to be divided into blocks of some predetermined size. Furthermore, the only allowed operation in secondary memory is to replace a block by another one. So in secondary memory no computing is possible. Since in our case the client structures are stored in an environment where computing is possible, we can replace much smaller pieces than just parts of some predetermined size. Hence we can send only those pieces that actually have changed. We investigate this idea in Section 6, where we show that this is indeed possible. (Here the main problem is that we want to avoid searching in the client structures—which might take a lot of time—in order to determine the positions where the data structure has to be changed.) The results of Section 6 are illustrated in Section 7 with some examples. We show for example, that we can maintain a class of range trees, such that the central structure needs  $O((\log n)^d)$  time for an update, whereas each client structure can be updated in  $O((\log n)^{d-1})$  time. We finish the paper in Section 8 with some concluding remarks.

## 2. THE GENERAL APPROACH

In this section we give a precise statement of our problem and introduce the model. We also give complexity measures to express the efficiency of the solutions.

There is a network of processors, the *clients*, each having its own memory. Each of these clients contains the same data structure  $DS$ —the so-called *client structure*—solving some searching problem. Each client uses its structure  $DS$  to solve queries. Updates have to be performed in all the client structures. In order to be able to perform these updates fast, we store in one of the processors a data structure  $DS'$ , the *central structure*. Now an update is performed as follows. We first perform the update in the central structure  $DS'$ . During this update we (hopefully) obtain information that makes it possible to update the client structures more efficiently than by just directly updating them. Then we send information about the update through the network to the clients, and using this information each client updates its structure  $DS$ . We express the complexity of an update of the client structures by the number of words transported to each client, and by the amount of computing time that the client structure needs to perform the update.

Note that we have introduced multiple representation of the data. We have a number of copies of the same data structure  $DS$ . Furthermore, there is a data structure  $DS'$ , that is used to “preprocess” updates, so that the client structures  $DS$  can be updated efficiently. On the client structures, queries and preprocessed updates are performed, whereas on the central structure only updates are carried out. In the later sections, we will see that the client structure and the central structure need not be identical. Therefore we use different notations for these structures.

The complexity of the client structure  $DS$  is expressed by the following functions ( $n$  is the number of objects represented by the structure):

- $S(n)$ : the amount of space needed to store the structure  $DS$ .
- $Q(n)$ : the time required to answer a query using  $DS$ .
- $F(n)$ : the amount of data (which we consider in terms of words) transported to  $DS$  in an update.
- $G(n)$ : the amount of computing time needed to update  $DS$ , using the information received from the central structure.

We assume that  $G(n) = \Omega(F(n))$ , which is reasonable, since a client receives an amount of  $F(n)$  data, and it has to store it somewhere. Remark that we express  $F(n)$  in terms of words, which is customary in the theory of algorithms and data structures. In Section 3, however, we express  $F(n)$  in terms of bits.

The complexity of the central structure  $DS'$  is given by the usual measures, and they are denoted by:

- $S'(n)$ : the amount of space used by  $DS'$ .
- $P'(n)$ : the time needed to build  $DS'$  from scratch.
- $I'(n)$ : the time needed to insert an object into  $DS'$ .
- $D'(n)$ : the time needed to delete an object from  $DS'$ .
- if the insertion and deletion are equal, we denote this common update time by  $U'(n)$ .

(There is no query time here, because queries are not performed on the central structure.)

The problem investigated in this paper is the following. We are given a searching problem. The main goal is to design a client structure  $DS$  for this searching problem, such that when an update is given in some preprocessed form, this update can be performed efficiently. Ideally, the size of this preprocessed form and the time to perform the update using this information (i.e., the values of  $F(n)$  and  $G(n)$ ) should be much smaller than the time needed to perform the update directly in the structure. A second goal is to design a central structure  $DS'$  in which the updates can be preprocessed efficiently. In this paper, however, we shall emphasize the design of the client structure  $DS$ .

### 3. BINARY TREES

Suppose that the client structures have to solve the member searching problem. A well-known dynamic data structure for this problem is a balanced binary search tree, e.g., an AVL-tree, or a  $BB[\alpha]$ -tree. Such a tree allows member queries and insertions/deletions to be performed in  $O(\log n)$  time, if  $n$  is the number of objects stored in the tree. Internal nodes of these trees contain balance information. For example, in an AVL-tree each internal node contains the difference of the longest path in its left subtree and the longest path in its right subtree (which is  $-1$ ,  $0$ , or  $1$ ). If an object is inserted in or deleted from the tree, all nodes that do not satisfy the balance property anymore are computed, and then by a local restructuring technique (mostly single and double rotations), balance is restored for these nodes. Clearly, this balance information is only used to update the tree; in case member queries are performed, this information is superfluous.

So take a class of balanced binary search trees, that can be maintained by means of single and double rotations. We consider these trees as leaf search trees, i.e., the objects are stored in the leaves. Let  $T'$  be a tree in this class, and let  $T$  be a copy of  $T'$  without the balance information in its

nodes. The tree  $T'$  will be the central structure, and the tree  $T$  will be the client structure. Clearly, the tree  $T$  contains enough information to allow member queries to be carried out in logarithmic time.

Suppose an object  $p$  is to be inserted or deleted in the client structures. Then we first insert or delete  $p$  in the central structure  $T'$ . This gives us a path in  $T'$ , from the root to an appropriate leaf, along which rotations have been (possibly) carried out. We encode this path by a string  $s = (r_1, b_1, r_2, b_2, \dots, r_k, b_k)$ , where  $k$  is the length of the path. Starting at the root of the tree,  $r_1$  contains information whether a left single rotation, a right single rotation, etc. has to be carried out, or that no restructuring operation is necessary;  $b_1$  tells whether the next node on the path lies to the left or to the right of the root;  $r_2$  tells what kind of rotation has to be carried out for the second node of the path, and  $b_2$  says in which direction the path proceeds, and so on. Note that  $O(k) = O(\log n)$  bits are sufficient to represent the string  $s$ . Now we send to each client structure the object  $p$  together with information whether it has to be inserted or deleted, and the string  $s$ . Using  $p$  and  $s$ , the client structures  $T$  are updated. Note that we know exactly which path in  $T$  we have to walk down, and where on this path restructuring operations have to be carried out. So we do not have to decide in each node—by means of a comparison of  $p$  with the value stored in this node—in which direction to proceed. Hence this will save for each client structure  $O(\log n)$  comparisons in the update procedure.

The complexity of this solution is as follows. The central structure has size  $O(n)$ , and an update takes  $O(\log n)$  time. Each client structure has also size  $O(n)$ . In this last bound, however, the constant factor will be smaller. Member queries can be solved in the client structures in  $O(\log n)$  time. To perform an update, an object  $p$  and a bitstring  $s$  of length  $O(\log n)$  are sent to the client structures, and for each of these structures  $O(\log n)$  computing time is needed to update it. Again the constant factor is smaller than in the update time of the central structure. So at the cost of a slight increase in the amount of data that is transported to the client structures—by sending an additional string of  $O(\log n)$  bits—we have decreased the constant factors in the complexity bounds for the client structures, compared to the constants in the bounds of the central structure.

The client structures can be used for solving other searching problems. Examples are the one-dimensional *range searching problem*, where we are given a range  $[a : b]$ , and we have to report all object lying in this range. Such a range query can be answered, without needing balance information at the nodes, in  $O(\log n + t)$  time, where  $t$  is the number of points in the range. Another example is the one-dimensional *nearest neighbor searching problem*. Here we are given an object  $p$ , and we have to report the object in the tree that is closest to  $p$ . Clearly, such a query can be answered, again without using balance information at the client structures, in  $O(\log n)$  time.

## 4. ORDER DECOMPOSABLE SET PROBLEMS

In Overmars (1983) a class of so-called order decomposable set problems has been defined. In a *set problem* we are given a set of objects, and we are asked some question about this set. To be more precise, if  $T_1$  and  $T_2$  are sets of objects, then a set problem is a mapping  $PR: P(T_1) \rightarrow T_2$ . Here  $P(T_1)$  denotes the power set of  $T_1$ . For example, in the *convex hull problem*, we are given a set  $S$  of points in the  $d$ -dimensional euclidean space, and we are asked to compute the convex hull of  $S$ . Here  $T_1$  is the set of all points in  $d$ -dimensional space, and  $T_2$  is the set of all convex polytopes.

In this section we want to solve the problem of maintaining the answer to a set problem under insertions and deletions of objects. We restrict ourselves to set problems, the answers of which can be merged efficiently. That is, once the answers for the two "halves" of a set are known, the answer for the entire set can be obtained fast. For such a class of set problems, we can maintain the answer for the entire set, by decomposing the set into subsets, and by maintaining the answers for these subsets.

DEFINITION 1. A set problem  $PR: P(T_1) \rightarrow T_2$  is called  $M(n)$ -order decomposable, if there is an order ORD on  $T_1$ , and a function  $\square: T_2 \times T_2 \rightarrow T_2$ , such that for any set  $S = \{p_1 \leq p_2 \leq \dots \leq p_n\}$ , ordered according to ORD, and for any  $i$ ,  $1 \leq i < n$ , we have

$$PR(\{p_1, \dots, p_n\}) = \square(PR(\{p_1, \dots, p_i\}), PR(\{p_{i+1}, \dots, p_n\})),$$

where the function  $\square$  takes  $M(n)$  time to compute.

For example, Preparata and Hong (1977) showed that the three-dimensional convex hull problem is  $O(n)$ -order decomposable, where ORD is the order according to  $x$ -coordinate.

Let  $PR$  be an  $M(n)$ -order decomposable set problem. We briefly recall a dynamic data structure solving  $PR$ , the details of which are given in Overmars (1983). Let  $S$  be a set of cardinality  $n$ , for which we want to maintain the answer to  $PR$ . We store the objects of  $S$ , ordered according to ORD, in the leaves of a  $BB[\alpha]$ -tree. Internal nodes of this tree contain information to guide the searches. Also, each internal node  $v$  of this binary tree contains a representation of the answer  $PR(S_v)$ , where  $S_v$  is the set of objects that are in the subtree of  $v$ . Hence, the root of the tree contains the answer to  $PR$  of the entire set  $S$ . The following theorem gives the complexity of this dynamic data structure. For a proof, see (Overmars, 1983), where it is also shown how the amount of space can be reduced without affecting the update complexity for certain values of  $M(n)$ , if the sizes of the answers  $PR(S_v)$  are large.

THEOREM 1. For an  $M(n)$ -order decomposable set problem, there exists a dynamic data structure of size  $S'(n)$  and update time  $U'(n)$ , given by

$$\begin{aligned}
 1. \quad S'(n) &= \begin{cases} O(n) & \text{if } M(n) = O(n^\epsilon) \text{ for some } 0 < \epsilon < 1, \\ O(M(n)) & \text{if } M(n) = \Omega(n^{1+\epsilon}) \text{ for some } \epsilon > 0, \\ O(M(n) \log \log n) & \text{if } M(n) \text{ is at least linear,} \\ O(n + M(n) \log n) & \text{otherwise.} \end{cases} \\
 2. \quad U'(n) &= \begin{cases} O(M(n)) & \text{if } M(n) = \Omega(n^\epsilon) \text{ for some } \epsilon > 0, \\ O(M(n) \log n) & \text{otherwise.} \end{cases}
 \end{aligned}$$

Note that the data structures presented here have the property that just a small part of the structure is used for answering a query—the answer to the problem is stored in the root of the tree—whereas the rest of the structure is only used to update this answer efficiently.

Therefore, we take for the client structures, the answer  $PR(S)$  to the set problem for the entire set  $S$ , and we take for the central structure, the full dynamic data structure. Updates are first performed on the central structure. Then we replace each old client structure by the new answer to the set problem. The result is given in the following theorem and the notations used are the same as in Section 2.

THEOREM 2. For an  $M(n)$ -order decomposable set problem, there exists a client structure, that maintains the answer to the set problem, with complexity

1.  $S(n) = O(PR(n))$ ,
2.  $F(n) = O(PR(n))$ ,
3.  $G(n) = O(PR(n))$ ,

where  $PR(n)$  is the size of the answer to the set problem for a set of  $n$  objects.

*Proof.* The proof follows from the above discussion. ■

It follows from these two theorems, that for many values of  $M(n)$ , the client structures have asymptotically lower complexity than the central structure. As an example, in the three-dimensional convex hull problem—which is  $\Theta(n)$ -order decomposable—the central structure has size  $O(n \log \log n)$ , whereas the client structures have size only  $O(n)$ .

## 5. DECOMPOSABLE SEARCHING PROBLEMS

A searching problem can be seen as a mapping  $PR: T_1 \times P(T_2) \rightarrow T_3$ , where  $T_1$ ,  $T_2$ , and  $T_3$  are sets of objects. For example, in the member searching problem,  $T_1 = T_2$ ,  $T_3 = \{\text{true, false}\}$ , and  $PR(x, S) = (x \in S)$ .

In this section we consider decomposable searching problems that were introduced by Bentley (1979). For this class of searching problems a query for a set can be answered efficiently by merging the answers for a partition of the set.

DEFINITION 2. A searching problem  $PR: T_1 \times P(T_2) \rightarrow T_3$  is called *decomposable*, if there is a function  $\square: T_3 \times T_3 \rightarrow T_3$ , such that for any partition  $S = A \cup B$  of any subset  $S$  of  $T_2$ , and for any query object  $x$  in  $T_1$ , we have

$$PR(x, S) = \square(PR(x, A), PR(x, B)),$$

where the function  $\square$  can be computed in constant time.

For example, the member searching problem is decomposable with  $\square = \vee$ . Another example is the *orthogonal range searching problem*. Here we are given a set  $S$  of points in  $d$ -dimensional space, and an axis-parallel hyperrectangle  $([a_1 : b_1], [a_2 : b_2], \dots, [a_d : b_d])$ , and we have to report all points  $p = (p_1, \dots, p_d)$  in  $S$ , such that  $a_1 \leq p_1 \leq b_1, \dots, a_d \leq p_d \leq b_d$ . This problem is decomposable with  $\square = \cup$ . Note that since we require the sets  $A$  and  $B$  to be disjoint, we can take the union of  $PR(x, A)$  and  $PR(x, B)$  in constant time.

A number of techniques have been developed to design dynamic data structures for decomposable searching problems. It turns out that especially in the case where only insertions are performed, efficient structures can be designed. See Bentley (1979), Bentley and Saxe (1980), and Overmars (1983).

Let  $PR$  be a decomposable searching problem, and let  $DS$  be a dynamic data structure solving  $PR$ . We consider the case in which only insertions are performed. Let  $S(n)$  be the size of the structure  $DS$ , and let  $Q(n)$  be the query time of  $DS$ . We assume that  $S(n)/n$  and  $Q(n)$  are non-decreasing, and that  $S(n)$  and  $Q(n)$  are smooth functions. (A function  $f(n)$  is called *smooth* if  $f(O(n)) = O(f(n))$ .)

To maintain a multiple representation for  $PR$  we proceed in the following way: Let the client structure consist of a copy of the structure  $DS$ , together with a list of objects. The central structure consists of the structure  $DS$ . Initially, the list of objects in the client structure is empty, and all structures  $DS$  are up-to-date. Let  $n$  be the initial number of objects. Consider an insertion of an object  $p$ . First we insert  $p$  in the central structure. If  $p$  is already present, then nothing has to be done. (Note that in this case the client structures do not have to know that anything happened.) If  $p$  is a new object, we add it to the list of each client structure. After  $Q(n)$  objects are inserted in this way—hence each client structure contains a list of  $Q(n)$  objects—a copy of the central structure—which is up-to-date—is

sent to the clients. Each old client structure is then replaced by this new structure, and the list of objects is initialized again as an empty list. If  $m$  is the number of objects that are present after these  $Q(n)$  insertions, we repeat this procedure, now with a sequence of  $Q(m)$  insertions.

Queries are solved in a client structure as follows. First we query the data structure  $DS$ . Next we query the at most  $Q(n)$  objects in the list of most recently inserted objects, by considering each of them separately. Then all answers obtained are merged using the function  $\square$ . (Note that all objects in the list are different, and are not present in the client data structure  $DS$ .)

**THEOREM 3.** *Let  $DS$  be a data structure for a decomposable searching problem  $PR$ , of size  $S(n)$  and query time  $Q(n)$ . There exists a client structure solving  $PR$ , with performances:*

1. *The size of the client structure is bounded by  $O(S(n))$ .*
2.  *$F(n) = O(S(n)/Q(n))$  on the average, for an insertion.*
3.  *$G(n) = O(S(n)/Q(n))$  on the average, for an insertion.*
4. *The query time of the client structure is bounded by  $O(Q(n))$ .*

*Proof.* The client structure consists of a copy of the data structure  $DS$  as it is at the beginning of a sequence of insertions, together with a list containing the insertions performed (i.e.,  $Q(n)$ ) so far. Insertions and queries are carried out as described above. The size of the client structure is bounded by the size of  $DS$  and by the number of objects in the list. Let  $N$  be the number of objects that are currently present, and let  $n$  be the number of objects that were present at the beginning of the sequence of insertions. Then the size of the client structure is bounded by  $O(S(n) + Q(n)) = O(S(N))$ . Because for a decomposable searching problem obviously  $Q(n) = O(n)$ , and since  $S(n)/n$  is non-decreasing, we have  $Q(n) = O(S(n))$ . Finally, since  $n \leq N \leq n + Q(n) = O(n)$ , and since  $S(n)$  is smooth, the bound on the space complexity follows. In a sequence of  $Q(n)$  insertions, the total number of words that are transported to a client structure, is bounded by  $O(Q(n) + S(n)) = O(S(n))$ . Hence the average amount of data that is transported for an insertion is  $O(S(n)/Q(n))$ . The total computing time for  $Q(n)$  insertions into a client structure, is also bounded by  $O(Q(n) + S(n))$ , since a new object can be inserted to the list in constant time, and since it takes  $O(S(n))$  time to receive and write a data structure of size  $S(n)$ . Hence  $G(n) = O(S(n)/Q(n))$  on the average for an insertion. Finally, the query time of the client structure is bounded by  $O(Q(n))$ , because the structure  $DS$  can be queried in  $Q(n)$  time, and using the definition of a decomposable searching problem, the objects in the list can be queried in  $O(Q(n))$  time. ■

In the above theorem, the complexity for insertion for the client structures is an average case complexity. We show now how these bounds can be turned into worst case bounds. The idea is to spread out the transportation of the large data structure over a number of insertions. In the sequel we assume that if object  $p$  is to be inserted, it is not present yet. (As we saw already, if the object is present, the client structures do not have to know that anything happened.) We denote by  $DS_n$ , the data structure  $DS$  representing a set of  $n$  objects.

The client structure consists of a data structure  $DS$ , and two lists of objects. The central structure consists of a structure  $DS$  and one list of objects. Let  $k$  be the initial number of objects. Then both the client structure and the central structure contain an up-to-date data structure  $DS_k$  and all lists are empty. During  $Q(k)$  insertions, we add the new objects to one of the lists of the client structures (each time we add it to the same list). Furthermore, all these insertions are performed in the central structure  $DS$ .

Hence after these  $Q(k)$  insertions, the client structures consist of a data structure  $DS_k$ , representing the objects that were initially present, a list of the  $Q(k)$  most recently inserted objects, and an empty list. The central structure consists of an up-to-date structure  $DS_{k+Q(k)}$ , and an empty list.

Let  $n = k + Q(k)$ , i.e.,  $n$  is the number of objects that are currently present. Consider a sequence of  $Q(n)$  insertions.

During the first  $Q(n)/2$  insertions, we add the new objects to the initially empty lists of the client structures, and we send the central structure  $DS_{k+Q(k)} = DS_n$  to the clients: Each update we send a part of  $DS_n$  of size  $O(S(n)/Q(n))$ . Then, after these  $Q(n)/2$  insertions, each client structure contains a data structure  $DS_n$ , and a list of the  $Q(n)/2$  most recently inserted objects. Now we discard the old client structure  $DS_k$  and we set the old list of  $Q(k)$  inserted objects to the empty list. In the central structure we add the  $Q(n)/2$  new objects to the list. Note that the central structure  $DS_n$  cannot be affected during these insertions.

The final  $Q(n)/2$  insertions are performed as follows. The new objects are added to the non-empty list of the client structure. In the central structure, we perform in each update the current one, and one update from the list of updates. (Note that the order in which we perform the updates in the central structure does not matter, since all updates are insertions. If, however, deletions were also possible, the updates had to be carried out in chronological order. See Subsection 6.4.) Afterwards the list of the central structure is set to the empty list.

So after the entire sequence of  $Q(n)$  updates, the client structure contains a data structure  $DS_n$ , a list of the  $Q(n)$  most recently inserted objects, and an empty list. The central structure consists of an up-to-date structure  $DS_{n+Q(n)}$  and an empty list. Hence we are in the same situation as  $Q(n)$  updates ago, and we can continue in a similar manner.

Queries in a client structure are solved, by querying the data structure  $DS$ , and by walking along the two lists of objects. Then using the function  $\square$ , the answers are merged to get the final answer to the query.

The result is given in the following theorem.

**THEOREM 4.** *Let  $DS$  be a data structure for a decomposable searching problem  $PR$  with worst case complexity  $S(n)$ ,  $I(n)$ , and  $Q(n)$ . There exists a client structure solving  $PR$ , with performances:*

1. *The size of the client structure is bounded by  $O(S(n))$ .*
2.  *$F(n) = O(S(n)/Q(n))$  in the worst case, for an insertion.*
3.  *$G(n) = O(S(n)/Q(n))$  in the worst case, for an insertion.*
4. *The query time of the client structure is bounded by  $O(Q(n))$ .*

*Furthermore, the size and the insertion time of the central structure are bounded by  $O(S(n))$  and  $O(I(n))$ .*

*Proof.* It follows from the above discussion that in each insertion we send an amount of  $O(S(n)/Q(n)) + O(1) = O(S(n)/Q(n))$  data, and for each client structure we have to spend  $O(S(n)/Q(n)) + O(1) = O(S(n)/Q(n))$  time to receive and write this data. Hence both  $F(n)$  and  $G(n)$  are bounded by  $O(S(n)/Q(n))$  in the worst case. Also, the size and the query time of the client structure are bounded by  $O(S(n))$  and  $O(Q(n))$ . Clearly, the performances for the central structure are increased by at most a constant factor. ■

There are other techniques to obtain efficient solutions to the multiple representation problem. We can for example consider sequences of more than  $Q(n)$  insertions. Then the most recently inserted objects are stored in a small data structure, to ensure that the query time remains  $O(Q(n))$ . In this way the values of  $F(n)$  and  $G(n)$  can be decreased. This idea is worked out below.

Let  $PR$  be a decomposable searching problem, and let  $DS$  be a dynamic data structure solving  $PR$ . The size and the query time of  $DS$  are denoted by  $S(n)$  and  $Q(n)$ . As before, we assume that  $S(n)/n$  and  $Q(n)$  are non-decreasing, and that  $S(n)$  and  $Q(n)$  are smooth.

Let  $f(n)$  be an integer function, such that  $Q(n) < f(n) < n$ . The client structure consists of two data structures  $DS_1$  and  $DS_2$ , and a list of objects. The central structure contains the structures  $DS_1$  and  $DS_2$ .

Initially, all structures  $DS_1$  and the lists in the client structures, are empty. Each structure  $DS_2$  stores the  $n$  objects that are present at this moment.

Consider a sequence of  $f(n) - 1$  insertions. We insert the new objects in the central data structure  $DS_1$ . In the client structure we add the new objects to the list. Every  $Q(n)$ -th insertion, the central structure  $DS_1$  as it

is that moment is sent to the client structure (where it replaces the old  $DS_1$ ), and the list of objects is set to the empty list. Hence during these  $f(n) - 1$  insertions, the client structure consists of a list of at most  $Q(n)$  objects, and of two data structures  $DS_1$  and  $DS_2$ . The structure  $DS_1$  represents at most  $f(n)$  objects. At each moment, the objects represented by these three structures form a partition of all the objects that are present at that moment.

In the  $f(n)$ th insertion, we build a new structure  $DS_2$  storing all objects that are present at this moment, and send it to the clients. Also, all structures  $DS_1$  and all lists are made empty. If  $m$  is the number of present objects at this moment we repeat this procedure, now with a sequence of  $f(m)$  insertions.

Clearly, the size and the query time of the client structure remain  $O(S(n))$  and  $O(Q(n))$ . Furthermore, the average values of  $F(n)$  and  $G(n)$  are both bounded by  $O(S(f(n))/Q(n) + S(n)/f(n))$ .

We generalize this solution as follows. Let  $k$  be a positive integer, and let  $f_i(n)$  be integer functions,  $i = 0, 1, \dots, k$ , such that  $Q(n) = f_0(n) < f_1(n) < f_2(n) < \dots < f_{k-1}(n) < f_k(n) = n$ . Then the client structure contains a collection of data structures  $DS_i$ ,  $i = 1, 2, \dots, k$ , and a list of at most  $Q(n)$  objects. The central structure contains the structures  $DS_i$ ,  $i = 1, 2, \dots, k$ . Each  $DS_i$  will represent at most  $f_i(n)$  objects. Initially, all structures  $DS_1, \dots, DS_{k-1}$ , and all lists, are empty. Each structure  $DS_k$  stores the  $n$  objects that are present at this moment.

Consider a sequence of  $f_{k-1}(n)$  insertions. In the  $j$ th insertion, we do the following. If there is an  $i$ ,  $0 \leq i \leq k - 1$ , such that  $j \equiv 0 \pmod{f_i(n)}$ , determine the maximal such  $i$ . Then build a new structure  $DS_{i+1}$ , storing all objects that were present in the old central structures  $DS_1, \dots, DS_{i+1}$ , and add it to the central structure. Also, the old central structures  $DS_1, \dots, DS_i$  are made empty. Next, send this new structure  $DS_{i+1}$  to the clients, where it replaces the old  $DS_{i+1}$ . Finally, all client structures  $DS_1, \dots, DS_i$  and the lists are made empty. If there is no  $i$  such that  $j \equiv 0 \pmod{f_i(n)}$ , add the new object to the list of the client structures, and insert the new object in the central structure  $DS_1$ .

It is not difficult to see, that indeed each  $DS_i$  represents at most  $f_i(n)$  objects, and that the list in the client structure contains at most  $Q(n)$  objects. Also, each  $DS_i$  is sent to the clients at most once every  $f_{i-1}(n)$  insertions.

After these  $f_{k-1}(n)$  insertions, all structures  $DS_1, \dots, DS_{k-1}$ , and all lists, are empty again, and each structure  $DS_k$  stores the objects that are present at this moment. (Note that in the  $f_{k-1}(n)$ th insertion, the maximal value of  $i$  in the above update procedure is  $k - 1$ .) So we can proceed in the same way, now with a sequence of  $f_{k-1}(m)$  insertions, where  $m$  is the current number of objects.

In this way the average values of  $F(n)$  and  $G(n)$  are bounded above by

$$\frac{S(f_1(n))}{Q(n)} + \frac{S(f_2(n))}{f_1(n)} + \dots + \frac{S(f_{k-1}(n))}{f_{k-2}(n)} + \frac{S(n)}{f_{k-1}(n)}.$$

Since we assumed that  $S(n)/n$  is non-decreasing, it follows that this sum is bounded above by

$$\frac{S(n)}{n} \left( \frac{f_1(n)}{Q(n)} + \frac{f_2(n)}{f_1(n)} + \dots + \frac{f_{k-1}(n)}{f_{k-2}(n)} + \frac{n}{f_{k-1}(n)} \right).$$

Now take  $f_i(n) = \lceil n^{i/k}(Q(n))^{1-i/k} \rceil$ . Then the average values of  $F(n)$  and  $G(n)$  are bounded above by

$$k \frac{S(n)}{n} \left( \frac{n}{Q(n)} \right)^{1/k}.$$

In a similar way as before these average case bounds can be turned into worst case bounds. The result is expressed in the following theorem, the proof of which is left to the reader.

**THEOREM 5.** *Let  $DS$  be a data structure for a decomposable searching problem  $PR$  with complexity  $S(n)$  and  $Q(n)$ . Then for each positive integer  $k$  there exists a client structure solving  $PR$ , with performances:*

1. *The size of the client structure is bounded by  $O(S(n))$ .*
2.  *$F(n) = O(k(S(n)/n)(n/Q(n))^{1/k})$  in the worst case, for an insertion.*
3.  *$G(n) = O(k(S(n)/n)(n/Q(n))^{1/k})$  in the worst case, for an insertion.*
4. *The query time of the client structure is bounded by  $O(k \times Q(n))$ .*

We illustrate this result with an example. In the *nearest neighbor searching problem*, we are given a set  $S$  of  $n$  points in the plane, and a query point  $p$ , and we are asked to find the point in  $S$  that is closest to  $p$  with respect to the euclidean distance. Clearly, this problem is decomposable. There exists a data structure for this problem of size  $O(n)$  such that queries can be solved in  $O(\log n)$  time, see, e.g., Kirkpatrick (1983). Applying Theorem 5, we obtain

**THEOREM 6.** *Let  $k$  be a positive integer. For the nearest neighbor searching problem in the plane, there exists a client structure, with performances:*

1. *The size of the client structure is bounded by  $O(n)$ .*
2.  *$F(n) = O(k(n/\log n)^{1/k})$  in the worst case, for an insertion.*
3.  *$G(n) = O(k(n/\log n)^{1/k})$  in the worst case, for an insertion.*
4. *The query time of the client structure is bounded by  $O(k \times \log n)$ .*

It is clear that the technique presented in this section only allows insertions to be carried out. In some cases, however, deletions can also be performed. For example, deletions can be handled if we restrict ourselves to a subclass of the decomposable searching problems, the *decomposable counting problems*. Roughly speaking, a decomposable counting problem is a decomposable searching problem where the function  $\square$  has an inverse, that can also be computed in constant time (see Bentley and Saxe, 1980; Overmars, 1983). An example is the *orthogonal range counting problem*. Here we are given a set  $S$  of points in the plane, and an axis-parallel query rectangle, and we are asked how many points of  $S$  are in the rectangle.

For decomposable counting problems we can design a full dynamic data structure by maintaining two structures. In one structure new objects are inserted, whereas a deletion is performed by inserting the object that is to be deleted into the other structure. A query is solved by querying the two structures, and by “subtracting” the two obtained answers from each other, using the inverse of the function  $\square$ .

For decomposable counting problems, the following analogue of Theorem 5 can be proved.

**THEOREM 7.** *Let  $DS$  be a data structure for a decomposable counting problem  $PR$  with complexity  $S(n)$  and  $Q(n)$ . Then for each positive integer  $k$  there exists a full dynamic client structure solving  $PR$ , with performances:*

1. *The size of the client structure is bounded by  $O(S(n))$ .*
2.  *$F(n) = O(k(S(n)/n)(n/Q(n))^{1/k})$  in the worst case.*
3.  *$G(n) = O(k(S(n)/n)(n/Q(n))^{1/k})$  in the worst case.*
4. *The query time of the client structure is bounded by  $O(k \times Q(n))$ .*

## 6. A GENERAL TECHNIQUE

### 6.1. Introduction

Consider again our strategy with respect to the member searching problem of Section 3. In this solution, in each update we send a string of  $O(\log n)$  bits to the client structures, where the string contains an encoding of the path to the node where the update is carried out, together with information about what kind of rotations have to be performed. In order to update the client structure, we follow the path, insert or delete the object, and perform the rotations. Clearly, this procedure takes  $O(\log n)$  time. If we consider, however, how many nodes in the tree are changed in this update, we see that  $O(1)$  of them are changed due to the insertion or deletion, and the rest of them are changed due to rotations. Therefore, if  $O(1)$

rotations are carried out, only  $O(1)$  nodes of the tree are changed. (Note that a client structure does not contain balance information.) So if we could avoid to walk down the path, it could be possible to update the client structure in only  $O(1)$  time.

The solution is to send to the client structures the inserted or deleted object, together with the positions in the tree where changes—and what kind of changes—have to be carried out. Since there are binary trees that can be maintained in logarithmic time with only  $O(1)$  rotations in the worst case (see Guibas and Sedgwick, 1978; Olivié, 1980, 1981, 1982; Tarjan, 1983), this will give us a solution where the client structures can be maintained in constant time.

This is the main idea of the general technique that will be worked out in this section. We will achieve our result in a number of steps. First we give a solution in case the data structures do not exceed some given size. Next we extend this solution to a general one having a low average case complexity. Then we turn these average case bounds into worst case bounds.

Let  $PR$  be a searching problem, and let  $DS$  (resp.  $DS'$ ) be the corresponding client structure (resp. central structure). The performances of  $DS$  are denoted by  $S(n)$  and  $Q(n)$ , and those of  $DS'$  by  $S'(n)$ ,  $P'(n)$  and  $U'(n)$  (see Section 2 for these notations). We assume that  $DS$  is a *substructure* of  $DS'$ . That is,  $DS$  is a part of  $DS'$ , containing enough information such that queries can be solved fast. For example, if  $DS'$  is a balanced binary tree, then we can take  $DS$ , the tree without the balance information at the nodes. Updates are performed as before. That is, first the central structure  $DS'$  is updated, then information is sent to the client structures, and finally the client structures  $DS$  are updated. Let  $C(n)$  denote the amount of data that is changed in the client structure  $DS$  in an update. We assume that all these complexity measures and  $S(n)/n$  are non-decreasing and smooth.

We transform this multiple representation into another one, such that each transformed client structure has size  $O(S(n))$ , update complexity  $F(n) = O(C(n))$  and  $G(n) = O(C(n))$ , and in which queries can be solved in  $O(Q(n))$  time. In each update, we only send the changes of the client structure  $DS$ . In order to avoid searching for the positions in the client structure where the changes have to be carried out, we also send these positions. Therefore, we implement the data structures as arrays. (We assume that our processors are random access machines, the memories of which are modeled as arrays. Hence we can indeed implement the data structures as arrays.) We take care that each part of  $DS$  is stored in the same position in all processors. If such a part has to be changed, we send the index in the array where this part is stored, together with the updated part. Then, in each client structure, we can find in constant time the position where the change has to be carried out. Remark that data structures contain pointers,

which we consider to be indices of array entries. By storing parts of  $DS$  in each processor in the same positions, these pointers indeed “point” to the correct objects.

The implementation will be described more precisely in the next subsection. We finish this subsection with the following lemma.

LEMMA 1. *The complexity measures introduced above satisfy*

1.  $S(n) \leq S'(n)$ ,
2.  $S'(n)/n = O(U'(n))$ ,
3.  $P'(n)/n = O(U'(n))$ ,
4.  $S(n)/n = O(C(n))$ .

*Proof.* Since  $DS$  is a substructure of  $DS'$ , we have  $S(n) \leq S'(n)$ . We can build the structure  $DS'$  by performing  $n$  insertions into an initially empty structure, which takes at most  $U'(1) + U'(2) + \dots + U'(n) \leq n \times U'(n)$  time. During these  $n$  insertions we have built a structure of size  $S'(n)$ , and hence we have spent at least  $S'(n)$  time. This proves that  $S'(n) = O(n \times U'(n))$ . The proof of  $P'(n) = O(n \times U'(n))$  is similar. In the same way we can build the structure  $DS$ . The total amount of data that has changed during  $n$  insertions, is at most  $C(1) + C(2) + \dots + C(n) \leq n \times C(n)$ . Since at the end there is a structure of size  $S(n)$ , it follows that  $S(n) = O(n \times C(n))$ . ■

## 6.2. A Fixed Size Solution

Let  $N$  be an integer that denotes the maximal number of objects that can be represented by our data structures. We use in this subsection—and in the following ones—the notations introduced in Subsection 6.1.

We have a client structure  $DS$  and a central structure  $DS'$ , and we want to implement these structures as arrays. These data structures are composed of “indivisible pieces of information” of constant size, such as pointers, integers, etc. (Here we assume that pointers, integers, etc. have size one, which is customary in the theory of algorithms and data structures.) Each such indivisible piece will be stored in one array location. Since the data structures represent at most  $N$  objects, we take a *client array* of  $S(N)$  entries, containing  $DS$ , and a *central array*  $A'$  of  $S'(N)$  entries, containing  $DS'$ . If  $n$  is the current number of objects,  $S(n)$  entries of the client array and  $S'(n)$  entries of the central array are occupied. We assume that the first  $S(N)$  entries of the central array are identical to those of the client array. Clearly, this can always be achieved. Finally, we introduce two stacks  $FE$  and  $FE'$  of free entries. In  $FE$  we store those indices of the first  $S(N)$  entries of the client array  $A$ , that are unoccupied. Similarly, the stack  $FE'$  contains those indices of the last  $S'(N) - S(N)$  entries of the central array  $A'$  that are unoccupied. The purpose of these stacks is to perform our own memory management.

The transformed client structure consists of the array  $A$ . The transformed central structure consists of the array  $A'$  and the stacks  $FE$  and  $FE'$ .

Suppose we want to insert or delete object  $p$ . We assume that there is space in the arrays for a new object. Then we first perform this update in the central structure. If we need new entries, we take them from the appropriate stack  $FE$  or  $FE'$ , and if entries become unoccupied, we put them on the stack where they belong. Clearly, this update procedure takes  $O(U'(n))$  time. Next we send to the clients, the indices of the entries in the array  $A$  that are changed together with the new contents of these entries. Using this information, each client structure is updated. Clearly, the client array can be updated in time proportional to the number of changed entries. So in our notation we have  $F(n) = O(C(n))$  and  $G(n) = O(C(n))$ . Note that the client structures do not need to contain the stack  $FE$  of free array indices: the entire memory management is arranged by the central structure. Clearly, at each moment the client structure is up-to-date and, hence, it can be used to answer queries.

**THEOREM 8.** *Let  $DS$  be a client structure solving some searching problem, with complexity  $S(n)$ ,  $Q(n)$  and  $C(n)$ . Let  $DS'$  be the corresponding central structure, with complexity  $S'(n)$  and  $U'(n)$ . We can transform these structures into a multiple representation, such that each client structure*

1. *has size  $O(S(N))$ ,*
2. *has a query time bounded by  $O(Q(n))$ ,*
3. *has  $F(n) = O(C(n))$ ,*
4. *has  $G(n) = O(C(n))$ ,*

*where  $N$  is the maximal number of objects that can be represented by the structures, and  $n$  is the current number of objects. Furthermore, the central structure has size  $O(S'(N))$ , and its update time is bounded by  $O(U'(n))$ .*

*Proof.* The size of the central structure is bounded by  $O(S'(N))$  for the array  $A'$ , and by  $O(|FE| + |FE'|) = O(S'(N))$  for the stacks. Hence the total size of the central structure is bounded by  $O(S'(N))$ . The other bounds follow from the above discussion. ■

If we know in advance that the number of objects does not vary too much, this will be an efficient solution. If, however, the number of objects becomes too large, after a number of insertions, our arrays will become too small. Similarly, after a number of deletions, a large part of the arrays will become empty, and so the amount of space will become too large. In these cases the solution, of course, is to rebuild the structures.

### 6.3. An Efficient Average Case Solution

Suppose that the data structures initially represent  $n$  objects. We store

each structure in an array that can store a data structure of  $\frac{3}{2}n$  objects. In this way there is space in the structures for  $n/2$  insertions. So in the notation of the preceding subsection, we take  $N = \frac{3}{2}n$ . The client structure consists of the array  $A$  of length  $S(N)$ . The central structure contains the array  $A'$  of length  $S'(N)$ , and the stacks  $FE$  and  $FE'$ . The information is stored in these data structures as in the previous subsection, and updates are performed in exactly the same way. As soon as the number of objects becomes either  $\frac{1}{2}n$  or  $\frac{3}{2}n$ , we rebuild our data structures. That is, if  $m$  is the number of objects at that moment, we build a new array  $A'$  and new stacks  $FE$  and  $FE'$ , that are large enough to contain a data structure for  $\frac{3}{2}m$  objects, and we send the subarray containing the first  $S(\frac{3}{2}m)$  entries of  $A'$ —this subarray will be the new client structure  $A$ —to the clients, where this new array replaces the old one. Then we proceed in the same way.

**THEOREM 9.** *Let  $DS$  be a client structure solving some searching problem, with complexity  $S(n)$ ,  $Q(n)$ , and  $C(n)$ . Let  $DS'$  be the corresponding central structure, with complexity  $S'(n)$  and  $U'(n)$ . We can transform these structures into a multiple representation, such that each client structure*

1. *has size  $O(S(n))$ ,*
2. *has a query time bounded by  $O(Q(n))$ ,*
3. *has  $F(n) = O(C(n))$ , on the average,*
4. *has  $G(n) = O(C(n))$ , on the average.*

*The central structure has size  $O(S'(n))$ , and its average update time is bounded by  $O(U'(n))$ .*

*Proof.* The bounds on the amount of space used by the structures follow from Theorem 8, and from the fact that  $N$ —the maximal number of objects that can be represented—and  $n$ —the current number of objects—satisfy  $n = \Theta(N)$ . Clearly, the query time for a client structure remains  $O(Q(n))$ . Since the structures are rebuilt at most once every  $n/2$  updates, the average values of both  $F(n)$  and  $G(n)$  are bounded by  $O(C(n) + S(n)/n)$ , which is  $O(C(n))$  by Lemma 1. Rebuilding of the new central structure takes  $O(P'(n))$  time for  $A'$  and  $O(S'(n))$  time for the two stacks. So the average update time of the central structure is bounded by  $O(U'(n) + P'(n)/n + S'(n)/n)$ , which is  $O(U'(n))$  by Lemma 1. ■

*Remark.* The rebuilding of the new central array  $A'$  cannot be performed by just walking along the old array and putting the entries into a new one of size  $S'(\frac{3}{2}m)$ : we have to take care that the pointers keep their correct meaning. Therefore we charged in the above proof  $O(P'(n))$  time for this rebuilding, which is clearly an upper bound.

#### 6.4. An Efficient Worst Case Solution

In this subsection we assume that the update time  $U'(n)$  of the central structure and the amount of data  $C(n)$  that an update changes in the client structure are worst case bounds. We show how the average case bounds of the preceding section can be made into worst case bounds. The idea is to spread out the construction of the new structures over a number of updates. The technique is related to the global rebuilding technique given in (Overmars, 1983).

Let  $m$  be the number of objects initially represented by the data structures. Let  $l$  be an integer, such that  $\frac{2}{3}m \leq l \leq 3m$ . We first describe the update algorithm for the client structure; later we consider the central structure. The client structure consists of the array  $A$  of length  $S(l)$ , as before.

Consider a sequence of  $m/2$  updates. (Note that the array  $A$  has space for at least  $m/2$  new objects.) We split this sequence into three phases.

*First phase.* The first phase consists of the first  $m/4$  updates. These are performed as before. That is, the changes of the client structures, together with the positions in the array  $A$ , where the changes have to be carried out, are sent to them, and using the received information, each client structure is updated. So after the first phase, the client structures are up-to-date.

Let  $m_0$  be the number of objects that are present after the first phase, and let  $l_0 = 2m_0$ . (We use  $l_0$  to estimate the number of objects that are present after the third phase.)

*Second phase.* The second phase consists of the next  $m/8$  updates. These updates are performed as in the first phase. Also, a new client array  $A_0$  is built in the central computer during the first  $m/16$  updates of this second phase. This array has length  $S(l_0)$ , and it stores the client data structure as it was after the first phase. (Later we shall describe how the central processor builds this new array; we now just assume that it is there.) This new array is sent to the clients during the last  $m/16$  updates of the second phase. In each update we send an amount of  $O(S(l_0)/m) = O(S(m)/m)$ , which is bounded by  $O(C(m))$  by Lemma 1.

After the second phase, the client structure consists of an up-to-date array  $A$  and an array  $A_0$ , containing the client structure as it was after the first phase. We also assume that the central structure contains a list of the updates in the second phase, i.e., a list containing the  $m/8$  objects, and for each object information whether it has to be inserted or deleted.

*Third phase.* This phase consists of the final  $m/8$  updates. These updates are carried out for the up-to-date client array  $A$ , as before. In order to make the new array  $A_0$  up-to-date, we perform on this array with each update, two updates from the list of updates from the second phase. (Note

that these updates have to be performed in chronological order, since the same object can be inserted and deleted several times!) Then we remove the two updates we just carried out from the (front of the) list, and the actual update is added at the end of the list.

After this final phase, the client array  $A_0$  is up-to-date, and the old array  $A$  is discarded.

So we end with a client structure consisting of an array  $A_0$  of length  $S(l_0)$ . Let  $n$  be the number of objects that are represented by the structures at this moment. If we can show that  $\frac{3}{2}n \leq l_0 \leq 3n$ , then we are in the same situation as the one we started with, and hence we can proceed in the same way.

At the beginning the data structures represented  $m$  objects, and after the first  $m/4$  updates there were  $m_0$  objects. It follows that

$$\frac{3}{4}m \leq m_0 \leq \frac{5}{4}m.$$

After the third phase, i.e., after another  $m/4$  updates, there are  $n$  objects. Hence

$$m_0 - \frac{1}{4}m \leq n \leq m_0 + \frac{1}{4}m.$$

Clearly,  $m$  and  $n$  are related by

$$\frac{1}{2}m \leq n \leq \frac{3}{2}m.$$

It follows that

$$l_0 = 2m_0 = \frac{3}{2}m_0 + \frac{1}{2}m_0 \geq \frac{3}{2}m_0 + \frac{3}{8}m = \frac{3}{2}(m_0 + \frac{1}{4}m) \geq \frac{3}{2}n,$$

and

$$l_0 = 2m_0 \leq 2(n + \frac{1}{4}m) \leq 2n + n = 3n,$$

which shows that we are indeed in the same situation as at our starting point.

The central structure consists of two copies of each of the structures  $A'$ ,  $FE$ , and  $FE'$ , and one copy of a list  $L$  (we use the notations of the preceding subsection). All  $m/2$  updates are carried out on one of  $A'$ ,  $FE$ , and  $FE'$ . Hence at each moment the central structure contains an up-to-date data structure. In the second phase, in each update we add the object together with information whether it has to be inserted or deleted, to the list  $L$ .

It remains to describe what happens to the other structures  $A'$ ,  $FE$ , and  $FE'$ . In the first phase, the updates are performed on these structures as usual. During the first  $m/16$  updates of the second phase we convert them into new structures  $A'_0$ ,  $FE_0$ , and  $FE'_0$ . Here  $A'_0$  is an array of length  $S'(l_0)$  that will contain the data structure as it is at the beginning of the second

phase, and  $FE_0$  and  $FE'_0$  are the corresponding stacks of free entries in this new array. This converting can be performed in  $O(P'(l_0) + S'(l_0)) = O(P'(m) + S'(m)) = O(P'(m))$  time. In each of the  $m/16$  updates we do an amount of  $O(P'(m)/m)$  of this converting. It follows from Lemma 1 that the update time for the central structure remains  $O(U'(n) + P'(m)/m) = O(U'(n))$ , where  $n$  is the current number of present objects.

During the next  $m/16$  updates of the second phase, the first  $S(l_0)$  entries of the array  $A'_0$ —which contain the new client array  $A_0$ —are sent to the clients, as described above. Also, the structures  $A'_0$ ,  $FE_0$ , and  $FE'_0$  are copied; each update we do an amount of  $O(S'(m)/m) = O(U'(m)) = O(U'(n))$  work. During the third phase, we perform with each update, two updates from the list  $L$ , on both copies of each of the structures  $A'_0$ ,  $FE_0$ , and  $FE'_0$ , and we add the actual update at the end of  $L$ . (Again we remark that the updates have to be carried out in chronological order.) After this third phase, the structures  $A'$ ,  $FE$ , and  $FE'$  are discarded. We end with two copies of each of the structures  $A'_0$ ,  $FE_0$ , and  $FE'_0$ . Hence we are in the same situation as before the first phase.

Before we summarize the result, we remark that a client structure contains at any moment an up-to-date data structure, that can be used to answer queries.

**THEOREM 10.** *Let  $DS$  be a client structure solving some searching problem, with worst case complexity  $S(n)$ ,  $Q(n)$ , and  $C(n)$ . Let  $DS'$  be the corresponding central structure, with worst case complexity  $S'(n)$  and  $U'(n)$ . We can transform these structures into a multiple representation, such that each client structure*

1. *has size  $O(S(n))$ ,*
2. *has a query time bounded by  $O(Q(n))$ ,*
3. *has  $F(n) = O(C(n))$ , in the worst case,*
4. *has  $G(n) = O(C(n))$ , in the worst case.*

*The central structure has size  $O(S'(n))$ , and its worst case update time is bounded by  $O(U'(n))$ .*

*Proof.* The size of the central structure is bounded by  $O(S'(n) + n) = O(S'(n))$ , where the  $O(n)$  term is due to the list of updates. The rest of the proof follows from the above discussion. ■

## 7. EXAMPLES

As we have seen in Section 6, we can bound the update time for the client structures by  $O(C(n))$ , which is the size of the changes in the struc-

ture. Hence our goal is to design structures for searching problems for which  $C(n)$  is small. It is not important whether the changes can be found efficiently (although this would make the amount of work on the central structure small).

### 7.1. Binary Search Trees

Most classes of balanced binary search trees, such as AVL-trees,  $\text{BB}[\alpha]$ -trees, etc., have the property that in an update  $O(\log n)$  rotations are necessary to rebalance them. Hence for such trees, an update changes  $O(\log n)$  nodes. Binary trees from the class of  $\alpha\text{BB}$ -trees, as introduced by Olivié (1980, 1981, 1982), however, have the interesting property that they can be maintained in logarithmic time, by at most a constant number of rotations (if  $\alpha \in \{\frac{1}{2}, \frac{1}{3}\}$ ). (See also Guibas and Sedgewick, 1978 and Tarjan, 1983.)

So let  $T$  be an  $\alpha\text{BB}$ -tree, where  $\alpha \in \{\frac{1}{2}, \frac{1}{3}\}$ , without the balance information at the nodes. Suppose  $T$  contains a set of  $n$  objects in its nodes. In this tree, member queries can be solved in  $O(\log n)$  time. By the above mentioned result of Olivié, we can maintain  $T$  by means of  $O(1)$  rotations. Hence an update changes only  $O(1)$  nodes in  $T$ . (Note that if the tree would contain balance information, an update would change  $O(\log n)$  nodes, since then the balance information would have to be updated.) Applying Theorem 10, we get

**THEOREM 11.** *For solving the member searching problem, there exists a client structure with complexity*

1.  $S(n) = O(n)$ ,
2.  $Q(n) = O(\log n)$ ,
3.  $F(n) = O(1)$ ,
4.  $G(n) = O(1)$ .

*The central structure has size  $O(n)$ , and can be maintained in  $O(\log n)$  time.*

In the solution given above, we stored the objects in the nodes of the tree. There are applications, however, in which we want to store the objects in sorted order in the leaves of the tree. Then, in order to be able to search in the tree, we have to store information in the internal nodes to guide these searches (in each node we must decide in some way whether we proceed to the left or to the right son). Suppose we store in each node the maximal element in its subtree. Clearly, we can use this information to solve member queries in time proportional to the longest path in the tree. If we now delete the maximal element in the tree, then in each node on the rightmost path the search information has to be changed. Therefore, if the

tree is balanced, an update changes  $O(\log n)$  nodes. So we have to be careful regarding the “search information” that is stored in the internal nodes.

Suppose now that we store in each internal node  $v$ , the maximal element in the left subtree of  $v$ . Note that this maximal element is stored in the unique leaf that is reached by making one step to the left in node  $v$ , followed by a maximal number (possibly none) of steps to the right. It is not difficult to prove that in this case an update changes  $O(1)$  nodes, if we do not rebalance the tree. (The search information in a node is changed iff the maximal element in its left subtree is changed.)

So let  $T$  be an  $\alpha$ BB-tree, containing a set of  $n$  elements in sorted order in its leaves, without balance information. Each internal node contains the maximal element in its left subtree. Then, in  $T$  member queries can be solved using the search information of the internal nodes in  $O(\log n)$  time. Now let  $\alpha \in \{\frac{1}{2}, \frac{1}{3}\}$ . Then it follows from the above that an update changes only  $O(1)$  nodes in  $T$ . Applying Theorem 10, we get

**THEOREM 12.** *For solving the member searching problem, we can take for the client structures a leaf search tree, having complexity*

1.  $S(n) = O(n)$ ,
2.  $Q(n) = O(\log n)$ ,
3.  $F(n) = O(1)$ ,
4.  $G(n) = O(1)$ .

*The central structure has size  $O(n)$ , and can be maintained in  $O(\log n)$  time.*

In the next subsection we shall use  $\alpha$ BB-trees to design an efficiently maintainable class of data structures solving the orthogonal range searching problem.

## 7.2. Range Trees

The orthogonal range searching problem, was mentioned in Section 5. Bentley (1979), Lueker (1978), and Willard and Lueker (1985) designed an efficient data structure for this problem, the so-called *range tree*. In the following definition we modify the balance conditions of these range trees somewhat. (For the definition of BB[ $\alpha$ ]-trees, we refer the reader to Nievergelt and Reingold, 1973 and Blum and Mehlhorn, 1980.)

**DEFINITION 3.** Let  $S$  be a set of points in the  $d$ -dimensional euclidean space. A  $d$ -dimensional range tree  $T$ , representing the set  $S$ , is defined as follows:

1. If  $d = 1$ , then  $T$  is an  $\alpha$ BB-tree, containing the points of  $S$  in sorted order in its leaves.

2. If  $d > 1$ , then  $T$  consists of a  $\text{BB}[\alpha']$ -tree, called the *main tree*, containing in its leaves the points of  $S$ , ordered according to their first coordinate. Each node  $v$  of this main tree contains an *associated structure*, which is a  $(d-1)$ -dimensional range tree for those points of  $S$  that are in the subtree rooted at  $v$ , taking only the second to  $d$ th coordinate into account.

So in our notion of range trees there are two kind of binary trees. The trees representing points in multi-dimensional space belong to the class of  $\text{BB}[\alpha']$ -trees, and the trees representing one-dimensional points belong to the class of  $\alpha\text{BB}$ -trees. All trees are used as leaf search trees.

Let  $T$  be a  $d$ -dimensional range tree, and suppose we want to insert or delete a point  $p$ . Then we search with  $p$  in the main tree to locate its position among the leaves, and we insert or delete  $p$  in all the associated structures we encounter on our search path (if these associated structures are one-dimensional range trees, we apply the update algorithm for  $\alpha\text{BB}$ -trees using rotations; otherwise we use the same procedure recursively). Next we insert or delete  $p$  among the leaves in the main tree, and we walk back to the root. During this walk, we rebalance the main tree: each node that is out of balance is rebalanced by means of rotations. Note that we have to rebuild the associated structures of the nodes that are involved in these rotations, and this will take a lot of time when these structures are large. It turns out, however, that the average update time is low.

The following theorem gives the complexity of range trees. For a proof, we refer the reader to (Bentley, 1979; Lueker, 1978; Overmars, 1983; Willard and Lueker, 1985).

**THEOREM 13.** *Let  $S$  be a set of  $n$  points in  $d$ -dimensional space. Then a  $d$ -dimensional range tree, representing the set  $S$ , has size  $O(n(\log n)^{d-1})$ , and can be built in  $O(n(\log n)^{d-1})$  time. In this tree, updates can be performed in time  $O((\log n)^d)$  on the average, and orthogonal range queries can be solved in time  $O((\log n)^d + t)$ , where  $t$  is the number of reported answers, without using the balance information stored at the nodes.*

Let  $T$  be a  $d$ -dimensional range tree for a set of  $n$  points, without the balance information. We store in internal nodes of the trees search information as in Subsection 7.1. We take for the one-dimensional structures  $\alpha\text{BB}$ -trees with  $\alpha \in \{\frac{1}{2}, \frac{1}{3}\}$ . Let  $C(n, d)$  denote the average number of nodes that are changed in  $T$  in an update.

**LEMMA 2.**  $C(n, d) = O((\log n)^{d-1})$ .

*Proof.* We have seen in Subsection 7.1 already that  $C(n, 1) = O(1)$ . Let  $d > 1$ . To perform an update we start in the root of the main tree, and we

update its associated structure. This changes on the average at most  $C(n, d-1)$  nodes. Then we repeat the same procedure for the appropriate son of the root, which is the root of a range tree for at most  $(1-\alpha')n$  points. Hence this changes on the average at most  $C((1-\alpha')n, d)$  nodes. If the root of the main tree gets out of balance, we perform a rotation and, hence, we have to rebuild the associated structures of the sons of the root. Since these associated structures are  $(d-1)$ -dimensional range trees, this changes  $O(n(\log n)^{d-2})$  nodes. It was shown by Blum and Mehlhorn (1980) that for a proper choice of  $\alpha'$  the root of the main tree gets out of balance at most once every  $\Omega(n)$  updates. Hence the average number of nodes that are changed due to our visit to the root of the main tree is bounded by  $O((\log n)^{d-2})$ . It follows that  $C(n, d)$  satisfies the following recurrence:

$$C(n, d) \leq C(n, d-1) + C((1-\alpha')n, d) + O((\log n)^{d-2}).$$

This proves the lemma. ■

So we have a class of range trees that can be maintained in time  $O((\log n)^d)$  on the average, whereas in the structures without balance information an update changes only  $O((\log n)^{d-1})$  nodes, also on the average. Hence, by Theorem 9, we have

**THEOREM 14.** *For solving the orthogonal range searching problem, there exists a client structure with complexity*

1.  $S(n) = O(n(\log n)^{d-1})$ ,
2.  $Q(n) = O((\log n)^d + t)$ , where  $t$  is the number of reported answers,
3.  $F(n) = O((\log n)^{d-1})$  on the average,
4.  $G(n) = O((\log n)^{d-1})$  on the average.

## 8. CONCLUSIONS

We have studied the problem of maintaining multiple representations of dynamic data structures: Suppose there are a number of processors, each containing the same data structure. Then updates have to be performed in all these structures. In order to save time, we first “preprocess” the update in a central structure. Then we broadcast information about the update to the processors, and using this information, each of these processors updates its structure.

In this way there are two different types of structures. First there are the client structures, that are stored in the processors. These client structures

contain information such that queries can be answered efficiently. Also, preprocessed updates can be carried out fast on these client structures. The other structure is the central structure, in which the updates are preprocessed. We have shown that it is not necessary that the client structures are exact copies of the central structure. For example, often a dynamic data structure contains information that is only used for efficiently updating it. Since the client structures can use the information gathered during the update of the central structure, they do not need to have this information in their structure. A typical example is a dynamic data structure that maintains the answer of an order decomposable set problem. The main part of this structure is used to perform updates, whereas only a relatively small part of it contains the answer to the set problem.

We have given a powerful general technique that solves the multiple representation problem, such that a client structure can be updated in time proportional to the size of the changes in this structure. As an example, we have shown that there is a class of range trees that can be maintained in  $O((\log n)^d)$  time, whereas in the version of this tree containing no balance information, only  $O((\log n)^{d-1})$  nodes are changed in an update. Hence by applying this general technique, we can maintain the client version of the range tree in  $O((\log n)^{d-1})$  time.

There remain several problems and directions for further research:

In order to apply our general technique, data structures are needed for which  $C(n)$ —the amount of data that is changed in an update—is small. It would be interesting to have more examples of such data structures.

In the present paper, we performed single updates in the data structures. Is it possible to carry out sets of updates more efficiently, than by just performing them one after another?

We have seen some techniques to solve the multiple representation problem for decomposable searching problems. It might be possible to design other schemes for these problems.

Finally, one could investigate other multiple representation problems. For example, what should be done if the client structures do not necessarily have to represent the same set of objects?

#### ACKNOWLEDGMENTS

We thank the referees for useful comments which helped to improve the presentation of this paper.

RECEIVED July 13, 1988; ACCEPTED January 12, 1989

## REFERENCES

- BENTLEY J. L., (1979), Decomposable searching problems, *Inform. Process. Lett.* **8**, 244–251.
- BENTLEY, J. L., AND SAXE, J. B. (1980), Decomposable searching problems. I. Static to dynamic transformations, *J. Algorithms* **1**, 301–358.
- BLUM, N., AND MEHLHORN, K. (1980), On the average number of rebalancing operations in weight-balanced trees, *Theoret. Comput. Sci.* **11**, 303–320.
- GUIBAS, L. J., AND SEDGEWICK, R. (1978), A dichromatic framework for balanced trees, in "Proceedings, 19th Annual IEEE Symposium on Foundations of Computer Science," pp. 8–21.
- KIRKPATRICK, D. G. (1983), Optimal search in planar subdivisions, *SIAM J. Comput.* **12**, 28–35.
- LUEKER, G. S. (1978), A data structure for orthogonal range queries, in "Proceedings, 19th Annual IEEE Symposium on Foundations of Computer Science," pp. 28–34.
- NIEVERGELT, J., AND REINGOLD, E. M. (1973), Binary search trees of bounded balance, *SIAM J. Comput.* **2**, 33–43.
- OLIVIÉ, H. J. (1980), "A Study of Balanced Binary Trees and Balanced One–Two Trees," Ph.D. thesis, Department of Mathematics, University of Antwerp, Belgium.
- OLIVIÉ, H. J. (1981), On  $\alpha$ -balanced binary search trees, in "Proceedings, 5th GI-Conference," Lecture Notes in Comput. Sci., Vol. 104, pp. 98–108, Springer-Verlag, New York/Berlin.
- OLIVIÉ, H. J. (1982), A new class of balanced trees: Half balanced binary search trees, *RAIRO Inform. Théor. Appl.* **16**, 51–71.
- OVERMANS, M. H. (1983), "The Design of Dynamic Data Structures," Lecture Note in Comput. Sci., Vol. 156, Springer-Verlag, New York/Berlin.
- OVERMANS, M. H., AND SMID, M. H. M. (1988), Maintaining range trees in secondary memory, in "Proceedings, 5th Annual STACS," Lecture Notes in Comput. Sci., Vol. 294, pp. 38–51, Springer-Verlag, New York/Berlin.
- OVERMANS, M. H., SMID, M. H. M., DE BERG, M. T., AND VAN KREVELD, M. J. (1987), "Maintaining Range Trees in Secondary Memory, Part I: Partitions," Report FVI-87-14, Department of Computer Science, University of Amsterdam.
- PREPARATA, F. P., AND HONG, S. J. (1977), Convex hulls of finite sets of points in two and three dimensions, *Comm. ACM* **20**, 87–93.
- SMID, M. H. M., TORENVLIET, L., VAN EMDE BOAS, P., AND OVERMANS, M. H. (1989), Two models for the reconstruction problem for dynamic data structures, *J. Inform. Process. Cybernet. EIK* **25**, 131–155.
- TARJAN, R. E. (1983), Updating a balanced search tree in  $O(1)$  rotations, *Inform. Process. Lett.* **16**, 253–257.
- WILLARD, D. E., AND LUEKER, G. S. (1985), Adding range restriction capability to dynamic data structures, *J. Assoc. Comput. Mach.* **32**, 597–617.