



Centrum voor Wiskunde en Informatica

REPORTRAPPORT

Priors on network structures. Biasing the search for Bayesian Networks

Robert Castelo, Arno Siebes

Information Systems (INS)

INS-R9816 December 1998

Report INS-R9816
ISSN 1386-3681

CWI
P.O. Box 94079
1090 GB Amsterdam
The Netherlands

CWI is the National Research Institute for Mathematics and Computer Science. CWI is part of the Stichting Mathematisch Centrum (SMC), the Dutch foundation for promotion of mathematics and computer science and their applications.

SMC is sponsored by the Netherlands Organization for Scientific Research (NWO). CWI is a member of ERCIM, the European Research Consortium for Informatics and Mathematics.

Copyright © Stichting Mathematisch Centrum
P.O. Box 94079, 1090 GB Amsterdam (NL)
Kruislaan 413, 1098 SJ Amsterdam (NL)
Telephone +31 20 592 9333
Telefax +31 20 592 4199

Priors on network structures. Biasing the search for Bayesian Networks

Robert Castelo Arno Siebes

CWI

P.O. Box 94079, 1090 GB Amsterdam, The Netherlands

{Robert.Castelo,Arno.Siebes}@cwi.nl

ABSTRACT

In this paper we show how a user can influence recovery of Bayesian Networks from a database by specifying prior knowledge. The main novelty of our approach is that the user only has to provide partial prior knowledge, which is then completed to a full prior over all possible network structures. This partial prior knowledge is expressed among variables in an intuitive pairwise way, which embodies the uncertainty of the user about his/her own prior knowledge. Thus, the uncertainty of the model is updated in the normal Bayesian way.

1991 Mathematics Subject Classification: 62A15, 46N30, 47N30, 60Bxx, 90B40, 93A30, 62-07

1991 Computing Reviews Classification System: H.3.3, I.2.8, I.6.5, G.3

Keywords and Phrases: bayesian network, prior probabilities, user knowledge.

Note: This work has been carried out under the Esprit-IV project Keso.

1. INTRODUCTION

Bayesian nets provide much insight in the conditional (in)dependencies among the attributes in a database. As such, Bayesian network recovery is an important tool for data miners. However, a straightforward recovery of these networks has two major drawbacks from the viewpoint of the user, who deals with real world data:

- In the first place, minor errors in the data may have large effects. For example, leading to counter-intuitive arrows.
- Secondly, our database might not be a fair random sample. This situation arises commonly with data gathered by inquiries that, for some reason, are not performed over a random sample of the population.

Both problems can be (partially) alleviated by allowing the user to specify a priori knowledge. In fact, there always exists some domain (expert) knowledge about a problem. This a priori knowledge should then be combined with the evidence in the database during the recovery. The resulting network is then consistent with both the user's a priori knowledge and the database. This last fact makes that, from the viewpoint of the user, the results are better and more acceptable.

So, the problem studied in this paper is how to let the user specify his a priori knowledge and how to use this knowledge to bias the search of the recovery algorithm.

Among the different approaches to learn Bayesian Networks from data, we have carried out our work within the Bayesian framework. Therefore, whenever we use the term *probability*, we refer to a Bayesian (subjective) probability. In order to denote this fact, we will express the (Bayesian) probability of an event e with $p(e|\xi)$, where ξ indicates the background knowledge that is relevant to the assessment of this probability [3].

The standard Bayesian approach:

$$\text{posterior}(\text{model}|\text{data}) \propto \text{prior}(\text{model}) \text{likelihood}(\text{model}, \text{data})$$

translates to the posterior of a Bayesian Network structure B_s given a database D

$$\begin{aligned} p(B_s|D, \xi) &\propto p(B_s, D|\xi) \\ p(B_s|D, \xi) &\propto p(B_s|\xi)p(D|B_s, \xi) \end{aligned}$$

Let Θ be the set of parameters related to the Bayesian Network structure B_s . Then

$$p(B_s, D|\xi) = \int_{\Theta} p(B_s, D, \Theta|\xi) d\Theta = p(B_s|\xi) \int_{\Theta} p(D|B_s, \Theta, \xi) f(\Theta|B_s, \xi) d\Theta$$

Where the term $p(B_s|\xi)$ corresponds to the prior of the Bayesian Network structure B_s . The reader may find a detailed description of the method in [4, 5, 1].

There are two earlier approaches in the Bayesian framework to the problem of how to let the user specify his a priori knowledge and how to use it to bias the search. The first, which we will nick-name the *partial theory* approach, is by Buntine in [1]. The second, which we will nick-name the *penalizing* approach, is by Heckerman, Geiger and Chickering in [5].

In the partial theory approach, an initial partial theory provided by the expert is transformed into a prior probability over the space of theories. This partial theory consists of:

- A total ordering \prec on variables, such that a parent set of a given variable must be a subset of the variables less than the given one (i.e. $y \in \pi_x \Rightarrow y \prec x$).
- A specification of beliefs for every possible arc, that a variable is parent of another one, measured in units of subjective probability.

The assumption of independence among parent sets is made, and thus a full prior conditioned on the total ordering of variables is given by:

$$p(B_s | \prec, \xi) = \prod_{i=1}^n p(\pi_i | \prec, \xi)$$

where

$$p(\pi_i | \prec, \xi) = \left(\prod_{y \in \pi_i} p(y \rightarrow x_i | \prec, \xi) \right) \cdot \left(\prod_{y \notin \pi_i} (1 - p(y \rightarrow x_i | \prec, \xi)) \right)$$

In the penalizing approach, the user builds a prior network from which it is possible (see [5]) to assess the joint probability distribution of the domain U for the next case to be seen $p(U|B_{sc}, \xi)$ (where B_{sc} is the complete network). From this joint probability distribution they then construct informative priors for the prior distribution of the parameters, yielding the Bayesian Dirichlet Equivalent metric (BDe).

In principle, the prior distribution of network structures is independent of this prior network, but they propose an approach where structures that closely resemble the prior network will tend to have higher prior probabilities, and these higher probabilities will be achieved by penalizing those networks that differ from the prior network.

Let P be the prior network. The number of nodes in the symmetric difference of $\pi_i(B_s)$ and $\pi_i(P)$ is

$$\delta_i = |(\pi_i(B_s) \cup \pi_i(P)) \setminus (\pi_i(B_s) \cap \pi_i(P))|$$

So, the amount of arcs δ in what the prior network and any network B_s differ is

$$\delta = \sum_{i=1}^n \delta_i$$

As we pointed out before, the idea is to penalize B_s by a constant factor $0 < \kappa \leq 1$ for each such arc:

$$p(B_s|\xi) = c\kappa^\delta$$

where c is a normalization constant.

The approach taken in this paper is that we assume far less prior knowledge from the user. Given two attributes A and B in the database, the user may specify his confidence in the possible connections between A and B in the network. We do not expect the user to have an opinion about all possible links. This partial prior knowledge of the user is then completed into a prior probability distribution on the space of possible networks.

In Section 2, the user's specification of his (incomplete) prior knowledge and its completion into a prior is discussed. In the next section, we show how this prior information is actually used to bias the search for the discovered network. In Section 4, we give some experimental results that illustrate how the user's prior knowledge biases the search. In the final section we compare our approach with the two approaches discussed above and we formulate some problems for further research.

2. THE PRIOR

2.1 The User Specification

Bayesian Networks are graphically defined as acyclic digraphs (DAGs), and our main goal is to let the user define his/her preferences for some of this graphical objects as a probability distribution over the set of acyclic digraphs. A naive approach would be to obligate the user to give some prior probability to every DAG such that the priors for all possible networks sum to 1. This is impractical for the reason that any expert cannot be precise assessing some prior probability between 0 and 1 for an object formed by n nodes and (up to) $n(n-1)/2$ arcs. We consider that assessing some degree of belief over the (in)dependency between two variables is natural for the user. We assume that the knowledge of the user is coherent, i.e. there are no contradictions in his/her beliefs.

Let a and b be two nodes (variables) in a Bayesian Network, the user may assess as prior knowledge in the link formed by these two nodes, a probability distribution over the three possible states of the link (arc in one direction $a \rightarrow b$, arc in opposite direction $a \leftarrow b$, no arc $a \cdots b$), which holds

$$p(a \rightarrow b|\xi) + p(a \leftarrow b|\xi) + p(a \cdots b|\xi) = 1$$


In a Bayesian Network with n nodes there are $C_{n,2}$ ¹ different links, and for every link, we consider a probability distribution over three states.

¹ $C_{n,2} = \binom{n}{2}$


For the links for which the user does not specify a prior, we assume an uniform prior:

$$p(a \rightarrow b|\xi) = p(a \leftarrow b|\xi) = p(a \cdots b|\xi) = \frac{1}{3}$$

So, given a partial prior by the user, we may complete the prior for a link given this uniform distribution and the assumption that the user's beliefs are coherent. For example, let the user specify the following partial prior for a Bayesian Network of three nodes



The prior is completed as follows



2.2 From an informal prior to a formal prior

We have shown the way we want the user to specify his/her partial knowledge and how to complete it to obtain a full prior. But still this prior is a collection of prior beliefs over a set of links. We need a full prior for a Bayesian Network. Therefore we are going now to specify, how to combine these priors of the links to obtain a full prior for a Bayesian Network.

The amount of different objects we want to deal with (that is the amount of acyclic digraphs) is exponential in the number of nodes [7], so the situation asks for an incremental way of computing the full prior. This is, a way in which, given priors for a set of components (links) we obtain a prior for an acyclic digraph (a Bayesian Network).

For us, the decomposition of a certain type of graphical object is useful as far as it allows us to enumerate all possible objects of the sample space (like all possible acyclic digraphs in our case). Such a decomposition keeps us aware of the set of objects that contain a given set of components, and then we are able to estimate the amount of confidence in the entire space of objects consistent with the given beliefs of the components.

Our main problem, we are going to discuss now, is that the natural decomposition of acyclic digraphs does not help us to build the full prior. Acyclic digraphs are characterized by the so called *out-points* [7]. Every node in a digraph has a (possibly empty) set of incoming arcs, and a (possibly empty) set of outgoing arcs. The cardinality of the former is the *in-degree* of the node, and the cardinality of the latter is the *out-degree* of the node. An *out-point* is a node in a digraph with *in-degree* 0. In other fields like operations research, this type of node is known as *source*, and its counter-part (the *in-point*, *out-degree* 0) as *sink*. Every acyclic digraph has at least one *out-point*, because has no

directed cycles. We can decompose any acyclic digraph of n nodes in sub-DAGs of k out-points and $n - k$ non-outpoints for $1 \leq k \leq n$.

In our current situation, this decomposition is not useful since does not match the linkwise form of our prior components, which is also more intuitive for the user than some *out-point* based formalization. We claim below that this linkwise form stems from the way we made our independence assumption among beliefs. To provide this intuitive way of decomposing an object let's assume for a moment that, instead of acyclic digraphs, we are working with *oriented graphs*.

An *oriented graph* [6] is a directed graph with no loops and no cycles of size two. So, it admits cycles of size greater than two. We can decompose this type of graphical object in links (pairs of nodes) such that for a given connection in this link, one third of the whole space of objects will contain this concrete connection (arc in a certain direction, arc in the opposite direction, no arc).

To formalize the way we are going to combine the link priors, we should assume first that the beliefs of the user over different links are independent. In other words, what the user thinks about the pair of nodes, e.g., $a - b$ is not related to what the user thinks about $a - c$ or $c - d$, and so on. By this assumption, we define the combination of beliefs of different links as the product of their numerical values, which are probabilities. For example, these are the full priors for three different networks given the partial prior we showed above

$$\begin{aligned} p(a \rightarrow b \leftarrow c | \xi) &= \frac{3}{4} \times \frac{3}{4} \times \frac{1}{3} = \frac{3}{16} \\ p(a \rightarrow b \rightarrow c | \xi) &= \frac{3}{4} \times \frac{1}{8} \times \frac{1}{3} = \frac{1}{32} \\ p(a \cdots b \rightarrow c | \xi) &= \frac{1}{8} \times \frac{1}{8} \times \frac{1}{3} = \frac{1}{192} \end{aligned}$$

The effect of using oriented graphs instead of acyclic digraphs as decomposable objects is that we are considering a sample space bigger than the one defined by acyclic digraphs. Due to those digraphs which contain one or more directed cycles. So, some amount of strength of our belief is distributed over a set of objects that will be never considered in the search we want to bias, the search for Bayesian Networks. Therefore we do not have a prior distribution over the set of possible Bayesian Networks.

The solution we give to this problem is to compute the amount of weight we miss, and then we distribute it uniformly or proportionally over the set of acyclic digraphs. Let \mathcal{A}_n be the set of acyclic digraphs of n nodes. Let \mathcal{O}_n be the set of oriented graphs of n nodes. Let $\mathcal{C}_n = \mathcal{O}_n - \mathcal{A}_n$ be the set of digraphs that contain one or more directed cycle. Let $S_n = f(\mathcal{C}_n)$ be the sum of the prior values of the objects contained in \mathcal{C}_n . The function f computes this sum given the set of digraphs with cycles, but for the moment we will not specify f . Using S_n we can construct a prior distribution over the set of possible Bayesian Networks of n nodes in two ways:

- *Uniformly* Let A_n be the cardinality of \mathcal{A}_n . The amount of strength we sum to every acyclic digraph in \mathcal{A}_n is

$$c = \frac{S_n}{A_n}$$

- *Proportionally* We multiply every acyclic digraph by the value

$$c = \frac{1}{1 - S_n}$$

In this way, the full prior for a Bayesian Network $B = (B_s, B_p)$, where $B_s = (E, V)$ and E is the set of edges and V is the set of vertex such that B_s is an acyclic digraph, may take one of these forms:

$$p(B_s|\xi) = c + \prod_{\substack{v_i, v_j \in V \\ i \neq j}} p(v_i \rightleftharpoons v_j|\xi)$$

$$p(B_s|\xi) = c \prod_{\substack{v_i, v_j \in V \\ i \neq j}} p(v_i \rightleftharpoons v_j|\xi)$$

Where $p(v_i \rightleftharpoons v_j)$ stands for the prior probability of certain connection ($v_i \rightarrow v_j$ or $v_i \leftarrow v_j$ or $v_i \cdots v_j$) specified in E about the link (v_i, v_j) .

3. USING THE PRIOR

3.1 Constants do not matter

The aim of building a prior out of the background knowledge of some user, is to bias the search for a Bayesian Network towards a model that contains the preferences expressed in this prior. Whenever there is no much evidence in the data against the user's beliefs, in that case the search will not be biased. Since the central role of the prior relies in the search process, it is easy to realize that the previous formulation of our prior is significantly simplified as follows. Let B_s^1 and B_s^2 be two Bayesian Network structures involved in our search for a Bayesian Network, with priors $p(B_s^1|\xi)$ and $p(B_s^2|\xi)$. Let $B_s^1 = (E_1, V)$ and $B_s^2 = (E_2, V)$, where E_1, E_2 are the sets of edges, and V the set of vertex. As we already know, the Bayesian posterior that guides the search is proportional to the prior, so the larger prior, the better posterior. For some two Bayesian Networks B_s^1 and B_s^2 , in some point of the search they are compared, and let's say that B_s^2 has a better prior than B_s^1 , thus

$$p(B_s^1|\xi) < p(B_s^2|\xi)$$

Let's expand the inequality with one of our formulas for the prior

$$c + \prod_{\substack{v_i, v_j \in V \\ i \neq j}} p_1(v_i \rightleftharpoons v_j|\xi) < c + \prod_{\substack{v_i, v_j \in V \\ i \neq j}} p_2(v_i \rightleftharpoons v_j|\xi)$$

it is clear that the constants cancel themselves, and they do not modify the comparison among the priors. Therefore we can use the improper prior

$$p(B_s|\xi) = \prod_{\substack{v_i, v_j \in V \\ i \neq j}} p(v_i \rightleftharpoons v_j|\xi)$$

Clearly, this also holds in the case we expand the inequality with

$$p(B_s|\xi) = c \prod_{\substack{v_i, v_j \in V \\ i \neq j}} p(v_i \rightleftharpoons v_j|\xi)$$

3.2 The new local measure

Robinson [7] showed that number of acyclic digraphs grows exponentially in the number of nodes. Since the Bayesian Network structures are acyclic digraphs (DAGs), it is unfeasible to enumerate all of them and identify the structure with the highest posterior. Chickering [3] proves in his PhD thesis that to learn Bayesian Networks from data using the Bayesian posterior (concretely the BDe posterior [5]) is NP-complete. The way that the Bayesian posterior is developed and the assumptions made to find the final closed formula, afford to suit a range of search operators and search strategies. This makes it possible to learn Bayesian Networks from data.

Acyclic digraphs may be splitted in sub-DAGs (one for every node), where each sub-DAG contains one *sink* node and its parent set of nodes. This decomposition is made within the development of the Bayesian posterior at the moment we factorize the probability of a case in a database through the *chain rule* and the assumption of completeness in the database. Chickering [3] calls the scoring functions that hold this property *decomposable scoring functions*. We recall below his definition.

Definition 3.1 Decomposable Scoring Function

Given a network structure, a measure on that structure is decomposable if it can be written as a product of measures, each of which is a function only of one node and its parents.

In this way, we treat separately every component, modifying and qualifying it, to combine later all the components in one Bayesian Network. Thus, it is important that any further development in the learning process, as a prior to bias the *search*, is given in such a way that makes possible to compute it locally for every component and to combine it later with the rest of components. We will show that this is possible with the prior we give.

We can group links depending on whether they represent arcs for a concrete network with a *sink* node. Let k be the amount of links where the user assessed some subjective probability. Let S_0 be the set of links with subjective probability derived from the prior given by the user, that for the network B_s , represent no arc. Let π_i^p be the set of parent nodes of the node x_i in the subDAG formed by the set of links specified as prior knowledge by the user. We can express $p(B_s|\xi)$ as follows

$$p(B_s|\xi) = \left(\frac{1}{3}\right)^{C_{n,2}-k} \prod_{i=1}^n \left[\prod_{j=1}^{|\pi_i^p|} p(\pi_{ij}^p \rightarrow x_i) \right] \prod_{(x,y) \in S_0} p(x \cdots y)$$

In this situation local changes are possible by changing single terms in the two main products. We may see that the second main product is not a function of one node and its parents. This term must be computed globally for every network and its complexity is $O(|S_0|)$, so it depends on how much information is provided by the user. Normally $|S_0|$ will be substantially smaller than $C_{n,2}$.

3.3 The Algorithm

In first place we will give a simple algorithm to complete a prior given by the user. Let S_u be a set of vectors (x, y, t, p) given by the user, where x, y are two variables such that $x \neq y$, t is an element of $\{\leftarrow, \rightarrow, \cdots\}$ specifying the type of prior information, and p is the subjective probability that exists a connection of type t between x and y . We will denote by S_c the set of vectors that complete the prior, the set that contains all the prior information is denoted by S_p .

We will build S_c as follows:

```

let  $S_c = \emptyset$ 
for  $v = (x, y, t, p) \in S_u$  do
  let  $v' = (x, y, t', p')$ 
  let  $v'' = (x, y, t'', p'')$ 
  let  $t \cup t' \cup t'' = \{\leftarrow, \rightarrow, \dots\}$ 
  if  $v' \in S_u$  and  $v'' \notin S_u$  and  $v'' \notin S_c$  then
     $p'' = 1.0 - p - p'$ 
     $S_c \leftarrow S_c \cup v''$ 
  else if  $v'' \in S_u$  and  $v' \notin S_u$  and  $v' \notin S_c$  then
     $p' = 1.0 - p - p''$ 
     $S_c \leftarrow S_c \cup v'$ 
  else if  $v', v'' \notin S_u$  and  $v', v'' \notin S_c$  then
     $p' = p'' = (1.0 - p)/2.0$ 
     $S_c \leftarrow S_c \cup v' \cup v''$ 
  endif
   $S_c \leftarrow S_c \cup v$ 
endfor

```

For computational reasons we will work with the logarithmic form of the prior

$$\log p(B_s | \xi) = (C_{n,2} - k) \log \left(\frac{1}{3} \right) + \sum_{i=1}^n \left[\sum_{j=1}^{|\pi_i^p|} \log p(\pi_{ij}^p \rightarrow x_i) \right] + \sum_{(x,y) \in S_0} \log p(x \cdots y)$$

Then, for a given node x_i we will compute the corresponding part of the prior $p(B_s)$ using the following function

```

function computeLocalPrior( $x_i, \pi_i, S_p$ ) do
  let  $\pi_i^p \leftarrow \{y : y \in \pi_i \wedge (y, x_i, \rightarrow, p) \in S_p\}$ 
  prior  $\leftarrow 0$ 
  for  $x_j \in \pi_i^p$  do
    let  $v = (x_j, x_i, \rightarrow, p) : v \in S_p$ 
    prior  $\leftarrow$  prior +  $\log p$ 
  endfor
  return prior
endfunction

```

When the values of the priors of the components are combined (by summing them), we should compute the term corresponding to those links specified in the user's prior, where there is no arc in the network that is currently qualified, that is

$$\sum_{(x,y) \in S_0} \log p(x \cdots y)$$

4. EXPERIMENTAL RESULTS

In this section our aim is twofold: to make clear how the prior works and to show an example that reproduces a situation we may find dealing with real world data. Both experiments have been realized using artificial data thus we can evaluate the correctness of the results.

The Bayesian posterior used in this experimentation is the Bayesian Dirichlet Equivalent with Uninformative priors for the parameters, also known as BDeu [5, 1]. This posterior assumes complete ignorance about the parameters of the Bayesian Network, and the prior network involved in the posterior (do not confuse with our prior about the structure) is the empty network. The equivalent sample size that assesses the confidence of the user in this previous settings is also completely uninformative. The BDeu posterior assigns equivalent values to equivalent networks. A comprehensive and self-contained explanation of this settings is beyond the scope of this article. We recommend the reader to consult [5, 1].

To show how the prior works, we will consider a small sample space of Bayesian Networks (three nodes). We will bias the probability distribution of this sample space using our prior. This means that we will be changing the local maxima that a search process would achieve.

Let's consider we have two databases, *db1* and *db2*, with ten thousand cases each. These databases reflect the independencies shown in figure 1.




Figure 1: Bayesian Network structures corresponding to two different databases

They are claiming two different independence assertions: *db1* infers $I(a, \emptyset, c)$, and *db2* infers $I(a, b, c)$. We have mixed them in proportions from 0% to 100%, and in the figure 2 we may see the different probability distributions over the set of possible DAGs.





Figure 2: Distributions of $p(B_s | D, \xi)$ for proportions of *db1* from 0% to 100%

Let's take the database with a proportion of 70% of *db1* and 30% of *db2*. This mixture of evidence benefits the six equivalent models that have all three variables mutually dependent (the complete network). We know that 70% of the database contains evidence that *a* and *c* are marginally independent, and that *b* is conditionally dependent on *a* and *c*. Therefore, by using prior information in the structure we want to see whether the existing evidence plus our prior knowledge allow us to bias the original distribution.

We can achieve that by using the following prior:



In this prior we incorporate our notion of marginal independence between a and c by providing prior probability in the lack of an arc in either direction in the link formed by a and c .

The distribution is biased in such a way that we could achieve a different local maxima in the search process, as we may see in figure 3.




Figure 3: Biased distribution by the effect of prior knowledge

Now, we want to show the prior working under more realistic circumstances. We have implemented this prior within an algorithm that uses the Bayesian posterior we described at the beginning of this section. Further, the learning algorithm uses as search strategy, a beam search with a beam of width three, that in this case guarantees us to find always the highest posterior. The neighbour operator used by the beam search generates at every step of the search all possible networks with one arc more, one arc less and one arc reversed. For a more detailed description of the implementation of the learning algorithm the reader may consult [2].

Let's consider the Bayesian Network of figure 4, as a possible model for a synthetic insurance domain. In this Bayesian Network all arcs which direction is compelled are marked with 'C', and those that are reversible are marked with 'R', which in this case is just one.




Figure 4: Bayesian Network for an insurance domain

From this network we sample a database of one hundred thousand records. In the generation of this sample, we introduce gaussian noise with three different variances. Thus, we obtain three different databases with three different levels of noise. The effect of the noise is to disturb the selection of the proper tuple at each sampling of the probability distribution built from the Bayesian Network. In figure 5 we may see how this noise is distributed. The horizontal axis gives the length of the shift caused by the noise, the vertical axis gives the amount of tuples that has been shifted. Those tuples with a null tuple shift are not disturbed by the noise. Thus, we may see that for a variance of 1.0, the 30% of the database is touched by noise. It means that in those tuples at least one value is different from what it should has been.




Figure 5: Gaussian noise over a sample of 100000 records

If we recover the network with the highest posterior from the database with noise ruled by a variance of 1.0, we obtain the Bayesian Network of figure 6. This figure also shows the p-value of a χ^2 test for independency and the Cramer's V value, for the extra arc that has been found. According to the p-value, the relation between *color* and *job* appears to be significant but the degree of association given by the Cramer's V value is not strong.

Our goal is first to see whether we can bias the search and obtain the original model using prior knowledge. Second, to find out how strong our prior knowledge must be to achieve the first purpose. Thus we can get a feeling of how the evidence about the original model is deteriorated by such amount of noise in the database.

Let's start by assessing a subjective probability of 1/2 between *color* and *job* that there is no arc at all. We recall that uniform knowledge is in the threshold of 1/3, so our prior belief is just slightly




Figure 6: The database contains 30% of tuples touched by noise

over the ignorance. With this prior we do not obtain the original network, but instead the network of figure 7.




Figure 7: We assess a prior of $p(\text{color} \cdots \text{job} | \xi) = \frac{1}{2}$

The extra arc remains, in opposite direction. Two original compelled arcs are reversed. And another extra arc is obtained between *age* and *gender*. The relation between these last two variables does not appear to be significant. It turns out that if we strengthen our belief in the lack of relation between *color* and *job* to 9/10 and we show some disagreement with this last extra arc by assessing 1/2 against it, we will obtain finally the original network.

When one considers databases of the size we have been using now, the evidence about a certain fact may be very large. We have seen that the p-value for a significant relation was practically zero. The size of a database may help to smooth the effect of noisy tuples. So, we are now going to show what happens if we introduce the same proportion of noise, but in a sample ten times smaller: a database of ten thousand records. Under this condition we obtain the Bayesian Network of the figure 8.

In this case, we are not able to bias the search towards the original model, even if we believe, let's say in 9/10, that the missed arc between *previousdamage* and *insurancetype* exists. Let B_s be the original Bayesian Network structure and B'_s the Bayesian Network structure of figure 8.




Figure 8: Sample of 10000 records, where 30% are touched by noise

The log-likelihoods of these two networks are:

$$\begin{aligned} \log p(B_s, D|\xi) &= -115518.77 \\ \log p(B'_s, D|\xi) &= -115414.45 \\ \mathbf{diff} &= -104.32 \end{aligned}$$

So, we would have to belief in 0.999..99 about one hundred nines to bias the search. Of course, such belief would not make sense, and the only conclusion we may draw is that sometimes, and in this case, we cannot win. There is enough evidence in the database against a direct relation between the two variables mentioned before.




Figure 9: Bad random sample

Finally, we will treat the case of having a database that is a bad random sample of a certain underlying model. We have simulated this by generating a sample of ten thousand records using the built-in random generator of the standard C library² (the *rand()* function) to sample from the model. In this case the Bayesian Network with the highest posterior is showed in figure 9.

²Which is known to be pretty bad

In this case we can nicely recover the original Bayesian Network by using the following prior:

$$\begin{aligned} p(\text{carage} \cdots \text{age} | \xi) &= 0.8 \\ p(\text{color} \cdots \text{age} | \xi) &= 0.8 \\ p(\text{cartype} \rightarrow \text{damage} | \xi) &= 0.9 \end{aligned}$$

The relation that now is present in the model, between *cartype* and *damage* is significant (p-value=1.687106e-10), but with a weak degree of association (Cramer's V=0.06387).

5. DISCUSSION

In the formalization of our approach to incorporate prior knowledge, we work within the framework of Bayesian statistics. This keeps the induction process sound. The beliefs of the user are requested to be coherent. In the discussion of the construction of a full prior we have seen that independence assumptions over prior knowledge are coupled with the nature of the models we try to induce. Our approximation of the full prior by using *oriented graphs* looks good given the results in the experimentation. Of course it would be desirable to find a better coupling between Bayesian Networks (acyclic digraphs) and independence assumptions over prior knowledge.

If we compare our work with the partial theory approach and the penalizing approach, the most important difference is that we do not expect the user to have prior knowledge about the whole network structure. Partial prior information can be taken into account as well. Compared with the partial theory approach, where a total ordering on the variables is required, an important difference is that the user's prior belief can be negated by the facts in the database. That is, the user may think that *A* is a parent of *B* with a 99% probability, but if the database overwhelmingly supports that *B* is a parent of *A*, then in the final network, *B* will be a parent of *A*.

Compared with the penalizing approach, an important difference is that we achieve our aims not by penalizing networks that differ much from the user's prior belief, but by Bayesian updating of the user's prior belief with the facts from the database.

The fact that the database can override the prior belief of the user is also a weakness of the approach taken in this paper. In the previous section we have seen that in a rather small database the user already needs a very high confidence in his knowledge to "win" from the data. Although this is a straightforward effect of Bayesian updating it may appear counter-intuitive to the user. Currently we are working on an approach in which the user may specify his prior beliefs by a (partial) database. This will allow the user to state that he can think of 100000 cases in which *A* is the parent of *B*. We hope that the user will feel more confident in supplying such a number of cases rather than a prior probability of 99.999%. Given this (partial) database, the prior probability can be computed in a way very similar to that in the current paper. We are taking into account as well how the notion of equivalent sample size, used by Heckerman [5] for their prior network, is related to this idea.

Another extension we are working on is to allow the user to specify his prior knowledge in chunks larger than single links. It is very well possible that the user believes that *A* is a parent of *B*, if *C* is also a parent of *B* but that he has another opinion if *C* turns out to be a child of *B*. In principle, this problem is not much different from the one studied in this paper, the major difference lies in the completion of the prior probability.

Concerning the use of this prior, much more experimentation must be done, mainly in front of real world problems. This is the only way to know the added value of prior knowledge in data analysis and interpretation of results.

Acknowledgements: This paper owes much to discussions with Ulises Cortes and Ramon Sanguesa while they were visiting CWI. Many thanks to them.

References

1. W.L. Buntine. Theory refinement on bayesian networks. In P. Smets B.D. D'Ambrosio and P.P. Bonissone, editors, *Proceedings of Uncertainty in Artificial Intelligence*, volume 7, pages 52–60, Los Angeles, 1991. Morgan Kaufmann.
2. R. Castelo and A. P. J. M. Siebes. Bayesian Networks in a Data Mining tool. In *Proc. Jornades d'Inteligencia Artificial: Noves Tendencies*, volume 12 of *Bulletin of the ACIA*, pages 70–78, University of Lleida, Spain, October 1997.
3. David M. Chickering. *Learning Bayesian Networks from Data*. PhD thesis, Department of Computer Science, University of California, Los Angeles, 1996.
4. Gregory F. Cooper and Edward Herskovits. A bayesian method for the induction of probabilistic networks from data. *Machine Learning*, 9:309–347, 1992.
5. D. Geiger D. Heckerman and D.M. Chickering. Learning bayesian networks: The combination of knowledge and statistical data. *Machine Learning*, 20:197–243, 1995.
6. F. Harary and E.M. Palmer. *Graphical Enumeration*. Academic Press, New York, 1973.
7. R.W. Robinson. Counting labeled acyclic digraphs. In Frank Harary, editor, *New Directions in the Theory of Graphs*, pages 239–273. Academic Press, New York, 1973.