

**stichting  
mathematisch  
centrum**



---

AFDELING INFORMATICA  
(DEPARTMENT OF COMPUTER SCIENCE)

IW 215/82

NOVEMBER

W.J. SAVITCH & P.M.B. VITÁNYI

ON THE POWER OF REAL-TIME TWO-WAY MULTIHEAD  
FINITE AUTOMATA WITH JUMPS

Preprint

---

**kruislaan 413 1098 SJ amsterdam**

SIBLIOTHEEK MATHEMATISCH CENTRUM  
AMSTERDAM

Printed at the Mathematical Centre, 413 Kruislaan, Amsterdam.

The Mathematical Centre, founded the 11-th of February 1946, is a non-profit institution aiming at the promotion of pure mathematics and its applications. It is sponsored by the Netherlands Government through the Netherlands Organization for the Advancement of Pure Research (Z.W.O.).

---

1980 Mathematics subject classification: 68C40, 68C25, 68C10

1982 CR. Categories: F.1.1, F.1.3, F.2.3, F.4.3

On the power of real-time two-way multihead finite automata with jumps<sup>\*)</sup>

by

W.J. Savitch<sup>\*\*)</sup> & P.M.B. Vitányi

#### ABSTRACT

We investigate the relative power of jumps, nondeterminism, and number of heads for real-time finite automata. Results include showing that jumps add power that cannot be compensated for by nondeterminism and more heads. We also show that  $k + 1$  heads are more powerful than  $k$  heads, even if the finite automaton is allowed head-to-head jumps.

KEY WORDS & PHRASES: *multihead finite automata, head- to- head jumps, real-time computation, determinism-nondeterminism, hierarchies*

---

\*) This report will be submitted for publication elsewhere.

\*\*\*) Department of Electrical Engineering & Computer Sciences, University of California, San Diego, La Jolla, California 92093

## 1. INTRODUCTION

Computations of 1-way multihead finite automata have been considered by YAO and RIVEST [1978]. They show that  $k + 1$  heads are better than  $k$  heads for both the deterministic and nondeterministic versions of the machine. Furthermore, they show that the  $k$ -head nondeterministic variety is strictly more powerful than the  $k$ -head deterministic one. JANIGA [1979] studied the analogous questions for 2-way real-time multihead deterministic, respectively nondeterministic, finite automata, from now on called 2DRTFa and 2NRTFA, respectively. He obtained, *mutatis mutandis*, the same results for the 2-way real-time machines as did Yao and Rivest for the 1-way (no time limit) variety. Whereas the latter used "palindrome like" arrangements of  $\binom{k}{2}$  substrings to obtain their result, for the 2-way real-time case Janiga employed strings of  $k$  palindromes. To be more precise, let PALM be the set of palindromes in  $\{0,1\}^* \{2\} \{0,1\}^*$ . Let  $P_k = (\text{PALM}\{*\})^k$ . Then  $P_k$  is recognized by a  $(k+1)$ -head 2DRTFa but not by any  $k$ -head 2NRTFA.  $\{0,1,2,*\}^* - P_k$  is accepted by a 2-head 2NRTFA but not by any  $k$ -head 2DRTFa. KOSARAJU [1979] has shown that the jump Turing machine as defined in SAVITCH and VITANYI [1977] can be simulated in real-time by multitape Turing machines. A jump Turing machine has multiple heads on its one storage tape and each head can be shifted in one step to the position scanned by any other head, irrespective of the distance in between. So Kosaraju's result says that the computational power of real-time Turing machines is invariant under placing all of the heads on the same (storage) tape and adding the head-to-head jump option. Here we show that for 2-way multihead finite automata the head-to-head jump facility does extend the class of languages accepted in real-time. Incidentally, this also shows that the class of languages accepted by real-time 2-way multihead finite automata is strictly included in the class R of real-time definable languages (ROSENBERG [1967]). Furthermore, we show that for real-time multihead finite automata the jump option cannot be compensated for by adding more heads and nondeterminism. An extra head cannot be compensated for by adding jumps, nondeterminism, and bidirectionality. Nondeterminism cannot be compensated for by adding extra heads and jumps. With respect to real-time 2-way multihead finite automata it is shown that  $k + 1$  heads are better than  $k$ . For precise definitions of the devices and

the addressed issues we refer the reader to the references.

## 2. JUMPS VS NO JUMPS

We give example languages which are acceptable in real-time by 2-way 2-head finite automata with jumps, but not by any real-time 2-way multihead finite automaton without jumps. Hence these languages belong to R, and constitute nontrivial examples of the power of the head-to-head jump option. In the following, let  $h: \{0,1,\bar{0},\bar{1}\}^* \rightarrow \{0,1\}^*$  be a homomorphism which is defined by  $h(\bar{a}) = h(a) = a$  for  $a \in \{0,1\}$ .

$$L_1 = \{\bar{w} \bar{v} \bar{a} a v^R \mid \bar{w} \bar{v} \in \{0,1,\bar{0},\bar{1}\}^*, v \in \{0,1\}^*, a \in \{0,1\}, \\ h(\bar{v}) = v\};$$

$$L_2 = \{\bar{w} b \bar{u} \bar{c} v a \mid \bar{w} \bar{u} \in \{0,1,\bar{0},\bar{1}\}^*, v \in \{0,1\}^*, \bar{c} \in \{\bar{0},\bar{1}\}, |\bar{u}| = \\ = |v|, a \in \{0,1\}, b \in \{0,1,\bar{0},\bar{1}\}, h(b) = a\}.$$

The reader will easily figure out more complicated examples along these lines. Note that  $L_1, L_2$  are linear context free but not deterministic context free.

LEMMA 1.  $L_1, L_2$  are accepted by deterministic real-time 2-way 2-head finite automata with jumps.

PROOF. Let M be a 2-way 2-head finite automaton with jumps as follows. The front head reads from left to right one letter at a time. Whenever this first head reads a barred letter it calls the second head to its present position. This second head starts reading from right to left one letter at a time. So M is able to recognize  $L_1$ . A minor variation of M can recognize  $L_2$ .  $\square$

LEMMA 2.  $L_1, L_2$  are not accepted by any deterministic real-time 2-way multi-head finite automaton without jumps.

PROOF. We prove the Lemma for  $L_1$ . The proof for  $L_2$  is similar. Suppose  $L_1$  is recognized by a  $k$ -head real-time 2-way finite automaton  $M_k$  but not by any  $(k-1)$ -head one. Since  $L_1$  is not regular, such a  $k$  must be greater than 1. Since  $M_k$  is real-time, there must be at least one head which moves right at each step. For each constant  $c$  we can find an input word  $w$  such that, during the processing of  $w$  by  $M_k$ , some head lags behind the vanguard head more than  $c$  squares. If this were not so, then all heads are at all times with  $c$  squares of the vanguard head, and we could replace  $M_k$  by an ordinary finite automaton with a larger finite-state control which keeps track of the symbols under the  $k-1$  nonvanguard heads of the simulated machine. This would imply that  $L_1$  is regular, which would be a contradiction. Since by assumption  $L_1$  is not recognizable by a  $(k-1)$ -head real-time 2-way finite automaton, for each constant  $c$  we can find an input word  $w$  such that, during the processing of  $w$  by  $M_k$ , all  $k-1$  heads lag behind the vanguard head more than  $c$  squares. For suppose this were not the case. Since the vanguard head moves right at each step, at least one head must be at all times within  $c$  squares of the vanguard head, and similarly to the above, we would be able to replace  $M_k$  by a  $(k-1)$ -head machine  $M_{k-1}$  with a finite-state control which also keeps track of the symbol under the neighboring head of the vanguard head. Contrary to the assumption, this would imply the falsehood of the lemma for  $k-1$ . So suppose that, subsequent to processing an input prefix, all other heads of  $M_k$  lag behind the vanguard head more than  $c$  squares, and the vanguard head now starts to read a suffix  $w \in \{0,1,\bar{0},\bar{1}\}^*$ , such that  $|w| \leq c+1$ . In this situation, no other head of  $M_k$  will ever scan a symbol from  $w$ . Let the input prefix, which forces the  $k-1$  nonvanguard heads more than  $c$  squares behind the vanguard head, be  $z$ . At time  $|z|+1$ , all these  $k-1$  heads scan a particular element of  $z$ . Set  $\ell = (c/2) - 1$ . We next consider how  $M_k$  will behave on suffixes chosen from the set  $\{0,1\}^\ell \{\bar{0}\} \{0,1\}^\ell$ . The constant  $c$  is chosen to be even and to be large enough to complete the argument. The number of distinct positions on  $z$  which these  $k-1$  heads can reach, multiplied by the number of distinct states which the finite control can attain when the vanguard head crosses  $\bar{0}$ , is bounded above by  $c^{k-1} \times \#Q$ , where  $Q$  is the set of states of the finite control of  $M_k$ . The number of strings in  $\{0,1\}^\ell$  is  $2^\ell$ . If  $2^\ell \geq c^{k-1} \times \#Q$ , which happens for  $c$  large enough, two distinct such

strings, say  $u_1$  and  $u_2$ , lead to the same instantaneous description of  $M_k$  after processing  $zu_1$  and  $zu_2$ . Therefore,  $M_k$  accepts either both  $zu_1\bar{0}0u_1^R$  and  $zu_2\bar{0}0u_1^R$  or rejects them both. Since  $u_1 \neq u_2$  it follows that  $M_k$  does not accept  $L_1$ .  $\square$

Lemmas 1 and 2 immediately yield the following.

**THEOREM 3.** *There are languages recognized by real-time 2-way 2-head deterministic finite automata with jumps which are not recognized by real-time 2-way deterministic multihead automaton without jumps.*

The languages  $L_1$  and  $L_2$  which witness Theorem 3 are simple and the proof of Theorem 3 is also fairly simple. By appealing to a more complex proof of a result by Janiga, we observe that Theorem 3 can be strengthened to allow the machines with jumps to be nondeterministic as well. Recall the discussion in the Introduction and consider the language  $P = \bigcup_{k=1}^{\infty} P_k$ . It is easy to see that  $P$  is recognized by a 2-head 2DRTFA with jumps. However, JANIGA [1979] showed that  $P$  is not accepted by any multihead 2NRTFA without jumps. Hence we get the following.

**THEOREM 4.** *There are languages recognized by real-time 2-way 2-head deterministic finite automata with jumps which are not recognized by any real-time 2-way nondeterministic multihead automaton without jumps.*

### 3. HEAD COUNT HIERARCHY FOR JUMP MACHINES

We next show that the well known maxim "k + 1 heads are better than k heads" remains true even if the real-time finite automata is allowed to have head-to-head jumps. Indeed, this result indicates that almost nothing, including jumps and nondeterminism, can make up for the power of an extra head.

The witness languages for this head hierarchy are denoted  $S_k$  and their definition requires one other preliminary definition. For each  $k \geq 1$ , define a partial function  $f_k$  from  $k$  tuples of strings over the alphabet  $\{0,1\}$  to a string in  $\{0,1\}^*$ . Specifically,  $f_k(x_1, x_2, \dots, x_k) = z$  provided that  $|x_1| = |x_2| = \dots = |x_k| = |z|$  and, for  $1 \leq i \leq |z|$ ,  $(z)_i = \sum_{j=1}^k (x_j)_i \pmod{2}$ .

Here  $(w)_i$  denotes the  $i^{\text{th}}$  digit of a string  $w$ . Less formally, if we regard each  $x_j$  and  $z$  as a vector of some number of 0's and 1's then

$f_k(x_1, x_2, \dots, x_k) = z$  provided that  $z$  is the bit wise mod 2 sum of all the vectors  $x_j$ . For each  $k \geq 1$ , define  $S_k = \{x_1 * x_2 * \dots * x_k * z \mid |x_1| = |x_2| = \dots = |x_k| \text{ and } f_k(x_1, x_2, \dots, x_k) = zy, \text{ for some } y\}$ .

THEOREM 5. *For any  $k \geq 1$ ,  $S_k$  is accepted by a  $(k+1)$ -head 1DRTFA (without jumps) but not by any  $k$ -head 2NRTFA with jumps.*

PROOF. It is trivial to produce a  $(k+1)$ -head 1DRTFA which accepts  $S_k$ . So we need only show that no  $k$ -head 2NRTFA with jumps can accept  $S_k$ .

For the case  $k = 1$ , note that 1-head 2NRTFA's accept only regular sets, and  $S_1$  is not regular.

Next suppose  $k > 1$ . Let  $M$  be a  $k$ -head 2NRTFA with jumps which is claimed, for purposes of deriving a contradiction, to accept  $S_k$ . Let  $\ell$  be a fixed, sufficiently large, integer. We will consider how  $M$  computes in accepting computations on inputs of the form  $x_1 0^\ell * x_2 0^\ell * \dots * x_k 0^\ell * z$  where  $z$  and all the  $x_i$ 's are of length  $\ell$  and  $f_k(x_1 0^\ell, x_2 0^\ell, \dots, x_k 0^\ell) = z 0^\ell$ . For each such input, we fixed one accepting computation of  $M$  on that input and consider the configuration of  $M$  as the vanguard head reads the final  $*$ .

By a configuration we mean the state of the finite control and the position of the tape heads. When the vanguard reads the final  $*$ ,  $M$  must be in one of  $s(k(2\ell+1))^{k-1}$  configurations, where  $s$  is the number of states in the finite control of  $M$ . Set  $c(\ell) = s(k(2\ell+1))^{k-1}$ . There are  $2^{k\ell}$  such inputs. So  $2^{k\ell}/c(\ell)$  such inputs must leave  $M$  in the same configuration when the vanguard head reads the final  $*$ .

We now focus on these inputs and their fixed accepting computations, all of which leave  $M$  in the same configuration when the vanguard head reaches the last  $*$ . In this one configuration, some position  $i_0$  ("some  $x_{i_0}$ ") has all heads at least  $\ell$  squares away from  $x_{i_0}$ . There are  $2^{(k-1)\ell}$  choices for the other  $x_j$ ,  $j \neq i_0$ , and  $2^{k\ell}/c(\ell)$  inputs all together which leave  $M$  in this configuration. But, for sufficiently large  $\ell$ ,  $2^{k\ell}/c(\ell) > 2^{(k-1)\ell}$ . So, there must be two such inputs that differ only in position  $x_{i_0}$ . For notational convenience suppose  $i_0 = 1$ ; the proof is similar for any other  $i_0$ . With  $i_0 = 1$ , there are two inputs:



$$x_1 0^\ell * x_2 0^\ell * \dots * x_k 0^\ell * z_1$$

$$y_1 0^\ell * x_2 0^\ell * \dots * x_k 0^\ell * z_2$$

such that:  $x_1 \neq y_1$  and, in the accepting computations on these inputs, both computations leave  $M$  in the same configuration when the vanguard head reads the final  $*$ . Furthermore, in that configuration all heads are least  $\ell$  squares away from  $x_1$  or  $y_1$ .

Since no head is within  $\ell$  squares of  $x_1$  or  $y_1$ , the string in that first position cannot effect the next  $\ell$  moves of  $M$  in either computation. Hence, by a standard "cut and paste" argument,  $M$  accepts

$$x_1 0^\ell * x_2 0^\ell * \dots * x_k 0^\ell * z_2$$

However, this is a contradiction since this string is not in  $S_k$ .  $\square$

#### 4. NONDETERMINISM

For our last Theorem, we observe that the result that nondeterminism adds to the power of 2-RTFA holds for machines with jumps. The witness language is  $L = \{xzyz^R \mid x, y, z \in \{0, 1\}^*\}$ . It is easy to see that  $L$  is accepted by a 2-head 2NRTFA, even without jumps. However, ROSENBERG [1967] has shown that  $L$  is not accepted by any deterministic real-time Turing machine and the results of KOSARAJU [1979] showed that a 2DRTFA with jumps can be simulated in real-time by a deterministic real-time Turing machine. Hence,  $L$  is not accepted by any 2DRTFA with jumps and so we get the following.

**THEOREM 6.** *There are languages accepted by 2-head 2NRTFA (without jumps) but not accepted by any multihead 2DRTFA with jumps.*




Figure 1. Inclusion diagram for the computing power of real-time 2-way multihead finite automata according to number of heads, determinism, and jump option.

## 5. SUMMARY

All results above hold whether or not we assume end markers or that the heads can detect coincidence.

We conjecture that Theorem 3 also holds for the corresponding Turing machine versions which are allowed to modify the contents of each square on the storage tapes but a bounded number of times, for some fixed constant bound.

Figure 1 is a summary of the inclusions which hold for 2DRTFA's and 2NRTFA's. All inclusions are proper. Classes which are not connected by a sequence of directed arrows are incomparable. Hence we see that there are 3

distinct parameters: nondeterminism-determinism, jumps-no jumps, and the number of heads. Looking back at the theorems in more detail, we observe that jumps plus nondeterminism cannot make up for an additional head; additional heads plus nondeterminism cannot make up for jumps; and jumps plus additional heads cannot make up for nondeterminism.

## 6. REFERENCES

- JANIGA, L. (1979), *Real-time computations of two-way multihead finite automata*, in: *Fundamentals of Computation Theory (FCT'79)* (L. Budach ed.), Akademie Verlag, Berlin, 214-218.
- KOSARAJU, R. (1979), *Real-time simulation of concatenable double-ended queues by double-ended queues*, *Proceeding of the 11th Annual ACM Symposium on Theory of Computing*, 346-351.
- LEONG, B.L. & J.I. SEIFERAS (1977), *New real-time simulations of multihead tape units*, *Proceedings of the 9th Annual ACM Symposium on Theory of Computing*, 239-248.
- RABIN, M.O. (1963), *Real-time Computation*, *Israel Journal of Mathematics* 1, 203-211.
- ROSENBERG, A.L. (1967), *Real-time definable languages*, *JACM* 14, 645-662.
- SAVITCH, W.J. and P.M.B. VITANYI (1977), *Linear time simulation of multi-head Turing machines with head-to-head jumps*, *Lecture Notes in Computer Science (ICALP 4)* 52, 453-464.
- VITANYI, P.M.B. (1979), *Multihead and multitape real-time Turing machines*. Technical Report IW 111, Mathematisch Centrum, Amsterdam, The Netherlands, June 1979.
- YAO, A. & R. RIVEST (1978), *k + 1 heads are better than k*, *JACM* 25, 337-340.

69F 11  
69F 13  
69F 22  
69F 43

ONTVANGEN 1 5 DEC. 1982