

**stichting  
mathematisch  
centrum**



---

AFDELING INFORMATICA  
(DEPARTMENT OF COMPUTER SCIENCE)

IW 161/81

FEBRUARI

L.G.L.T. MEERTENS

ISSUES IN THE DESIGN OF A BEGINNERS' PROGRAMMING LANGUAGE

Preprint

---

**kruislaan 413 1098 SJ amsterdam**

*Printed at the Mathematical Centre, 413 Kruislaan, Amsterdam.*

*The Mathematical Centre, founded the 11-th of February 1946, is a non-profit institution aiming at the promotion of pure mathematics and its applications. It is sponsored by the Netherlands Government through the Netherlands Organization for the Advancement of Pure Research (Z.W.O.).*

---

1980 Mathematics subject classification: 68B99

---

ACM-Computing Review-category: 4.22

Issues in the design of a beginners' programming language \*)

by

Lambert Meertens

ABSTRACT

Some problems are related that have been encountered in the design of a programming language for beginners. The solutions were sometimes unexpected, and required doing away with preconceptions. The use of systematic methods has been of some help.

KEY WORDS & PHRASES: *programming languages, programming language design, beginners' programming languages, BASIC*

---

\*) This report will be submitted for publication elsewhere.



## 1. INTRODUCTION

Of the commonly available algorithmic languages, some are definitely better suited to convey the algorithmic thoughts of the programmer than others. Whatever the preferred point of view, be it structured programming, provability of correctness or the expressibility of abstraction, some languages stand out for their excellence, some for their abomination.

The latter should not worry us for languages in disuse. It should, for languages used widely. The relatively abominable FORTRAN, though far from dead, seems on its way out. Reasonable alternatives for FORTRAN exist. That absolute champion, BASIC, however, is steadily marching on. Moreover, BASIC has its attractive points, from the viewpoint of the casual, non-professional user.

An attempt is under way to redress that situation, by issuing a rival language, provisionally referred to as "B" (no relation to the precursor of C; the "B" is only a language-name referring to the yet unknown language name). For a language to beat a rival, more is involved than language issues. The example of FORTRAN more than goes to show this point. This paper will be restricted, however, to linguistic points. It is not intended as an introduction to B, but as an exposition of some of the choices and problems encountered in the process of designing an algorithmic language. The attempt has been to base the solutions, in a rational way, on the design objectives.

B is designed as the limit of a sequence:  $B_0, B_1, \dots$ . The approximation currently under construction,  $B_2$ , is the joint effort of Robert Dewar of the Courant Institute of Mathematical Sciences, New York University, Leo Geurts of the Mathematical Centre, and the author. Contributions have been made by Peter King of the University of Manitoba, Jack Schwartz of the Courant Institute, and Dick Grune and Paul Klint of the Mathematical Centre. The responsibility for the opinions expressed is solely that of the author.

## 2. THE DESIGN OBJECTIVES FOR B

The idea underlying the design objectives for B are: beat the enemy at its strong points. The same idea has governed the design of ELAN (HOMMEL & al. [4]). There is one important difference: ELAN aims primarily at the "market" of (introductory) education in computer science, whereas B aims first of all at personal computing. The latter has not always been the case. The first approximation of B (GEURTS & MEERTENS [2]) was designed when personal computing was in its infancy. Although the design objectives themselves have remained the same, their impact on the design has changed quite drastically.

The design objectives for B are:

- simplicity;
- suitability for conversational use;
- inclusion of structured-programming tools.

These objectives are elaborated upon in [2]. The change referred to above is mostly concerned with the objective of simplicity. In [2], this is interpreted as simplicity not only for the user, but also for the implementer. It is stated that "B should be implementable on small minicomputers".

The latter reflects our awareness, at the time, of the onset and future importance of personal computing. At the same time, it reveals a lack of perception of the torrent of hardware evolution. Tomorrow's hand-held computers are yesterday's main-frames. Designing a language to run smoothly on eight bit 8K machines is designing for the past. In designing  $B_2$ , it was decided to ignore implementation issues completely. Not that we do not care about implementation complexity; for the time being we merely disregard the feelings of prospective implementers and concentrate on the happiness of the user. Once sufficient implementation experience for the "final" version of B is available, it may be decided to revise some features that pose undue implementation problems in exchange for little or no gain in language appeal. The impact of ALGOL 68R on the revision of ALGOL 68 reveals that this may even help to improve the language from the user's point of view.

## 3. THE TYPES OF $B_2$

In  $B_0$  and  $B_1$ , the types were INT, REAL, STRING and "RANGE" types (similar to the scalar types of Pascal), and ARRAYS of scalar elements indexed by a tuple of RANGE values (but without the Pascal restriction

much thought, and was the first thing tackled again in the design of  $B_2$ .

The type system of  $B_2$  has been designed in a new way that is, in itself, of interest. If a sufficiently powerful collection of types is available (where "type" includes type constructors as "array"), any desired type (e.g., deque, or ternary tree) can be "simulated" or implemented by the user. The type could also be added as a "standard" type to the language. This may increase the ease of use of the language. Not all types, however, are equally helpful in this respect. Moreover, the language is made more complex, and possibly much so. A type system is competitive only if it is better than each other type system in at least one respect (ease of use, simplicity).

So we compiled a list of candidate types (including, e.g., bag, deque, enumerated types, map, multi-valued map, queue, sequence, set, stack and tree), constructed various schemes for implementing these types in terms of other types, and assigned numerical values for (relative) algorithmic importance and learning complexity of each type and for implementation complexity of each scheme. The values took into account, of course, that the user we have in mind is not a computer scientist. This made it possible, with the assistance of a program, to weed out the non-competitive type systems from the rather large powerset of the candidate types. The resulting list of competitive systems was quite small, and it was easy, using old-fashioned human taste, to settle on one for use in  $B_2$ .

If  $B_1$  might be called ALGOL 60 in BASIC-like disguise (the abstract of [2] reads: "FORTRAN : ALGOL 60 = PL/I : ALGOL 68 = BASIC : ?"),  $B_2$  came out like SETL in sheep's clothing. The result is that the types of  $B_2$  are "numeric", "text", "tuple", "list" and "table".

Numeric values come in two kinds, "exact" (i.e., rational) and "approximate" (i.e., floating point). The distinction is made at run time. This choice attempts to combine the following desiderata:

- (a) The user must be allowed control over quantities that should not be subject to rounding errors. (The choice for rational numbers, rather than integers, is mainly a nicety. But there is some obvious advantage in having, e.g., 1.25, represent an exact value.)
- (b) The user should have no need to worry about the distinction if it is not important. (E.g., adding exact and approximate values is allowed.)
- (c) The language has strong typing.

(d) Coercions, i.e., automatic implicit type conversions, are deemed undesirable.

(e) Approximateness propagates upwards in evaluating arithmetic expressions.

(This list is not really exhaustive. It implies, among others, the presupposition that there should be some built-in treatment of approximate numbers.)

The approach taken satisfies these five desiderata almost perfectly. Almost ...; in conformance with Murphy's Eighth Law, there is one ugly snag. If  $x$  is approximate,  $x/x$  does not equal 1. For approximateness propagates, and the approximate quantity  $x/x$  cannot be equal to the exact quantity 1. It is, presumably, equal to the approximate quantity  $\sim 1$ .

In fact, no proper solution satisfying the desiderata (a) through (e) exists. As soon as one of these is lifted, a full solution becomes possible. The fact that 1 does not equal  $\sim 1$  is a violation of (b): sometimes the user does have to worry. We chose this solution because we felt that the user should be careful anyway when comparing approximate values and has no business to expect exact answers.

Text values are quite ordinary strings. (The term "text", instead of the esoteric "string", was taken from HOMMEL & al. [4].) No character values are provided; a text of length one will do. Two subtext operators are available. If the value of  $t$  is the sequence of characters  $c_1, \dots, c_n$ , then the value of  $t@p$ , with  $1 \leq p \leq n+1$ , stands for  $c_p, \dots, c_n$  and the value of  $t|\ell$ , with  $0 \leq \ell \leq n$ , is  $c_1, \dots, c_\ell$ . A common combination will be  $t@p|\ell$ . If  $t|\ell \wedge t@(\ell+1)$  is defined (" $\wedge$ " is concatenation), its value is  $t$ .

These subtext operators may also be applied to text variables in target ("l.h.s.") positions. The replacing text need not have the same length as the text replaced.

Tuples are like structured values ("records"), but without tags for selecting the fields. If, e.g.,  $u$  and  $v$  are variables, then  $u,v$  may be used in a target position. This allows decomposition of tuples.

Lists exist for values of any type (e.g., list of list of text). A list is simply a multi-set, or bag. In an algorithmic context, given the choice between sets and multi-sets, the latter are more useful. Having both is unnecessarily complex, and even a potential source of confusion. Since we do not expect the user to be familiar with the concept of a multi-set, the semantics are explained in terms of ordered lists. A



consequence is that a total ordering has to be defined on the values of any given type. This can be done in a reasonably natural way.

Tables are like SETL maps: generalized arrays whose domain is variable and not necessarily a range of consecutive values. In contrast to SETL, tables are a genuine type, not a syntactic sugaring for interpreting a set of pairs as a map. In particular, a table cannot be a "multi-valued" map.

Originally, there were many restrictions in this type system. For example, the elements of a tuple, list or table could only be numeric or text values. Tables were indexed by numeric, text or a tuple. Especially the tuples had a special status. Although we thought we had good reasons for these restrictions (at the time the decision to ignore the ease of implementation had not been fully mentally digested), one by one better reasons appeared to relax these constraints. At first, the relaxations tended to make the complexity worse, until we took the step that, in hindsight, seems so obvious: the type system was made completely orthogonal: tables may be indexed with tables, and so on. (This decision nevertheless required reworking most of the provisional language definition.)

As the type system stands now, we are quite pleased by it. Sometimes the absence of extensible sequences is felt as a slight nuisance, but the experience on the whole seems to justify their absence as a standard type. The types appear in some way to span together the space of needs, as was the purpose of the exercise. A carefully tamed "free" type was at some time included, but abandoned later on. It has some merits, however, that may cause it to reappear.

#### 4. STATEMENT SYNTAX

Statements in B are rather verbose. Each statement begins with a keyword, and keywords are also used to separate the parameters of a statement. For example, the following is an assignment statement:

```
PUT a+1 IN a.
```

The philosophy behind this approach is given in [2]. An obvious drawback of verbose syntax is that the user has to key in so many symbols. However, as is already stated in [2], the language is embedded in a system that is dedicated to B. In particular, the editor knows the syntax of B. If this is combined with screen-editing facilities, it is

editor knows (or maybe guesses) that a PUT statement is intended, it may already display the IN and position the cursor at the first parameter.

In GEURTS & MEERTENS [3] it is remarked that the keyword approach makes it possible to have user-defined statement types. This option has indeed been chosen for B<sub>2</sub>. Such statement definitions take the role of procedures. For example, the user may define

```
HOWTO INCR x: PUT x+1 IN x
```

and next use this INCR statement as though it had been part of the language all of the time.

Since programs are entered through a B-dedicated editor, it is realistic to consider program lay-out as an integral part of the syntax. In particular, indentation is used to indicate grouping of statements. Although this was already so in [2], it took us quite some time to disengage ourselves completely from the idea that programs are prepared on one system and parsed by a second one that need not trust its input. The fact that there is no distinction between editor and parser means that no special delimiters like BEGIN and END are needed. That BEGIN was superfluous, we had already realized; but this was true anyway. But for quite some time, we required END lines, as in

```
FOR p IN feasible:
  IF p IN cand:
    DELETE p FROM cand
    INSERT p IN chosen
  END IF
END FOR
RETURN chosen, cand.
```

But the lines with END are pure noise. Once one gets used to it, the following is much more legible:

```
FOR p IN feasible:
  IF p IN cand:
    DELETE p FROM cand
    INSERT p IN chosen
  RETURN chosen, cand.
```

## 5. STRONG TYPING WITHOUT DECLARATIONS

It has been clear from the beginning that B should have strong  
 . . . . . but to aid the user in spotting

silly errors as soon as possible. It seemed to us that this calls for declarations revealing the type of identifiers. (The FORTRAN 57 solution of restricting the choice of identifiers for a given type is unacceptable, as is the addition of special symbols as in BASIC.)

One of the attractive features of BASIC is the lack of declarations. Therefore, without really believing in it, we have searched for a system that allows strong typing without declarations. (The advantage of declarations that they provide a redundancy protecting against typos can be taken over by checks against the use of uninitialized variables and warnings for assignment to dead variables.) In some languages with strong typing, it is essential that the type of identifiers is revealed through a declaration. For ALGOL 68, e.g., the value yielded by

```
(amode block = ("abc", "def");
  2 upb block
)
```

is 3 if amode is [,] char, but 1 if amode is [,,] char. But this is clearly a peculiarity. In almost all cases one can reconstruct the types from the context in which identifiers are used.

This has led us to finding a system for  $B_2$  in which it is always possible to reconstruct the type of identifiers from the context. This statement should be slightly weakened in two respects.

The first is that it may be possible to assign types to the identifiers consistently in more than one way. This happens, for example, in

```
PUT {} IN x
IF x = {}: WRITE 'yes'.
```

Here it is clear that the type of  $x$  is "list of something", but the "something" cannot be deduced from the text (assuming  $x$  is not used otherwise). But in such cases the net effect is the same for each type assignment, so we do not care. It also happens in

```
PUT a IN a,
```

if no other assignments to  $a$  are made. But then  $a$  is not initialized, which is illegal by itself (and is checked statically).

The second is that statements defined with HOWTO may be truly generic. The definition

```
HOWTO SWAP a WITH b: PUT b, a IN a, b
```

will work for any type, as long as the two parameters have the same type. So no type can be assigned to a and b. Instead, the requirement is that if HOWTOs are expanded as macros to an arbitrary depth, consistent type assignment remains possible. This raises some hard questions, and undecidability is lurking around the corner (LANGMAACK [5], GEHANI [1]). Nevertheless, for  $B_2$  this appears to be decidable without undue restrictions. Only after the last sentence was written down, did the author become aware of the work on type polymorphism by MILNER [9]. Although this is described for an applicative language, it appears equally applicable for a language as B. In fact, the situation is simpler there, since the items carrying a polymorphic type are not treated as values in B.

There is one point where an unconventional step had to be taken to uphold the system. If a value comes into being through an operation on other values, it is sufficient if the result type is only dependent on the operand types, which is the case in  $B_2$ . We may thus concentrate on the spots where values appear directly. This can happen in two ways.

One is through a constant denotation (literal). This is no problem, since constants in  $B_2$  immediately reveal their types, with one exception: for empty lists or tables. This case has been treated above.

The other case is when a value is obtained through interactive input. There is no a priori way to determine the type. Therefore, it is required that the READ statement reveals the type of the (expected) input. A first attempt required the presence of a "type specifier", where the size of the syntax for specifiers turned out not unsubstantial. This was not very satisfying; it meant the user had to learn a lot of (relatively weird) syntax for this one purpose. Luckily, we found another solution, made possible by the fact that for each value an explicit notation can be given. The type is now specified by providing a "sample": an expression of the same type. So one has to write, e.g.,

```
READ n, v EG 0, {''}
```

if n is a numeric variable and v is a list of texts. (The constant {} will not do in this case.)

The same EG mechanism is used to allow optional type information to be specified in other contexts. For example, in

```
HOWTO REMOVE e FROM f EG {e}:
```

the specification gives (redundant) information about the type relationship between the parameters.

## 6. FORMULAS

Just like "procedure calls" and "statements" are unified in  $B_2$ , so are "function calls" and "formulas". A new operator or function is introduced by a YIELD unit:

```
YIELD fac n:
  PUT 1 IN f
  FOR i IN {1..n}: PUT f*i IN f
  RETURN f
```

The tuple mechanism gives a natural way to introduce more parameters:

```
YIELD abs (x, y): RETURN sqrt (x*x+y*y).
```

The parentheses are only required since the formal parameter is an explicit tuple; the definition might also have run:

```
YIELD abs z:
  PUT z IN x, y
  RETURN sqrt (x*x+y*y).
```

In either case, the user may apply this operator in a sequence as

```
PUT a, b IN c
PUT abs c IN r.
```

The user might also prefer a dyadic operator:

```
YIELD x dyabs y: RETURN abs (x, y).
```

For some reason or other, the priorities of operators are a trouble spot in algorithmic languages. An extreme solution as in APL is not attractive; the more so since  $B_2$  is not really expression-oriented. Anyway, it is unacceptable if  $2^{*n+1}$  really means  $2^{*(n+1)}$  (although it certainly helps in making the users feel they belong to an esoteric cult). The MABEL solution (KING [6]) of requiring parentheses as soon as several operators are involved, combines the virtues of simplicity and error resistance. Still, it seems a bit harsh to require parenthesizing of  $2^{*m*n}$ .

The solution that has been adopted for  $B_2$  is to require parenthesizing whenever the priorities are not established by standing

convention and might matter. This is achieved by not assigning simple priorities to operators, but a priority interval instead. This interval represents a "fuzzy" priority. If the precedence decision is independent of the choice of priorities from the intervals, the expression is acceptable. Otherwise, parentheses must be inserted. User-defined operators are always assigned the maximal interval.

Acceptable expressions are, e.g.,  $m*n/d+c+1$ ,  $a-b+1$  and  $2*\sqrt{x}$ . Unacceptable are  $a/2*b$ ,  $a/2/b$  and  $\sqrt{2*x}$ , to give just a few examples. Of course, the editor warns the user on the spot that parentheses must resolve the ambiguity.

It was a bit surprising that such a simple device as priority intervals could be tuned to give such reasonable results.

## 7. GENERATORS

Lists are only useful if there is some easy way to step through them. Originally, there were two ways for stepping through a list, one (OVER alist) in the normal, and one (REVO alist) in reversed order (word play intended). The second form followed an idea from MEERTENS [8], and was connected to the scalar type requirement for table domains in  $B_0$ . Once this requirement is relaxed, the convenience of the additional form no longer justifies the extra complexity.

The keyword OVER was changed to IN for  $B_2$ . For example, the statement

```
FOR i IN a: INSERT i IN b
```

merges list a into b. This was done after it had already been decided to allow quantified tests: the test

```
SOME i IN a HAS i < 0
```

succeeds if a contains a negative element (and sets i to stand for the value of the first such element, if any). Instead of SOME, also EACH and NO are allowed.

In  $B_0$ , the domain of a table had to be defined as a RANGE type in order to create the table. With a dynamic domain, this no longer applies. But there should be some way for the user to go through a table domain. As a first attempt, a domain operator was introduced: `[]t` gives the list of indexes i such that `t[i]` is defined. So we could write:

```
FOR i IN []t: ... .
```

Switching to a seemingly unrelated topic, we wanted some simple but powerful mechanism for text parsing. A first attempt was a "FITS test" of the form

e FITS  $v_1: t_1, \dots, v_n: t_n,$

with e a text expression,  $v_i$  variables and  $t_i$  tests. (The keyword FITS keeps appearing and disappearing in the design of B, each time with a different meaning.) The whole test succeeds if an assignment of text values to  $v_1, \dots, v_n$  is possible, such that  $e = v_1 \wedge \dots \wedge v_n$  and all of the tests  $t_i$  succeed. If several successful assignments were possible, the lexicographically first one would be returned.

Now this would have filled an appreciable part of the syntax for one specialized capability. Moreover, it was unlike anything else in the language. Then we realized that we almost had the capability already there, right under our hands. For the semantics were exactly those of

SOME  $v_1, \dots, v_n$  IN ??? HAS  $t_1$  AND ... AND  $t_n,$

provided some suitable expression for the ??? could be substituted. This expression should be a list of all n-tuples  $s_1, \dots, s_n$  such that  $e = s_1 \wedge \dots \wedge s_n$ . A provisional notation for this list was e/n (e divided in n parts). This raises the problem that the type of e/n is dynamically dependent on n, which is incompatible with strong typing. If the form were only allowed in this context, the problem would disappear; in fact, the n is then redundant, since there are exactly n bound variables.

This triggered the solution adopted now. It is illustrated by the following example:

```
WHILE SOME h, s, t PARSING sent HAS s = ` , `:
  INSERT h IN words
  PUT t IN sent.
```

If sent contains a comma, the parsing will be found that positions s at the first comma (so h will not contain a comma). If sent does not contain a comma, the test fails. If sent originally held the text `hickory,dickory,dock`, the effect is that of

```
INSERT `hickory` IN words
INSERT `dickory` IN words
PUT `dock` IN sent.
```

This is the most complicated feature in B<sub>2</sub>; it is, however, quite powerful. Its semantics can be explained in already familiar terms. At

the same time, it takes away the nagging problem that a simple statement as

```
PUT 'memory is becoming cheap' / 24 IN m
```

threatens to blow up even gigabyte systems.

When OVER and REVO were originally introduced, and when they were replaced by IN, we did not think of the construction as a generator. With PARSING, we clearly have a generator. It is quite natural then to have a generator INDEXING to go through all indexes of a table. For example,

```
FOR i INDEXING c:
  IF c[i] > max: PUT max IN c[i]
```

applies a partial Procrustean operation to the elements of c.

Such a decision may seem simple. But it has many ramifications. One is that the domain operator should be abolished. This is no great loss. Inspection of programs shows that in practice it is never used in a statement like

```
PUT []t IN tdom.
```

But the operator was used in other ways. Previously, the way to delete an index from the domain was

```
DELETE i FROM []t,
```

using []t as a pseudo-target. This had worried us, since the counterpart

```
INSERT i IN []t
```

could not be admitted. Some other notation has to be devised for this deletion, removing at the same time the unorthogonality.

The meaningful test

```
i IN []t
```

also has to be replaced by some other notation. One solution is a test

```
DEFINED t[i],
```

which can also be put to other uses (e.g., DEFINED sqrt -1). Another solution that is considered is derived from the observation that the test



x IN a

may be viewed as an abbreviation for

SOME i IN a HAS i = x.

So we could introduce a test

x INDEXING t,

using a similar abbreviation. A not particularly helpful, but harmless, consequence is that there should then also be a PARSING test.

## 8. THE FINAL COMPOSITION

As has been clear from the exposition, composing a language is not merely a matter of putting ingredients together and stirring till the result is a smooth paste. It would be helpful to language designers, if some top-down design method existed for algorithmic languages. If such a method exists, it has escaped our attention. The requirement for applying a method as "separation of concerns" is that the relevant concerns be separable. The whole experience of language design points in a different direction: seemingly innocent minor decisions may quite unexpectedly work major havoc in seemingly unrelated corners. A well composed language is one in which the "features", although orthogonal, lend themselves to easy combination in many natural modes of expressing algorithmic thought. This means that the whole language is a tightly knit fabric, threatened by loose ends.

The best aid to systematic language design, until now, is the paradigm of orthogonality, that derives its name from the title of VAN WIJNGAARDEN [12], but whose essence can already be found in his [11]. Experience shows that its application requires skill, if not expertise. It is interesting to see that the evolution of B has been in the direction of more orthogonality, mainly by virtue of the quest for simplicity.

For part of the work in designing B<sub>2</sub>, a new systematic approach has been used: the method described in section 3 to select the type system. This method is more widely applicable; it can be used, e.g., to find a proper system of string operations from a large set of candidates. Work is in progress to apply another systematic method for the final polishing of the whole language.

The idea has been used before by the author in a composition exercise of a different nature: composing a string quartet with

traditional harmony (MEERTENS [7]). The same idea is applicable here. In its bare essence, it boils down to considering all combinations of all alternatives for the microscopic design decisions. For each combination, a check list is inspected of potential unacceptable or undesirable consequences. For each transgression, a fine is imposed. The combination that collects the minimal total fine, comes out as the winner.

This method is, of course, NP-complete. In practice, however, it is expected to be feasible with the aid of some heuristics, since many design decisions form relatively independent small clusters. Still, this computational complexity is indicative of how hard it is to design a language. The example of the five reasonable desiderata for the numeric values, only four of which could be satisfied simultaneously, is just one example of the problems a language designer may run across.

It would be misleading to call such methods "language design by computer". The real skill goes into identifying the decisions, weighing the importance and merits of various approaches, and identifying harmful combinations. Only a dumb, but hard, part of the work is left to brute force. It is expected that the first-time "winner" will mainly serve to show deficiencies in the input to the program, and that several iterations will be needed to come up with a nice product. Indeed, the exercise may point out directions we have overlooked. If anything, the method requires that human prejudice is made explicit. The algorithm itself is, like Justice, blind-folded.

#### REFERENCES

- [1] GEHANI, N., Generic procedures: an implementation and an undecidability result, *Computer Languages* 5 (1980) 155-161.
- [2] GEURTS, L.J.M & L.G.L.T. MEERTENS, Designing a beginners' programming language, in *New Directions in Programming Languages* 1975, 1-18, (S.A. Schuman, ed.), IRIA, Rocquencourt, 1976.
- [3] GEURTS, L.J.M & L.G.L.T. MEERTENS, Keyword grammars, in *Implementation and Design of Algorithmic Languages*, 1-12, (J. André & J.-P. Banâtre, eds), IRIA, Rocquencourt, 1978.
- [4] HOMMEL, G., J. JÄCKEL, S. JÄHNICHEN, K. KLEINE, W. KOCH & K. KOSTER, *ELAN - Sprachbeschreibung*, Akademische Verlagsgesellschaft, Wiesbaden, 1979.

- [5] LANGMAACK, H., On correct procedure parameter transmission in higher programming languages, *Acta Informatica* 2 (1973) 110-142.
- [6] KING, P.R., MABEL manual, University of Manitoba, 1978.
- [7] MEERTENS, L.G.L.T., The imitation of musical styles by a computer, in *Information Processing 68, Proc. of IFIP Congress 1968*, Vol. 1, xxiv-xxv, North-Holland Publ. Co., Amsterdam, 1968.
- [8] MEERTENS, L.G.L.T., Mode and meaning, in *New Directions in Programming Languages 1975*, 125-138, (S.A. Schuman, ed.), IRIA, Roquencourt, 1976.
- [9] MILNER, R., A theory of type polymorphism in programming, *J. of Computer and System Sciences* 17 (1978) 348-375.
- [10] TRACTON, K., 57 Practical Programs & Games in Basic, Tab Books, Blue Ridge Summit, 1978.
- [11] VAN WIJNGAARDEN, A., Generalized ALGOL, in *Symbolic Languages in Data Processing, Proc. of an ICC Symp.*, 409-419, Gordon and Breach, 1962; also in *Annual Review in Automatic Programming*, Vol. 3, 17-26, (R. Goodman, ed.), Pergamon Press, 1963.
- [12] VAN WIJNGAARDEN, A., Orthogonal design and description of a formal language, Report MR 76, Mathematical Centre, Amsterdam, 1965.

APPENDIX A: A  $B_0$  and a  $B_2$  program for the sieve of Eratosthenes.

The following  $B_0$  program is copied from [2].

```

BEGIN
CONST n IS 1999
RANGE sievesize FROM 2 TO n
RANGE primality HAS prime, nonprime
ARRAY (sievesize) a TYPE primality
FOR i OVER sievesize PUT prime IN a(i)
VAR k TYPE int, kmult TYPE sievesize
PUT 2 IN k
WHILE k*k FITS kmult
    BEGIN
    VAR k1 TYPE sievesize
    IF k FITS k1, a(k1) = prime DO sieve
    PUT k+1 IN k
    END
sieve:
    BEGIN
    PUT nonprime IN a(kmult)
    WHILE kmult+k FITS kmult PUT nonprime IN a(kmult)
    END
FOR i OVER sievesize
IF a(i) = prime
    BEGIN
    NEWLINE
    PRINT i
    END
END

```

This problem was certainly not selected in [2] to show the clumsiness of  $B_0$ . The algorithmic thought is captured more easily, though, in  $B_2$ :

HOWTO SIEVE n:

```
PUT {2..n}, 2 IN primes, k
```

```
WHILE k*k <= n:
```

```
    PUT k*k IN kmult
```

```
    WHILE kmult <= n:
```

```
        IF kmult IN primes: DELETE kmult FROM primes
```

```
        PUT kmult+k IN kmult
```

```
    PUT (k+1) min primes IN k
```

```
WRITE primes
```

SIEVE 1999

Note that this program is algorithmically slightly different from the  $B_0$  program given above. The formula  $x \text{ min } y$  yields the smallest element of the list  $y$  that is at least  $x$ .

APPENDIX B: A BASIC and a  $B_2$  program for tabulating a recurrent sequence.

The following program is copied from KENTON [10]. It has been selected because for this problem none of the "strong" points of  $B_2$ , such as manipulation of lists, apply. For purposes of fair comparison, non-keywords have been rendered in lower case.

```

10 REM This program computes a table of Fibonacci numbers
20 PRINT "Enter first term"
30 INPUT a
40 PRINT "Enter second term"
50 INPUT b
60 PRINT "Maximum number of terms ="
70 INPUT n
80 PRINT
90 PRINT "Table of Fibonacci numbers"
100 PRINT "Term no.," "Fibonacci number"
110 LET k=1
120 PRINT k,a
130 LET k=2
140 PRINT k,b
150 LET k=k+1
160 LET q=a+b
170 PRINT k,q
180 LET a=b
190 LET b=q
200 IF k>=n THEN 220
210 GOTO 150
220 PRINT "Maximum numbers of terms reached"
230 PRINT
240 PRINT "Type 1 to continue, 0 to stop"
250 INPUT ℓ
260 IF ℓ=1 THEN 280
270 STOP
280 PRINT
290 GOTO 20
300 END

```

The following  $B_2$  program is not an exact transliteration; it contains an obvious improvement that might also be applied to the BASIC

should be considered that part of the thesis motivating the development of B is that BASIC invites clumsy programming.

HOWTO TABULATE FIBONACCI NUMBERS:

```

PUT 'yes' IN cont
WHILE cont|1 = 'y':
    WRITE / 'Enter first term: '
    READ a EG 0
    WRITE / 'Enter second term: '
    READ b EG 0
    WRITE / 'Maximum number of terms = '
    READ n EG 0
    WRITE // 'Table of Fibonacci numbers'
    PUT 'Term no. ', 'Fibonacci number' IN ct, cf
    WRITE / ct^cf
    PUT length ct, length cf IN lt, lf
    FOR k IN {1..n}:
        WRITE / (k>>lt//2)^(a>>(lt+lf//2))
        PUT k+1, b, a+b IN k, a, b
    WRITE / 'Maximum number of terms reached'
    WRITE / 'Do you want another table? '
    READ cont EG ''

```

This program shows some "formatting": the formula  $x \gg n$  yields a text of length  $n$  representing the value of  $x$ , right adjusted (left-padded with blanks).

ONTVANGEN 7 APR. 1981